AD-A216 035



# TRIPLER ARMY MEDICAL CENTER



THE COPY

DTIC ELECTE DEC 20 1989



## CLINICAL INVESTIGATION PROGRAM

**REPORTS CONTROL SYMBOL MED-300 (R1)** 

FISCAL YEAR 1989

APPROVED FOR PUBLIC RELEASE: DISTRIBUTION UNLIMITED

89 12 19 054

UNCLASSIETED

SECURITY CLASSIFICATION OF THIS PAGE (When Date Entered)

REPORT DOCUMENTA		READ INSTRUCTIONS BEFORE COMPLETING FORM
NED-300(R1)	2. GOVT ACCESSION NO.	3. RECIPIENT'S CATALOG NUMBER
TITLE (mil Subtitle)		S TYPE OF REPORT & PERIOD COVERED
CLINICAL INVESTIGATION PROGR	AH	ANNUAL - TY 89
Annual Progress Report		6. PERFORMING ORG. REPORT NUMBER
KAY A. KYSER, COL, MC Chief, Department of Clinica	1 Investigation	8. CONTRACT OR GRANT NUMBER(#)
chier, beparament of Crimica	i investigation	
Department of Clinical Inves Tripler Army Medical Center	ooress tigation	10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS
Department of Clinical Inves Tripler Army Medical Center Tripler AMC, Hawaii 96859-50	ooness tigation 100	10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS 12. REPORT DATE
Department of Clinical Inves Tripler Army Medical Center Tripler AMC, Hawaii 96859-50 Controlling Office Name and Addre Commander	ooness tigation 00	12. REPORT DATE 1 October 1989
Department of Clinical Inves Tripler Army Medical Center Tripler AMC, Hawaii 96859-50 CONTROLLING OFFICE NAME AND ADDRE COmmander HQ, Tripler Army Medical Cen	odress etigation 100 ess	12. REPORT DATE
Department of Clinical Inves Tripler Army Medical Center Tripler AMC, Hawaii 96859-50 CONTROLLING OFFICE NAME AND ADDRE COMMANDER HQ, Tripler Army Medical Cen Tripler AMC, Hawaii 96859-50	obress stigation 000 ess	12. REPORT DATE  1 October 1989  13. NUMBER OF PAGES
Department of Clinical Inves Tripler Army Medical Center Tripler AMC, Hawaii 96859-50 CONTROLLING OFFICE NAME AND ADDRE COMMANDER HQ, Tripler Army Medical Cen Tripler AMC, Hawaii 96859-50	obress stigation 000 ess	12. REPORT DATE 1 October 1989 13. NUMBER OF PAGES 294
Department of Clinical Inves Tripler Army Medical Center Tripler AMC, Hawaii 96859-50 Controlling Office Name and Addre Commander HQ, Tripler Army Medical Cen Tripler AMC, Hawaii 96859-50 Tal Monitoring Agency Name a Addressor Commander US Army Health Care and Clin	odress tigation  000 css  Iter 000 It dillerent from Controlling Office)	12. REPORT DATE  1 October 1989  13. NUMBER OF PAGES  294  15. SECURITY CLASS. (of this report)  UNCLASSIFIED
Department of Clinical Inves Tripler Army Medical Center Tripler AMC, Hawaii 96859-50 Controlling Office Name and Addre Commander HQ, Tripler Army Medical Cen Tripler AMC, Hawaii 96859-50 Tal Monitoning Agency Name & Address/ Commander	oderss stigation 000 sss ster 000 It different from Controlling Office)	12. REPORT DATE  1 October 1989  13. NUMBER OF PAGES  294  15. SECURITY CLASS. (of this report)

APPROVED FOR PUBLIC RELEASE: DISTRIBUTION UNLIMITED

17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, If different from Report)

18. SUPPLEMENTARY NOTES

THE FINDINGS IN THIS REPORT ARE NOT TO BE CONSTRUED AS AN OFFICIAL DEPARTMENT OF THE ARMY POSITION UNLESS SO DESIGNATED BY OTHER AUTHORIZED DOCUMENTS.

19 KEY WQRDS (Continue on reverse side if necessary and identify by block number)

Clinical investigation; experimental projects; research projects; in-house research; publications, presentations of research data; project status; experimental design

20 ABSTRACT (Continue on reverse aide it necessary and identify by block number)
Subject report identifies those individuals who are conducting investigative protocols at Tripler Army Medical Center. An abstract of each project giving abbreviated technical objectives, methods, and progress is presented.

Candy I

SECURITY CLASSIFICATION OF THIS PAGE	((When Data Entered)	
		Ī
į.		
<u> </u>		
İ		
1		
		ļ
l		1
!		1
1		
ł		
<del>[</del>		
\$		
ì		
<b>{</b>		
j		
į		
1		
1		
1		
1		
1		
1		
1		
ļ		
<b>\</b>		
		•

#### ANNUAL PROGRESS REPORT

DEPARTMENT OF CLINICAL INVESTIGATION Reports Control Symbol MED-300(R-1)

FISCAL YEAR 1989 1 October 1989



Acce	sion Fo			
DT/C Unan	CRA& TAB nounced		נוסק	
By Distrib	oution/	- 000 14 50000	32344 SI-6	·
-	vailabili	ly Cod	ies	
Dist	Avail Spe	und/o	1	$\exists$
A-1			•	

DEPARTMENT OF CLINICAL INVESTIGATION TRIPLER ARMY MEDICAL CENTER Tripler AMC, Hawaii 96859-5000

#### **FOREWORD**

Building on the changes of last FY, investigators expanded research excitement at Tripler. An increasing number of clinical programs have started formal research training schedules, including research block time, insuring support and guidance by the teaching staffs to new investigators. Increasingly, physicians from within the clinical specialties sought collaboration with Dr. Claybaugh and our affiliated university researchers to insure that studies took advantage of next generation technology and nationally credible co-investigators. Excellent Tripler Command support, including midyear plus ups, made it possible to match resources to rapidly increasing research requirements. The joint Tripler-Kapiolani neonatology fellowship showed ever increasing growth of momentum in research with clinical payoffs of approval of increased number of fellows. Investigators in the fellowship program, in collaboration with University of Hawaii researchers, were awarded a privately funded multiyear program project grant, reflecting outside professional recognition of the national credibility of the program. The historic Tripler commitment to research in surgery is being rewarded by substantial increases in the quality and volume of research in Surgery. This has also been a record year for clinical research in OB-GYN with the number of papers accepted at the national meetings outstripping all other MEDCENs. Physicians in Psychiatry and Surgery had papers selected for awards at national meetings. CPT Beau Freund of our department was named the outstanding Army Allied Scientist. Dr. John Claybaugh was promoted to GM 15. His research area received recognition as well as additional funding from the US Army Medical Research and Development Command.

Matching the success of this year will be our greatest challenge next year.

KAY Á. KYSER

COL, MC

Chief, Dept of Clinical Investigation

may: Typer

#### **ACKNOWLEDGEMENTS**

I would like to take this opportunity to thank Mrs. Sharon M. Abe, Editorial Assistant, for the compilation, preparation and editing of this publication and Mrs. Candace M. Lord, Clerk-Typist, for her typing support.

## DEPARTMENT OF CLINICAL INVESTIGATION TRIPLER ARMY MEDICAL CENTER

#### UNIT SUMMARY

- A. <u>OBJECTIVES</u>: To sponsor clinical investigation, in compliance with applicable laws, regulations and policies, to increase the academic professional stature of the MEDCEN.
- B. <u>TECHNICAL APPROACH</u>: 1) Renew research documentation and advise the Commander and his institutional committees on matters pertaining to clinical investigation, and 2) Provide consultative and collaborative support to approved investigations.

#### C. STAFFING:

Name Rank MOS Title	
Kyser, Kay A.  McCu'llen, Albert H.  MAJ 64C9B Chief, Veterinary Ser Chief, Christopher L.  Conceicao, Mary Lou SSG 92B30 NCOIC  Conceicao, Mary Lou SSG 92B3HM4 Former NCOIC(departed Brady, Anne V.  Rawitz, Eileen C.  Anderson, Sandra J.  Johnson, Elsa L.  Claybaugh, John R.  Claybaugh, John R.  GM14 00413 Chief, Physiology Ser Sato, Aileen K.  Ichimura, Wayne M.  GS11 00802 Biomedical Laboratory Striction, Glenn M.  GS09 00404 Biological Laboratory Abe, Sharon M.  Leighnor, Agatra M.  GS07 01087 Editorial Assistant Leighnor, Agatra M.  GS05 00318 Secretary (Typing)  Yee, Denise M. L.  Kullama, Linda K.***  Dice, Margaret S.**  Eichinger, Mark R.*  Griffith, Robert B.*  Hebden, Anthony****	d 10/89) sst st specialist crvice ry Tech ry Tech ry Tech ry Tech

<sup>\*</sup>MRDC Grant (Educational Contract)

\*\*Buffalo Grant (Educational Contract)

\*\*\*Leahi Grant (Kapiolani Hospital)

\*\*\*\*VA/DOD (Educational Contract)

Officers: 3 authorized; 4 required; 3 assigned. Civilians: 6 authorized; 9 required; 9 assigned. Enlisted: 6 authorized; 7 required; 6 assigned.

The number of personnel funded by grants and not included in the TDA: 8

#### D. FUNDING:

Funding Type	1989	SUNY Grant	VA Support Agreement	USMRDC Grant
Civilian personnel including benefits	\$318,681	\$ 313		
Consumable supplies	147,798	10,146	22,974	
Civilian contracts including consultants	10,268	3,180	8,115	\$3,400
TDY	24,890	1,096	1,268	
Noninvestment equipment (Minor MEDCASE)	28,276			
OMA Total	529,913			
MEDCASE	113,979			
Military	393,778			
TOTAL	\$1,037,670	\$14,735	\$32,357	\$3,400

E. <u>PROGRESS</u>: There is a continued reversal of a decade of decline. Issues of logistic support, space, people, and policy are all being addressed with solutions programmed over the next two years.


Number of residency and fellowship training programs that use Clinical

Investigation: 14 37 Residents held approved protocols in 1989 with the total number of 47 protocols held by this group in 1989.

4 Fellows held approved protocols in 1989 with the total number of 4 protocols held by this group in 1989.

60 Hospital staff members held approved protocols in 1989 with the total number of 173 protocols held by this group in 1989.

F. PROBLEMS: See progress.



· yas Li

### TABLE OF CONTENTS

Protocul Number		Page
	Foreword	i
	Unit Summary	ii
	Publications & Presentations	1-27
	DEPARTMENT OF CLINICAL INVESTIGATION	
41A86	Claybaugh, J. R. Effects of Elevated Mineralocorticoid on Blood Pressure; Thirst; and Vasopressin Responses to Angiotensin in the Goat; (0)	28
11A87	Claybaugh, J. R. The Metabolic Clearance of Arginine Vasopressin in the Amniotic Sacrof the Fetal Guinea Pig (0)	29
1A88	Claybaugh, J.(R. Effects of Des-Leu Angiotensin I, Cortisol, and Hyperbaria on the Release of Vasopressin from the Isolated Hypothalamoneurohypophyseal System (0)	30
20/188	Claybaugh, J. R.(formerly: Keeler, R.) Stop-Flow Analysis of Sodium Entry and Tubular Transit Times for Sodium and Inulin in Normal and Nephrotic Rats (0)	31
13A89	Claybaugh, J. R. Effects of Hyperoxia: on Airway -Smooth Muscle Function in Newborn Guinea Pigs (0)	32
21A89	Claybaugh, J. R. Effects of Hypoxia on Vasopressin Response to Hemorrhage and its Role in the Maintenance on Blood Pressure; (0)	33
36A89	Claybaugh, J. R. Ontogeny of the Mechanisms of Arginine Vasopressin and Vasotocin Mediated Contraction (0)	34

Protocol Number		Page
52 <b>A</b> 89	Claybaugh, J. R. Effects of Vasopressin on Pulmonary Vascular Resistance in Hypoxia Induced Pulmonary Arterial Hypertension in Newborn and Adult Pigs (0)	35
54H89	Claybaugh, J. R. Responses of Water and Electrolyte Regulating Hormones During a Saturation Dive to 450M (0)	36
56A89	Dice, M. S. Mechanism of Cold Induced Diuresis; (0)	37
28A87	Dice, M. S. Mechanism of Cold Induced Diuresis: A Pilot Protocol (T)	38
4A88	Freund, B. J. Are the Natriuretic and Diuretic Actions of Atrial Natriuretic Factor Dopamine, Dependent? (0)	39
39H88	Freend, B. J. Hormonal and Renal Responses to Exercise: Effects of Exercise; Intensity (0)	40
57H89	Hebden, R. A. Effect of Negative Pressure Breathing on Fluid and Electrolyte Balance in Human Subjects (0)	41
6888	Kullama, L. K. The Ontogeny of Vasopressin Receptors in Vascular Smooth Muscle in the Guinea Pig (C)	42
38A88	Kullama, L. K. The Ontogeny of cGMP Mediated Relaxation in Smooth Muscle (e.g. aorta, pulmonary artery, trachea etc.,) of Developing Fetal, Newborn and Adult Guinea Pigs and Rats (0)	43
<b>44A88</b>	Kyser, K. A. Pilot Study: Investigation of Transplated Tumor Cell Lines in Mice: Establishment of Cancer Models at Tripler AMC to Support Research Protocols in Pathology; Surgery; and Medicine (0)	44
27A89	McCullen, A. H. The Prevalence of Hantavirus and Hantavirus Antibody in Rats on Oahu (0)	45

Protocol Number		Page
58A89 , ;	Makamura, K. T. The Ontogeny of "Cyclic Guanosine Monophosphate (cGMP) Dependent" and "cGMP Independent" Relaxation Mediated by Sodium Mitroprusside (SMP) and Atrial Natriuretic Factor (ANF) in the Thoracic Aorta of Guinea Pigs (0)	46
•	DEPARTMENT OF DENTISTRY;	
11H89	Bach, D. E. A Quality Assurance Study to Compare Two Treatment Modalities for Mandibular Fractures - An Analysis of Lost Duty Time and Hospitalization Costs to the Military (C)	47
12A89	Bach, D. E. Evaluation of a Composite Graft () (porous particulate hydroxyapatite particulate marrow cancellous bone) for Onlay Augmentation of the Atrophied Alveolar Ridge with Simultaneous Placement of Endosseous Implants in Goats (0)	48
48A89	Bach, D. E. Microsurgery Training for Oral -Maxillofacial Surgery Residents Using Rat Nerves and Vessels (0)	49
9H88	Boice, G. W. A Comparison of Complete Maxillary Denture Retention Before and After Magnetic Retention is Obtained Utilizing Osseointegrated Implants (0)	50
	DEPARTMENT OF MEDICINE	
641188	Berenberg, J. L. A Comparison of Amitriptyline vs. Trazodone vs. Plcebo as Adjuvants to Opiate Analgesics in the Management of Pain in Cancer Patients (0)	51
19H84	Bornemann, M. Treatment of Graves' Ophthalmopathy with Cyclosporin (0)	52
31H86	Bowen, R. E. The Incidence of Clinically Relevant IgE-Hypersensitivity to Mold Spores in Hawaii (T)	53

rotocol lumber		* Page
22H88	Brown, J. D. Double Blind, Multicenter, Placebo Controlled Clinical Trial to Evaluate the Efficiacy and Safety and HA-1A Human Monoclonal Antibody in Patients with Severe Gram-Negative Sepsis/Gram-Negative Septic Shock (T)	54
33H86	Brown, J. D. The Natural History of HTLV-(III ? Infection and Disease in a United States Military Population (0)	55
58H88	Farrell, S. E. BIG ANP in Salt and Water Retention States (T)	56
8Н89	Fedalei, A. G. Evaluation of Anamnestic Response of Lymphocytes; from Recipients of the Heptavax Vaccine who are HBsAb Negative (0)	57
54H88	Fitzpatrick, R. A Prospective, Randomized, Double-Blind, Placebo Controlled of the Effects of 6 Months of Enalapril on Microalbuminuria in Patients with Insulin-Dependent Diabetes Mellitus (T)	58
55H88	Gazenski, G. D. A Direct Comparison Between the Cholesterol Lowering Effects of Psyllium Mucilloid and Bile Sequestering Agents (0)	59
61H88	Gore, N. (formerly: Harrington, G. R.) Prevention of Nosocomial Pneumonias and Stress Gastroduodenal Ulcers in Ventilated Patients (A Multi-Center Protocol) (T)	60
8L87	Hassell, L. H. Noncompliant Behavior Among Hemodialysis Patients: Relationship to Disturbances of the Renin-Angiotensin-Aldosterone, Antidiuretic Hormone, and Atrial Natriuretic Hormone Axes (0)	61
26H87	Hassell, L. H. Effect of Hemodialysis on Hearing	62

Protocol Number		Page
17H88	Hassell, L. H. Impact of Clinical Laboratory Methodology on the Accurate Measurement of Serum Chloride and Calculated Bicarbonate from Arterial Blood Gases and the Clinical Approach to the Diagnosis of Acid-Base Disorders (0)	63
43H89	Holland, W. D. Clinical Utility of Post-Thoracentesis Chest Roentgenography (0)	64
10H89	Howden, J. K. Double Blind Trial of Sucralfate in the Treatment of Minor Aphthous Stomatitis (0)	65
27H88	Johnson, A. C. A Treatment Protocol for the Use of Trimetrexate with Leucovorin Rescue for AIDS Patients with <u>Pneumocystis Carinii Pneumonia and Serious Intolerance to Approved Therapies</u> (0)	66
10Н88	Muggelberg, M. L. Assessment of Nonspecific Decrease in Skin Test Reactivity and Late Phase Reactions During Immunotherapy (T)	67
11888	Muggelberg, M. L. Efficacy of Steroids in the Acute Treatment of Asthma: Are Duration of Symptoms Important? (0)	68
12H88	Muggelberg, M. L. Multicenter Clinical Evaluation of Penicillin Skin Testing Materials (0)	69
32H89	Myhand, R. The Effect of Cancer Chemotherapy on the Reactivation of Chronic Hepatitis B Infection (0)	70
21186	Zimring H. J. (formerly: Paul G. L.) Systolic Hypertension in the Elderly Program (0)	71
-	DEPARTMENT OF NURSING,	
40H89	Baird, M. M. A Blinded HIV Seroprevalence Survey Utilizing Cord Blood Specimens Routinely Collected for Neonatal RH Antibody Titer and Hematocrit Testing (0)	72

Protocol Number		Page	
17H89	Baysinger, D. M. II Metoclopramide's Effectiveness in Reducing Post-Operative Nausea and Vomiting When Administered Post-Operatively as Compared to Intra-Operative Administration (C)	73	
53H89	Ching, L. A. The Effect of Therapeutic Massage on Patient's Back Pain after Cardiac Catheterization (0)	74	
37H85	Taylor, T. A. Nutritional Support of the Hospital- ized Patient: A Comparison Between Continuous and Intermittent Administration of Enteral Tube Feedings (T)	75	
32H88	Wicks, T. C. Vasoconstriction and Anesthesia for Intranasal Surgery: Is Cocaine Really Necessary? (0)	76	
's À			
	DEPARTMENT OF OBSTETRICS AND GYNECOLOGY -		بالمساء
14A88	Andrews, S. J. Use of the PGE2 Vaginal Suppository in Cervical Ripening and/or Labor Induction (T)	77	Ŋźii
47H88	Bruner, J. P. Uterine and Umbilical Artery Blood Flow Change in Cesarean Section Under Subarachnoid Block (0)	78	
48H88	Bruner, J. P. Continuous Instantaneous Assessment of the Adequacy of Fetal Cerebrovascular Perfusion by Means of Transvaginal Continuous Wave Doppler Ultrasonography of the Fetal Anterior Cerebral Arteries Through the Anterior Fontanelle (0)	79	
3H89	Bruner, J. P. Chorionic Villous Sampling in a Military Population (0)	80	
29H89	Bruner, J. P. Development of a Standard Technique of Insonation of the Umbilical Artery with Continuous Wave Doppler Ultrasound (0)	81	
301189	Bruner, J. P. Doppler Ultrasound Examination of Maternal Uterine and Fetoplacental Vessels in Complicated Pregnancies (T)	82	

frotocol Number		Page
33H88	Byron, J. W. Cefamandol Irrigation vs. Parenteral Cefadyl or Cefoxitin Prophylaxis and the Relationship of Bladder Flap Closure to the Incidence of Postpartum Endometritis (C)	83
34H88	Byron, J. W. A Prospective Evaluation of Laparoscopic Techniques Verres Needle Insuflation vs. Direct Trecar Insertion (0)	84
35H89	Hubbard, J. E. Effect of Local Infiltration Anesthesia of Abdominal Incisions on Post-Operative Pain Relief and the Requirement for Post-Operative Pain Medication (0)	85
17H87	Letterie, G. S. Comparison of Pregnancy Rates Using Oil-based and Water-based Contrast Medium in the Evaluation of Tubal Patency (0)	86
29H87	Letterie, G. S. Evaluation of Missed Pills on the Effectiveness of Oral Contraception (0)	87
<b>4</b> H89	Markenson, G. R. A Prospective Evaluation of Serial Concentrations of Human Atrial Natriuretic Peptide (ANP), Plasma Renin Activity, and Aldosterone, in Normal Pregnancies, and Those at Risk for Preeclampsia (0)	88
8H86	Miyazawa, K. Infection Prevention in Patients Undergoing Radical Hysterectomy (T)	89
29T86	Miyazawa, K. GYN-Surgical Training Laboratory Using Animal Models (Swine) (0)	90
60H88	Shen-Gunther, J. Relief of Repetitive Variable Decelerations by Saline Amnioinfusion in Conjunction with Amniotic Fluid Index (AFI) (0)	91
	DEPARTMENT OF PATHOLOGY & AREA LABORATORY SERVICES	
39Н89	Hamill, R. L. Prevalence of Cytomegalovirus (CMV) Antigenemia in Tripler Army Medical Center Random Blood Donors (0)	92

Protocol Number		Page
50H89	Hill, R. B. The Prevalence of Hepatitis A and Hepatitis Non-A, Non-B Antibodies in the Population of American Samoa (0)	93
<b>44</b> H87	Seal, L. A. An Investigation of the Possible Transmission of Hepatitis A by Transfusion of Infectious Blood Products at Tripler Army Medical Center (0)	94
30H88	Seal, L. A. SYVA COMPANY - Microtrak HSV Culture Identification Test Premarket Evaluation Trial (0)	95
<b>46</b> H88	Seal, L. A. Evaluation of the Pathogene Identification Kit - An in situ DNA Probe for Herpes Simplex Virus (HSV) (0)	96
33H89	Seal, L. A. The Prevalence of <u>Hantavirus</u> Antibody in Humans from Oahu, Samoa and other Selected Locations in the Pacific (0)	97
21H88	Sprague, M. S. Use of Maternal Serum IgG Antibody Titer as an Assessment of the Risk of Infection with Herpes Simplex Virus (HSV) to the Unborn Infant (0)	98
	DEPARTMENT OF PEDIATRICS	( IV -
2H89	Alexander, M. E. Postural Demonstration of Two-Dimensional and M-Mode Echocardiographic Mitral Valve Prolapse in Pediatric Patients with Clinical Mitral Valve Prolapse (T)	99
3H87	Banks, R. A. Serum Phosphate Levels in Necrotizing Enterocolitis of the Newborn (T)	100
4H87	Banks, R. A. Immunosuppressive Therapy with Methylprednisolone, Prednisone, and Azathioprine in Patients with Newly Diagnosed Insulin-Dependent Diabetes Mellitus (0)	101
38H87	Banks, R. A. A Comparison of Transdermal Estradiol and Oral Combined Estrogen-Progestin Preparations in the Treatment of Polycystic Ovarian Syndrome (0)	102

Protocol Number		Page
311/85	Bass, J. W. Treatment of Kawasaki Syndrome with Intravenous Gamma Globulin (0)	103
14H87	Baugh, J. R. (formerly: Wittler, R. R.) The Evaluation of Early Detection of Group A B-hemolytic Streptococci and Treatment in Index Patients and Household Contacts (C)	104
33H87	Baugh, J. R. (formerly: Wittler, R. R.) Ceftriaxone vs. Augmentin for Initial Empirical Therapy of Occult Bacteremia (0)	105
40H88	Baugh, J. R. Infant Pneumonia and Ophthalmia Neonatorum Prevention Project (T)	106
23H88	Gallagher, T. E. Predicting Responsiveness to Methylphenidate (0)	107
16H89	Hatch, R. T. Urinary C-peptide Response to Umbilical Anterial Catheter Position in Neonates (0)	108
57H88	Horam, W. J. Combined Utilization of Albuterol, Cromolyn Sodium and Prednisone in the Management of the Dual Phases of Acute Asthma (0)	109
26H88	Jarrett, R. V. Vancomycin Dosing Based on Individual Pharmacokinetic Profiles in Neonates (0)	110
18H89	Jarrett, R. V. EXOSURF Pediatric Multiple Dose Prophylaxis Study in High Risk Premature Infants: A Multicenter Trial (P51 Protocol 13) (0)	111
19H89	Jarrett, R. V. EXOSURF Pediatric Dose and A-a Gradient Changes in Larger Infants with RDS (P51 Protocol 12) (0)	112
1H89	Knott, P. E. A Comparison of Liquid Nitrogen and Cantharidin in the Treatment of Warts in Children (0)	113
211186	Kueser, T. J. Prophylactic Intravenous Sandoglobulin for Infections in High-risk Neonates (C)	114
9A89	Kueser, T. J. Pediatric Intubation Training Utlizing the Feline Model (0)	115

Protocol Number		Page
361187	Lehman, R. M. Identification of the Socially Isolated, Non-delinquent Youth (0)	116
<b>44</b> H89	Nomizu, S. National Survey of Pediatric Sedation Procedures (0)	117
15 <b>A</b> 88	Perkins, T. A. Inspiratory Flow as a Determinant of Barotrauma in New Zealand White Rabbits Rendered Surfactant Deficient (C)	118
2 <b>A</b> 88	Raszka, W. V. The Use of Hyaluronidase in the Treatment of Intravenous Extravasation Injuries (C)	119
50H88	Ruff, M. E. (formerly: Demidovich, C. W.) Bacteriologic Etiology and Comparison of Effectiveness of Penicillin, Erythromycin and Cephalexin (0)	120
	PHARMACY SERVICE	
26084	Martin, S. C. (formerly: Browning, W. C.) Use of Sodium Allopurinol to Control Hyperuricemia in Patients with no Therapeutic Alternative (0)	121
	PHYSICAL MEDICINE SERVICE	
15H8 <b>9</b>	Schreck, R. C. A Study of the Relationship Between the Topography of Herniated Lumbar Disks, Lumbar List, and the Side of Pain (0)	122
<b>49H89</b>	Thornton-Vogel M. I. A Study of the Conservative Approach for the Treatment of the Trigger Finger (0)	123
	من ا	
	- PREVENTIVE MEDICINE SERVICE	
37H89	Edwards, T. The Effectiveness of a Community Health Nursing Outreach Program on Reducing the Effect of High-Risk Factors Associated with Child Abuse/Neglect (0)	124

Protocol Number		Page
59A88	Furlow, B. M. Resistance of <u>Aedes albopictus</u> in Hawaii to Mosquito Adulticides (0)	125
8H88	Pang, L. W. Measles Susceptibility in Hospital Personnel (0)	126
51H88	Pang, L. W. Leptospirosis Presenting as Aseptic Meningitis (C)	127
	DEPARTMENT OF PSYCHIATRY; (-7)	
53H88	Evans, W. S. A Comparison of Brief Group Therapies for Preschool Children: Parent Training vs Group Play Therapy vs Project Group (C)	128
41H89	Folen, R. A. The Effects of a Multicomponent Smoking Cessation Program (0)	129
51H89	Forbes, J. F. The Effect of the Absence of Father on the Patterns of Cosleeping in Military Families in Clinical and Nonclinical Samples (0)	130
47H89	Labbate, L. A. Illicit Drug Use in Active Duty Motor Vehicle Accidents and Severe Trauma (0)	131
59H89	Pullen, R. L. Nutrition Assessment in Chronically Mentally Ill Patients (0)	132
55H89	Took, K. J. The Relationship Between Heavy Metal Music and Adolescent Turmoil (0)	133
31H88	Weiss, D. S. Stimulant Drug Response in Attention Deficit Disordered Preschoolers (0)	134

Protocol Number		Page
	DEPARTMENT OF SURGERY	
35H88	Albertson, K. S. Midfoot Rotational Osteotomy, A Case Report (T)	135
36H88	Albertson, K. S. Volar Carpal-Metacarpal Dislocation in an Athlete. A Case Report and Review of the Literature (C)	136
32H83	Barcia, P. J. Prospective Study of the Use of Urinary D-Lactate Levels in Evaluation of the Acute Abdomen (0) (PR) (SF)	137
34H89	Davis, S. S. Water Sports Injury in Hawaii (Retrospective Study) (0)	138
31H87	Desmond, P. M. The Physiologic Response of Antidiuretic Hormone (ADH) and Human Atrial Natriuretic Factor (hANF) to Hypotonic Volume Expansion Secondary to Sorbitol Bladder Irrigation During Transurethral Prostatectomy (TURP) (0)	139
20H89	Dresner, M. L. Screening for Adenocarcinoma of the Prostate: A Prospective, Randomized Study with Multiple Endpoints (0)	140
14H89	Drinhaus, R. R. A Randomized Prospective Comparison of Operative vs. Non-Operative Treatment of Third Degree Acromioclavicular Separation (0)	141
32H87	Fay, M. J. Treatment of Ununited Fractures of Long and Short Bones with Physio-Stim Pulsed Electromagnetic Field Therapy System (T)	142
25H88	Fay, M. J. The Quadriceps to Hamstring Ratio (0)	143
46A89	Fengler, S. A. Use of Fibrin Glue to Achieve Hemostasis in Solid Organ (Spleen) Injury (0)	144
17E78	Geiger, J. (formerly: Martyak, A. P.) Human Implantation of Intraocular Lenses (T)	145
40A87	Hahn, D. L. (formerly: Hollingsed, M. J.) Emergent Initiation of Cardiopulmonary Bypass in a Swine Model (0)	146

Protocol Number		Page
7H89	Hynes, R. A. Fiberglass Casting Vs. Plaster-Of-Paris (T)	147
9H87	Hynes, R.A. Gait Efficiency of AK Amputees; The Effects of Prosthetic Components (0)	148
15785	Johnson, E. A. (formerly: Kilfoyle, R. G.) Animal Models for Advanced Trauma- Life Support Provider and Instructor Courses (0)	149
42A89	Knuth, T. E. Experimental Techniques of Liver Surgery (0)	150
60Н89	Knuth, T. E. Study of Unasyn vs. Cefoxitin for Perioperative Treatment in Abdominal Operations (0)	151
<b>42H88</b>	Lee, Y. T-M. Treatment of Lipomatosis with Non-Steroid Anti-inflammatory (NSAI) drugs and Tamoxifen (0)	152
2 <b>4</b> H89	Lesher, D. H. Diagnosis and Treatment of Anorectal Malformations (C)	153
25H89	Lesher, D. H. Urinary D-Lactate: A Specific Indicator of Intestinal Ischemia (0)	154
62H88	Murray, L. (formerly: Rudolph, C. C.) The Role of Ultrasonography in the Diagnosis of Acute Appendicitis: A Prospective Study (0)	155
56H88	Ono, C. M. The Use of Absorbable (poly-p-dioxanone) Pins vs Kirschner Wires for Internal Fixation of Chevron Osteotomies for Hallux Valgus (0)	156
50H85	Pitcher, J. D. Arthroscopic Evaluation of Acute Primary Shoulder Dislocations (0)	157
31H89	Pitcher, J. D. Comparison of Anterior Cruciate Ligament Repair: Arthroscopy and Arthrotomy Perioperative Comparison (C)	158

Protocol Number		Page
14785	Quinlan, E. C. (formerly: Fry, T.G) Microsurgery Training for Orthopaedic Residents Using Rat Vessels (0)	159
19H67	Raterink, M. H. Peritonsillar Abscess: Treatment with Needle Aspiration and Oral Antibiotics vs. Incision and Drainage and IV Antibiotics (0)	160
7H87	Raterink, M. H. Post-Therapy Hypocalcemia in the Treatment of Patients with Hyperthyroidism (T)	161
15A87	Reesor, J. R. Menisci Energy-Absorbing Characteristics of Pig Hind Knee with Both Static and Dynamic Loads (0)	162
<b>40A86</b>	Rudolph, C. C. The Effect of Infusing Embolic Material Into the Liver as an Adjunct to Liver Resection in the Pig (T)	163
28H89	Roth, B. J. Clinical Evaluation of a Percutaneous Pneumothorax Cetheter Vs. Standard Tube Thoracostomy for the Treatment of Pneumothorax (0)	164
49H88	Rungee, J. L. The Changing Spacial Relationship of the Patella and Tibia in Normal Knee Motion (0)	165
52H88	Rungee, J. L. Biomechanical Aspects of Olecranization of the Patella (0)	166
38 <b>A</b> 89	Runke, L. C. Use of Auto Suture Co. (U.S. Surgical Corp.) Surgical Stapling Instruments in the Training of Residents on Pigs (0)	167
6A89	Shatz, D. V. Mode of Ventilation and Effects on Renal Function (C)	168
45A89	Tieva, M. Nonanatomic vs. Anatomic Liver Resection in Pigs (0)	169
24H88	West, G. G. Water Sports Injuries in Hawaii (0)	170

Protocol Number		Page
28H88	Yanklowitz, B. A. Treatment Assessment of Multiple Plantar Warts with Acyclovir (0)	171
37H88	Yanklowitz, B. A. Sonography of Morton's Neuromas (0)	172
22A89	Yim, D. W. S. Altered Consciousness Induced by Overdrainage of Cerebrospinal Fluid (0)	173
7H88	Zieske, L. A. Urine Detectability in Patients and Physicians of Intranasal 4% Topical Cocaine During Clinical Utilization (0)	174
	ONCOLOGY PROTOCOLS	
	Gynecologic Oncology Group	
	Hawaii Oncology Group	
	National Surgical Adjuvant Breast and Bowel Project	
NSABP B13(84)	Berenberg, J. A Protocol to Assess Sequential Methotrexate-5FU in Patients With Primary Breast Cancer and Negative Axillary Nodes Whose Tumors are Negative for Estrogen Receptors (T)	175
NSABP B14(84)	Berenberg, J. A Protocol to Assess Tamoxifen in Patients With Primary Breast Cancer and Negative Axillary Nodes Whose Tumors are Positive for Estrogen Receptors (T)	176
NSABP 815(84)	Berenberg, J. A Three-Arm Clinical Trial Comparing Short Intensive Chemotherapy With or Without Reinduction Chemotherapy to Conventional CMF in Receptor-Negative Positive-Node Breast Cancer Patients (0)	177

Protocol Number		Page
NSABP B16(84)	Berenberg, J. A Three-Arm Clinical Trial Comparing Tamoxifen Alone Versus L-PAM, 5-FU, and Tamoxifen Versus Short Intensive Adriamycin-Cyclosphosphamide Plus Tamoxifen in Receptor-Positive Node-Positive Breast Cancer Patients (T)	178
NSABP B17(86)	Berenberg, J. A Clinical Trial to Evaluate Natural History and Treatment of Patients with Noninvasive Intraductal Adenocarcinoma (0)	179
NSABP B18(89)	Berenberg, J. A Unified Trial to Compare Short Intensive Preoperative Systemic Adriamycin Cyclophosphamide Therapy with Similar Therapy Administered in Conventional Postoperative Fashion (0)	180
NSABP B19(89)	Berenberg, J. A Clinical Trial to Compare Sequential Methotrexate 5-Fluorouracil (M-F) with Conventional CMF in Primary Breast Cancer Patients with Negative Nodes and Estrogen Proceptor Negative Tumors (0)	181
NSABP B20(89)	Berenberg, J. A Clinical Trial to Determine the Worth of Chemotherapy and Tamoxifen over Tamoxifen Alone in the Management of Patients with Primary Invasive Breast Cancer, Negative Axillary Nodes and Estrogen Receptor Positive Tumors (0)	182
NSABP B22(89)	Berenberg, J. A Clinical Trial to Evaluate the Effect of Dose Intensification and Increased Cumulative Dose of Postoperative Adriamycin-Cyclophosphamide (AC) Therapy on the Disease-Free Survival and Survival of Patients with Primary Breast Cancer and Positive Axillary Nodes (0)	183
	Pediatric Oncology Group	
POG 8104(83)	Cook B. A. Comprehensive Care of the Child with Neuroblastoma: A Stage and Age Oriented Study, Phase III (0)	184
POG 8158(83)	Cook B. A. NWTS Long Term Follow-up Study (0)	185

Protocol Number		Page
POG 8346(85)	Cook, B. A. Comprehensive Therapy for Ewing's Sarcoma: Tailored Versus Standard Radiation Therapy, Phase III (T)	186
POG 8451(86)	Cook, B. A. Intergroup Rhabdomyosarcoma - Study III (0)	187
POG 8493(85)	Cook, B. A. Infant Leukemia Protocol, Group- Wide Pilot (T)	188
POG 8552(85)	Cook, B. A. A Case Control Study of Childhood Rhabdomyosarcoma (0)	189
POG 8561(87)	Cook, B. A. Phase II Study of 6-Mercaptopurine Administered as an Intravenous Infusion for Malignant Solid Tumors and Acute Leukemia (T)	190
POG 8600/01/ 02(86)	Cook, B. A. Evaluation of Treatment Regimens in Acute Lymphoid Leukemia of Childhood (ALinC #14) (0)	191
POG 8617/ 18(87)	Cook, B. A. Therapy for B-Cell Acute Lymphoblastic Leukemia and Advanced Diffuse Undifferentitated Lymphomas (0)	192
POG 8631(87)	Cook, B. A. Medulloblastoma Favorable Prognosis: Randomized Study of Reduced Dose Irradiation to Brain and Spinal Contents vs. Standard Dose Irradiation (0)	193
POG 8633/34 (89)	Cook, B. A. The Treatment of Children Less Than Three Years of Age with Malignant Brain Tumors Using Postoperative Chemotherapy and Delayed Irradiation (0)	194
POG 8650(89)	Cook, B. A. National Wilms' Tumor Study 4 (0)	195
POG 8651(86)	Cook, B. A. Osteosarcoma Study #2: A Randomized Trial of Pre-Surgical Chemotherapy vs Immediate Surgery and Adjuvant Chemotherapy in the Treatment of Nonmetastatic Osteosarcoma, Phase III (0)	196
POG 8696/97 (87)	Cook, B. A. Treatment of Hepatoblastoma (HB) with Surgery, Chemotherapy, and Radiation Therapy (0)	197

Protocol Number		Page
POG 8704(89)	Cook, B. A. T-Cell #3 Protocol (0)	198
POG 8725(88)	Cook, B. A. Randomized Study of Intensive Chemotherapy (MOPP/ABVD) + Low-Dose Total Nodal Radiation Therapy in the Treatment of Stages IIB, IIIA, IIIB, IV Hodgkin's Disease in Pediatric Patients (0)	199
POG 8741/42 (87)	Cook, B. A. Treatment of Stage D Neuroblastoma In Children Greater Than or Equal to 365 Days at Diagnosis (0)	200
POG 8764(88)	Cook, B. A. Chemotherapy Regimen for Early and Initial Induction Failures in Childhood Acute Lymphoblastic Leukemia - A Pediatric Oncology Group Phase II Study (0)	201
POG 8821(88)	Cook, B. A. AML #3: Intensive Multiagent Therapy vs. Autologous Bone Marrow Transplant Early in First CR for Children with Acute Myelocytic Leukemia (0)	202
POG 8850(89)	Cook, B. A. Evaluation of Vincristine, Adriamycin, Cyclophosphamide, and Dactinomycin with or Without the Addition of Ifosfamide and Etoposide in the Treatment of Patients with Newly-Diagnosed Ewing's Sarcoma or Primitive Neuroectodermal Tumor of Bone: A Phase III Intergroup Study (0)	203
	Southwest Oncology Group	
SWOG 7804(84)	Berenberg, J. Adjuvant Chemotherapy With 5-FU Adriamycin and Mitomycin C (FAM) versus Surgery Alone for Patients with Locally Advanced Gastric Adenocarcinoma, Phase III (0)	204
SWOG 8312(85)	Berenberg, J. Megestrol Acetate and Aminoglutethi- mide/Hydrocortisone in Sequence or in Combination as Second-Line Endocrine Therapy of Metastatic Breast Cancer, Phase III (0)	205
SWOG 8324(87)	Berenberg, J. Evaluation of Fludarabine Phosphate in Malignant Melanoma (C)	206

Protocol Number		Page
SWOG 8326/27 (85)	Berenberg, J. Evaluation of Combination Chemo- therapy Using High Dose Ara-C in Adult Acute Leukemia and Chronic Granulocytic Leukemia in Blast Crisis, Phase III (0)	207
SWOG 8393(84)	Berenberg, J. National Intergroup Protocol for Intermediate Thickness Melanoma (0)	208
SWOG 8417/19 (85)	Berenberg, J. Evaluation of the Consolidation Regimens in the Treatment of Adult Acute Lymphoblastic Leukemia, Phase III (0)	209
SWOG 8507(86)	Dresner, M. L. (formerly: Soderdahl, D.) Maintenance vs No Maintenance BCG Immunotherapy of Superficial Bladder Cancer, Phase III (0)	210
SWOG 8509(86)	Berenberg, J. Evaluation of Menogaril in Adenocarcinoma of the Prostate, Phase II (C)	211
SWOG 8514(86)	Berenberg, J. Randomized Comparison of Cisplatinum + 5-Fluorouracil vs. CBDCA + 5-Fluorouracil vs. Methotrexate in Advanced Squamous Cell Carcinoma of the Head and Neck, Phase III (T)	212
SWOG 8516(86)	Berenberg, J. A Phase III Comparison of CHOP vs m-BACOD vs ProMACE-CytaBOM vs MACOP-B in Patients with Intermediate and High-Grade Non-Hodgkin's Lymphoma (0)	213
SWOG 8530(86)	Berenberg, J. Efficacy of Prednisone in Refractory and Relapsing Multiple Myeloma and Measurement of Glucocorticoid Receptors, Phase II (0)	214
SWOG 8590(85) (formerly #8591)	Berenberg, J. Phase III Study to Determine the Effect of Combining Chemotherapy with Surgery and Radiotherapy for Resectable Squamous Cell Carcinoma of the Head and Neck (0)	215
SWOG 8594(86)	Berenberg, J. A Phase III Trial of Cis-platinum Alone or in Combination with Doxorubicin, Vinblastine and Methotrexate in Advanced Bladder Cancer (T)	216
SWOG 8598(87)	Berenberg, J. A Prospective Trial for Localized Cancer of the Esophagus: Comparing Radiation as a Single Modality to the Combination of Radiation and Chemotherapy, Phase III (0)	217

Protocol Number		Page
SWOG 8600(87)	Berenberg, J. A Randomized Investigation of High Dose Versus Standard Dose Cytosine Arabinoside With Daunorubicin in Patients With Acute Non-Lymphocytic Leukemia (0)	218
SWOG 8605(86)	Berenberg, J. Cyclophosphamide, Ara-C Infusion and Vincristine for Relapsed or Refractory Extensive Small Cell Lung Cancer, Phase II (T)	219
SWOG 8611(87)	Berenberg, J. A Randomized Trial of Two Schedules of Trimetrexate versus 5-Fluorouracil in Colorectal Carcinoma, Phase II-III (T)	220
SWOG 8616(87)	Berenberg, J. Intergroup Phase III Randomized Study of Doxorubicin and Dacarbazine With or Without Ifosfamide and Mesna in Advanced Soft Tissue and Bone Sarcoma (0)	221
SWOG 8617(87)	Berenberg, J. Evaluation of Interleukin 2 in Metastatic Renal Cell Carcinoma, Phase III (C)	222
SWOG 8624(87)	Berenberg, J. A Phase III Randomized Trial of Combination Therapy for Multiple Myeloma. (1) Comparison of VMCP/VBAP to VAD or VMCPP/VBAPP for Induction; (2) Alpha-2b Interferon or No Therapy for Maintenance; and (3) Alpha-2b Interferon + Dexamethmone for Incomplete or Non-Responders (0)	223
SWOG 8632(87)	Berenberg, J. Evaluation of Echinomycin in Central Nervous Systems Tumors, Phase II (T)	224
SWOG 8642(87)	Berenberg, J. Recombinant Human Interferon-Gamma for the Adjuvant Treatment of High Risk Malignant Melanoma After Surgical Excision of the Primary Lesion, Phase III (0)	225
SWOG 8691(89)	Berenberg, J. A Randomized Comparison of Deoxycoformycin Vs. Alpha Interferon in Previously Untreated Patients with Hairy Cell Leukemia (0)	226
SWOG 8703(88)	Berenberg, J. Evaluation of Vinblastine and High-Dose Cis-platinum in the Treatment of Advanced Non-small Cell Lung Carcinoma, Phase II (T)	227
SWOG 8710(89)	Berenberg, J. Trial of Cystectomy Alone vs. Neoadjuvant M-VAC Plus Cystectomy in Patients with Locally Advanced Bladder Cancer (0)	228

Protocol Number		Page
SWOG 8711(89)	Berenberg, J. A Study of Reproductive Function in Patients with Testicular Cancer (0)	229
SWOG 8712(88)	Berenberg, J. A Phase II Trial of Trimetrexate in the Treatment of Hepatoma (C)	230
SWOG 8722(89)	Berenberg, J. Evaluation of Amonafied in Adenocarcinoma of the Prostate, Phase II (T)	231
SWOG 8736(88)	Berenberg, J. Treatment of Localized Non-Hodgkin's Lymphoma: Comparison of Chemotherapy (CHOP) to Chemotherapy Plus Radiation Therapy (0)	232
SWOG 8738(88)	Berenberg, J. Treatment of Extensive Non-Small Cell Lung Cancer: Standard Dose Cisplatin vs High-dose Cisplatin in Hypertonic Saline Alone vs High-Dose Cisplatin/Mitomycin-C (0)	233
SWOG 8788(88)	Berenberg, J. Evaluation of "High-Dose" versus "Standard-Dose" cisplatin Combined with Bleomycin and VP-16 for Advanced Testicular Cancer (T)	234
SWOG 8789(89)	Berenberg, J. A Randomized Study of Etoposide + Cisplatin and Etoposide + Carboplatin (CBDCA) in the Management of Good Risk Patients with Advanced Germ Cell Tumors (0)	235
SWOG 8791(89)	Berenberg, J. Adjuvant Trial of Soft Tissue Sarcoma, Phase III (0)	236
SWOG 8792(87)	Berenberg, J. Phase III Study of Alfa-nl (Wellferon) as Adjuvant Treatment for Resectable Renal Cell Carcinoma (0)	237
SWOG 8793(88)	Berenberg, J. Randomized Phase III Evaluation of Hormonal Therapy vs. Observation in Patients with Stage D1 Adenocarcinoma of the Prostate Following Pelvic Lymphadenectomy and Radical Prostatectomy (0)	238
SWOG 8794(89)	Berenberg, J. Treatment of Pathologic Stage C Carcinoma of the Prostate with Adjuvant Radiotheraapy (0)	239

Protocol		_
Number		Page
SWOG 8795(89)	Berenberg, J. Randomized Prospective Comparison of Bacillus Calmette-Guerin (BCG) and Mitomycin-C Therapy and Prophylaxis in Superficial Transitional Cell Carcinoma of the Bladder with DNA Flow Cytometric Analysis, Phase III (0)	240
SWOG 8796(88)	Berenberg, J. Combination Chemotherapy for Advanced Hodgkin's Disease, Phase III Intergroup (T)	241
SWOG 8804(88)	Berenberg, J. Evaluation of Cis-platinum and DTIC in Inoperable Stage III and Stage IV Melanoma (0)	242
SWOG 8805(88)	Berenberg, J. Neoadjuvant Cisplatin and VP-16 Plus Concurrent Chest and Brain Irradiation for Patients with Stage III Non-Small Cell Lung Carcinoma (0)	243
SWOG 8809(89)	Berenberg, J. A Phase III Study of Alpha Intefferon Consolidation Following Intensive Chemotherapy with ProMACE-MOPP (Day 1-8) in Patients with Low Grade Malignant Lymphomas (0)	244
SWOG 8810(88)	Berenberg, J. Six courses of 5-FU and Cis-platinum with Correlation of Clinical and Cellular DNA Parameters in Patients with Advanced, Untreated and Unresectable Squamous Cell Carcinomas of the Head and Neck, Phase II (0)	245
SWOG 8812(89)	Berenberg, J. Treatment of Limited Small Cell Lung Cancer with Concurrent Chemotherapy, Radiotherapy, with or without GM-CSF and Subsequent Randomization to Maintenance Interferon or No Maintenance (0)	246
SWOG 8892(89)	Berenberg, J. A Study of Radiotherapy with and without Concurrent Cisplatin in Patients with Nasopharyngeal Cancer, Phase III (0)	247
SWOG 8899(88)	Berenberg, J. A Prospectively Randomized Trial of Low-Dose Leucovorin Plus 5-FU, High-Dose Leucovorin Plus 5-FU, or Observation Following Curative Resection in Selected Patients with Duke's B2 or C Colon Cancer (0)	248
SWOG 8900(89)	Berenberg, J. Randomized Trial of VAD and VAD/Verapamil for Refractory Multiple Myeloma (0)	249

Protocol Humber		Page
	Cancer Research Consortium of Hawaii	
CRCH 8901(89)	Berenberg, J. Cancer Research Consortium of Hawaii - Phase II Evaluation of Hepatic Chemoembolization with Angiostat Collagen and Cisplatin, Mitomycin and Doxorubicin (0)	250
CRCH 8903(89)	Berenberg, J. A Multicenter Phase II Trial of Intravenous PEG-Interleukin-2 (Modified Recombinant Human) (PEG IL-2) in Patients with Advanced Renal Cell Carcinoma (0)	251
	Author Index	
	Completed; O-Ongoing; T - Terminated; Published; PR - Presented; SP - Submitted for Publicat	ion

#### **PUBLICATIONS FY89**

#### DEPARTMENT OF CLINICAL INVESTIGATION

Balaraman V, Kullama LK, Easa D, Robillard JE, Hashiro GM, Nakamura KT: Developmental Changes in Sodium Nitroprusside and Atrial Natriuretic Factor Mediated Relaxation in the Guinea Pig Aorta. Pediatr Res (Submitted)

Claybaugh JR, Cornette-Finn KM: ADH Response to Hypertonicity During Peripheral or Central Cortisol Administration. Am J Physiol (Submitted)

Claybaugh JR, Hong SK, Niu AKC, Goldinger JM, Kwon O, Li M, Lundgren CEG: Theories on the Depth-Dependent Control of Body-Fluid-Regulating Hormones to Saturation Diving. Proc of 10th Mtg of the US/Japan Cooperative Program on Natural Resources (UJNR) (Submitted)

Claybaugh JR, Sato AK, Freund BJ, McCullen AH: Effects of Prior Mineralocorticoid (DOCA) Administration of ADH Responses to Intracerebroventricular (IVT) or IV Angiotensin II. FASEB J 3:A246, (Abstract)

Claybaugh JR, Wade CE (Eds.): Hormonal Regulation of Fluid and Electrolytes: Environmental Effects. Plenum Publishing Corporation, New York, NY (In Press)

Claybaugh JR, Wade CE, Cucinell SA: Fluid and Electrolyte Balance and Hormonal Response to the Hypoxic Environment. In: Hormonal Regulation of Fluid and Electrolytes: Environmental Effects (Eds.) Claybaugh JR and Wade CE, Plenum Publishing Corporation, New York, NY (In Press)

Claybaugh JR, Wade CE, Sondeen J, Uyehara CFT, Cucinell SA: Neurohypophyseal and Adrenal Responses to Ascent and to Exercise at 4100 M in Man. Sixth International Hypoxia Symposium, Lake Louise, Alberta Canada, 1989 (Abstract)

Cucinell SA, Claybaugh JR, Wade CE: Differences in Acute Mountain Sickness (AMS), High Altitude Pulmonary Edema (HAPE), and High Altitude Retinopathy (HAR). Sixth International Hypoxia Symposium, Lake Louise, Alberta, Canada, 1989 (Abstract)

Curran-Everett DC, Claybaugh JR, Miki K, Hong SK, Krasney JA: Hormonal and Electrolyte Responses of Conscious Sheep to 96 Hours of Hypoxia. Am J Phsiol 255:R274-283, 1988

Dice MS, Claybaugh JR, Freund BJ: Mechanisms of Cold Diuresis in the Rat. FASEB J 3:A1004, 1989 (Abs #4520)

Freund BJ, Claybaugh JR, Hashiro GM, Buono M, Chrisney S: Endocrine, Renal, and Electrolyte Response During and Following a Marathon in Young Versus Middle-Aged Runners. J Appl Physiol (Submitted)

Freund BJ, Claybaugh JR, Hashiro GM, Dice MS: Hormonal and Renal Responses to Water Drinking in Moderately Trained and Untrained Humans. Am J Physiol 254:3:417-423, 1988

Freund BJ, Shizuru EM, Hashiro GM, Claybaugh JR: Fluid Regulating Hormones at Rest and in Response to Exercise: Relationships to Maximal Oxygen Consumption. Med Sc Sports Exerc 20:S36 (Suppl) (Abstract #215), 1989

Freund BJ, Shizuru EM, Claybaugh JR, Hashiro GM: The Hormonal and Renal Responses to Acute Exercise are Intensity Related. FASEB J 3:A382 (Abs #906), 1989

Freund BJ, Wade CE, Claybaugh JR: Effects of Exercise on Atrial Natriuretic Factor Release Mechanisms and Implications for Fluid Homeostasis. Sports Med 6:364-375, 1988

Hong SK, Claybaugh JR: Hormonal and Renal Responses to Hyperbaria. In: Hormonal Regulation of fluid and Electrolytes: Environmental Effects (Eds.) Claybaugh JR and Wade CE, Plenum Publishing Corporation, New York, NY (In Press)

Keeler R, Sato AK, Claybaugh JR: Effect of V2 Antagonist on the Clearance of Vasopressin by Isolated Perfused Rat Kidneys. FASEB J 3:A246, 1989 (Abs #112)

Krasney JA, Hajduczok G, Miki K, Claybaugh JR, Sondeen JL, Pendergast DR, Hong SK: Head-out Water Immersion: A Critical Evaluation of the Gauer-Henry Hypothesis. In: Hormonal Regulation of Fluid and Electrolytes: Environmental Effects (Eds.) Claybaugh JR and Wade CE, Plenum Publishing Corporation, New York, NY (In Press)

Kullama LK, Balaraman V, Claybaugh JR, Nakamura KT: Comparative Ontogeny of Arginine Vasopressin (AVP), Arginine Vasotocin (AVT) and Norepinephrine (NE) Mediated Contraction in Rat Thoracic Aorta. FASEB J 3:A1024, 1989 (Abs #4637)

Kullama LK, Balaraman V, Claybaugh JR, Ichimura W, Nakamura KT: Ontogeny of Vasoconstrictor Neurohypophyseal Hormone Function in Rats. Am J Physiol (submitted)

Lieberman MM, Frank WJ, Brady AV: Protective Mechanism of the Immune-Response to a Ribosomal Vaccine From Pseudomonas-Aeruginosa .2. Invitro Bactericidal and Opsonophagocytic Studies with Specific Antiserum. J Surg Res 44:3:252-258, 1988

Lieberman MM, Frank WJ: Protective Mechanism of the Immune-Response to a Ribosomal Vaccine From Pseudomonas-Aeruginosa .1. Invivo Protection Studies in Compromised Animal-Models. J Surg Res 44:3:242-250, 1988

Morton AR, Stanforth PA, Freund BJ, Joyner JM, Jilka SM, Hartzell AA, Ewy GA, Wilmore JH: Alterations in Plasma Lipids Consequent to Endurance Training and Beta-Blockage. Med Sci Sports Exerc 21:288-292, 1989

Sondeen JL, Claybaugh JR: Clearance and Urinary-Excretion of Vasopressin in Conscious Dogs. Am J Physiol 256:2:291-298, 1989

Tajima F, Sagawa S, Iwamoto J. Miki K, Claybaugh JR, Shiraki K: Renal and Endocrine Responses in the Elderly During Head-Out Water Immersion. Am J Physiol 254:6:977-983, 1988

Hychara CFT, Claybaugh JR: Vasopressin Metabolism in the Amniotic Sac of the Fetal Guinea Pig. Endocrinology 123:2040-2047, 1988

Hychara CFT, Sato AK, Claybaugh JR: Vasopressin is Metabolized by a Trypsin-like Enzyme in Guinea Pig Amnionic Fluid. Am J Physiol (Endocrinol Metab 20) 257:E352-360, 1989

Wade CE, Freund BJ, Claybaugh JR: Fluid and Electrolyte Homeostasis During and Following Exercise: Hormonal and Non-hormonal Factors. In: Hormonal Regulation of Fluid and Electrolytes: Environmental Effects (Eds.) Claybaugh JR and Wade CE, Plenum Publishing Corporation, New York, NY (In Press)

Wilson N. Claybaugh JR: Acid Releases Immunoactive Atrial Peptide (iAP) from Bound Form in Plasma. FASEB J 3:A1006, 1989 (Abs #4533)

#### DENTAC - HAWAII

Bach DE, Burgess L, Zeslis T, Hollinger J: Histomorphometric Comparison of Grafting Methods for Treatment of Segmental Defects. Abstract No. 1595. J Dent Res 58:381, March 1989

Gardner DG, Kessler HP, Morency R, Scaffner DL: The Glandular Odontogenic Cyst - An Apparent Entity. J Oral Pathol 17:8:359-366, 1988

Muller J. Bach DE: A Simplified Technique for Percutaneous Rigid Fixation of Saggital Ramus Osteotomies. J Oral Maxillofac Surg 47:93-96, January 1989

#### DEPARTMENT OF MEDICINE

Berenberg JL, Goodman PJ, Oishi N, Fleming T, Natale RB, Hutchins LH, Guy GT, MacDonald J: 5-Fluorouracil (5FU) and Folinic Acid (FA): For the treatment of metastatic gastic cancer. (Submitted)

Bernhardt MJ, Mandojana RM: Seabather's Eruption. Clinics in Derm 5(3):101-102, 1987

Bornemann M: Long-Term Medical Management of Conn Syndrome. Ann Intern Med (Abstract and Manuscript submitted)

Bornemann M: Thyroiditis From a Seat-Belt. Ann Intern Med 108:4:641, 1988

Bornemann M, Park AO, Antoine GA. Lerud KS: Squamous Cell Carcinoma of the Thyroid: A Case Report. Otolaryngol Head Neck Surg (Submitted)

Brozetti JJ, Olsen JD: A Case Report: Angioimmunoblastic Lymphadenopathy with Microplasma Pneumonia. Ann Intern Med (Submitted)

Burnett JW, Calton GJ, Mandojana RM, Burnett HW: Local and Systemic Reactions from Jellyfish Stings. Clinics in Derm 5(3):14-28, 1987

Enzenauer R, McKoy J, Vincent D, Gates R: Disseminated Cutaneous and Synovial Mycobacterium-Marinum Infection in a Patient with Systemic Lupus-Erythematosus. South Med J 81:9:30, 1988

Hassell LH, Siemsen AW, Streltzer J, Sato AK, Claybaugh JR: Non-Compliant Behavior in Hemodialysis Patients: Possible Rel of Renin Angiotensin System. FASEB J 3:A1003, 1989 (Abstract #4516)

Lamiell JM, Salazar FG, Hsia YE: Vonhippel-Lindau Disease - Affecting 43 Members of a Single Kindred. Med 68:1:1-29, 1989

Lorette JJ, Wilkinson JA: Alkaline Chemical Burn to the Face Requiring Full-Thickness Skin Grafting. Ann Emerg Med 17:739-741, July 1988

Mandojana RM: Commentary on Aquatic Dermatological Problems. Clinics in Derm 5(3):XIII-XVI, 1987

Mandojana RM: Mini-atlas of Aquatic Dermatological Lesions. Clinics in Derm 5(3):146-154, 1987

Mandojana RM, Letot B: Historical Outlook of Aquatic Biotoxicology and Balneology as Related to Dermatology. Classification of Aquatic Dermatoses. Clinics in Derm 5(3):1-7, 1987

Mandojana RM, Sims JK: Miscellaneous Dermatoses Associated with the Aquatic Environment. Clinics in Derm 5(3):134-145, 1987

Mellick LB, Morgan JA, Mellick GA: Presentations of Acute Phynytoin Overdose. Am J Emerg Med 7:1:61-67, 1989

Nathan AR, Raines KB, Lee YTM, Sakas EL, Ribbing J: Fine-Needle Aspiration Biopsy of Cold Thyroid-Nodules. Cancer 62:7:1337-1342, 1988

Rains VS, Ditzler TF, Blanchette P: Recognition of Alcohol Dependence in the Elderly. J Am Geriatr Soc (Submitted)

Rains VS, Crandell EO, Morgan EJ: Reversible Dementia After Treatment of Sleep Apnea with Nasal CPAP. Ann Intern Med (Submitted)

Sherman KE, Bornemann M: Amitriphtyline and Asymptomatic Hypoglycemia. Ann Intern Med 109:8:683-684, 1988

Streltzer J, Hassell LH: Noncompliant Hemodialysis Patients: A Biopsychosocial Approach. General Hospital Psychiatry 10:255-259, 1988

#### DEPARTMENT OF OBSTETRICS AND GYNECOLOGY

Andrews SJ, Hernandez E, Miyazawa K: Paired Papanicolaou Smears in the Evaluation of Atypical Squamous Cells. Obstet Gynecol 73:5:1:747-750, 1 May 1989

Andrews SJ, Miyazawa K: The Significance of a Negative Papanicolaou Smear with Hyperkeratosis or Parakeratosis. Obstet Gynecol 73:5:1:751-753, 1 May 1989

Hernandez E, Miyazawa K, Berenberg J: Cervical Adenocarcinoma Among Cytologically Screened and Unscreened Women. Am J Gynecol Health 2:4:38-41, Dec 1988

Kopelman JN, Duff P: Treacher-Collins Syndrome: An Association with Polyhydramnios. Milit Med 153:9:485, September 1988

Kopelman JN, Duff P, Read JA: Randomized Comparison of Oral Terbutaline and Ritodrine for Preventing Recurrent Preterm Labor. J Reprod Med 34:3:225-230, March 1989

Kopelman JN, Miyazawa K: Hepatosplenic Schistosomiasis in Pregnancy: Report of a Case and Review of the Literature. Am J Perinatol (Submitted)

Kopelman JN, Miyazawa K: Inadvertent Five Fluorouracil Treatment in Early Pregnancy: A Report of Two Cases. (Accepted)

Kopelman JN, Miyazawa K: Letter to Editor concerning Chromosone Abnormality. Am J Obstet Gynecol (Submitted)

Kopelman JN, Miyazawa K: Multifetal Pregnancies: The Tripler Experience. Am J Perionatol (Accepted)

Kopelman JN, Walton D, Wilson J, Miyazawa K: Antepartum Diagnosis of Arthrogryposis Associated with Trisomy 18. Am J Perinatol (Submitted)

Letterie GS, Andrews S, Miyazawa K: Ampullary Fistula Formation After Linear Salpingotomy for Tubal Pregnancy. British J Obstet Gynecol (Submitted)

Letterie GS, Miyazawa K: A Combination of Gonadotropin Releasing Hormone Analog and Human Menopausal Gonodotropins for Ovulation Induction in Premature Ovarian Failure. Acta Scandinavia Obstetrica et Gynecologica (Submitted)

Letterie GS, Vause N, Miyazawa K: Abnormalities of the Genitourinary Tract and Associated Auditory Deficiencies. Obstet Gynecol (Submitted)

Letterie GS, Wroble L. Miyazawa K: Expectant Management of Persistent Ectopic Pregnancy - A Case-Report. J Reprod Med 34:3:250-252. 1989

Miyazawa K, Kopelman JN: Inadvertent Five Fluorouracil Treatment in Early Pregnancy: A Report of Two Cases. Obstet Gynecol (Submitted)

Perkins RL, Hernandez E, Miyazawa K: Ovarian Endodermal Sinus Tumor During Pregnancy. Am J of Gynecol Health 3:3:21-24, May/June 1989

Stever MR, Hernandez E, Miyazawa: Laser Vaporization of Cervical Intraepithelial Neoplasia. J of AOA 88:10:1269-1272, October 1988

## DEPARTMENT OF PATHOLOGY AND AREA LABORATORY SERVICES

Fitzpatrick GM: Implementation of 100-Percent Review of Tansfusions at a 450 Bed Teaching Hospital IAW JCAH Standards. Transfusion 27:6:568, 1987

Gayle EL: A case report: Angioimmunoblastic Lymphadenopathy with Microplasma Pneumonia. Ann Intern Med (Submitted)

Yamada SM, Hamill RL, Wiebe RA, Ascher DP: Penicillin-Tolerance and Erythromycin Resistance of Group-A Beta-Hemolytic Stretococci in Hawaii and the Philippines. Am J Dis Child (Submitted)

## DEPARTMENT OF PEDIATRICS

Alexander ME, Lovett EJ, Person DA: Postural Demonstration of Cross-Sectional and M-Mode Echocardiographic Mitral Valve Prolapse in Pediatric Patients. Pediatr Cardiol (Submitted)

Bass JW: Immunization Recommendations in Young Adulthood. J Am Med Assoc 259:6:908, 1988

Bass JW: Streptococcal Tonsillopharyngitis and Scarlet Fever, in Nelson JD (ed): Current Therapy in Pediatric Infectious Disease, ed 2, Onterio, BC Decker Inc, pp-31-34, 1988

Bass JW: Gas Gangrene, in Nelson JD (ed): Current Therapy in Pediatric Infectious Disease, ed 2, Onterio, BC Decker Inc. pp 120-121, 1988

Bass JW: Pertussis, in Donowitz LG (ed): Hospital Acquired Infection in the Pediatric Patient, ed 1, Baltimore, Williams & Wilkins, pp 237-246, 1988

Bass JW: Immunization of Children Who Have Received Fractional Doses of DTP Vaccine. Pediatr Infect Dis J 8:129-130, 1989

Bass JW: Public Health Policy on Varicella Infection. JAMA 261:1198, 1989

Bass JW, Johnson RB: Public-Health Policy on Varicella Infection. J Am Med Assoc 261:8:1198, 1989

Bass JW, Roscelli JD: Efficacy of Haemophilus Influenzae Type b Vaccine in U.S. Army Dependent Children Worldwide. Pediatr Infect Dis J (Submitted)

Bass JW, Zacher LL: Do Newborn Infants Have Passive Immunity to Pertussis? Pediatr Infect Dis J 8:352-353, 1989

Cook BA, White CB, Blaney SM, Bass JW: Survival After Isolated Crerebral Mucormysoc2s. Am J Pediatr Hematol Oncol (In press)

Fajardo JE, Stafford EM, Bass JW, Sato AK, Claybaugh JR: Inappropriate Vasopressin in Children with Viral Meningitis. Pediatric Neurol 5:37-40, 1989

Fajardo JE, Stafford EM, Bass JW, Roscelli JD, Sato AK, Claybaugh JR: Inappropriate Antidiuretic Hormone in Children with Viral Meningitis. Pediatr Neurol 5:1:37-40, February 1989

Palmer SR, Bass JW, Mandojana R, Wittler RR: Tinea Nigra Palmaris and Plantaris: A Black Fungus Producing Black Spots on the Palms and Soles. Pediatr Infect Dis J 8:48-50, 1989

Person DA, Nomizu S: A Unique Case of Reducing Body Myopathy. Muscle and Nerve Manuscript (Submitted)

Raszka WV, Smith FR, Pratt SR: Superior Vena-Cava Syndrome in Infants. Clin Pediatr 28:4:195-198, 1989

Roscelli JD: Single Dose Antibiotic-Treatment of Urinary-Tract Infections in Children. Pediatr Infect Dis 7:11:821-822, 1988

Roscelli JD, Bass JW, Pang LW: Guillian-Barre Syndrome and Influenza Vaccination in the US Army: J Am Med Assoc, 1980-1988 (Submitted)

Russo C, Carroll A, Borowitz M, Forman E, Cook BA, Amylon M, Pullen J, Link M: The Philadelphia Chromosome in Association with Monosmy 7 in Childhood Acute Lymphoblastic Leukemia. ASCO, 1989

Wasserman GM, Fajardo JE, Bass JW, Cook BA, Brooks VG: Topical Splenomegaly Syndrome Associated with Cytomegalovirus Infection. Milit Med 154:128-130, 1989

White CB, Harris R, Weir MR, Gonzales I, Bass JW: Streptococcal-Pharyngitis - Comparison of Latex Agglutination and Throat Culture. Clin Pediatr 27:9:431-434, 1988

White CB, Ratt SR, Bass JW, Nevinwoods C, Weir MR: Prenatal Screening for Hepatitis-B Infection in the Military Population in Hawaii. Pediatr Infect Dis 7:2:138-149, 1988

Wittler RR, Bass JW: Nontyphoidal Salmonella Enteric Infections and Bacteremia. Pediatr Infect Dis J 8:364-367, 1989

Wittler RR, Yamada SM, Bass JW, Hamill R, Wiebe RA, Ascher DP: Penicillin-Tolerance and Erythromycin Resistance of Group-A Beta-Hemolytic Stretococci in Hawaii and the Philippines. Am J Dis Child (Submitted)

#### PHARMACY SERVICE

Martin SC: Oncology Pharmacy Residency at Walter Reed Army Medical-Center, Milit Med 153:8:413-416, 1988

## PHYSICAL MEDICINE SERVICE

Saito CK, Lockett LJ: A Unique Case of Reducing Body Myopathy. Muscle and Nerve Manuscript (Submitted)

#### PREVENTIVE MEDICINE SERVICE

Pang LW: Guillian-Barre Syndrome and Influenza Vaccination in the US Army: J Am Med Assoc, 1980-1988 (Submitted)

Pang LW, Limsomwong N, Singharaj P, Canfield CJ: Malaria Prophylaxis with Proguanil and Sulfisoxazole in Children Living in a Malaria Endemic Area. Bull WHO 67:1:5:-58, 1989

Pang LW: Chemoprophylaxis and Treatment of Malaria. N Engl J Med 320:23:1561. 1989

Shida KK, Lewchalermyongse B, Pang LW: Plasmodium-Berghei - Malaria Infection Causes Increased Cardiac-Output in Rats, Rattus-Rattus. Exp Parasitol 68:3:253-259. 1989

#### DEPARTMENT OF PSYCHIATRY

Crandell EO: Military Forensic Psychology. 89 Proceedings of AMEDD Clinical Psychology Short Course (Submitted)

Evans WS, Black SA: A Comparison of Brief Group Therapies for Preschool Children: Parent Training vs Group Play therapy vs Project Group. Jefferson Journal of Psychiatry (Submitted)

Forbes JF, Miller RW: Camptocormia. Milit Med (Submitted)

Labbate LA: Letter to Editor Regarding Manic Syndrome Following Discontinuation of Methyldopa. Am J Psychiatry (Submitted)

Labbate LA: Letter to the Editor Regarding Unusual case of Malingering, Am J Psychiatry (Submitted)

Williams HL: Case Report: A Two-Year Course of Psychotherapy with a Seven-Year-Old Boy with a Family History of Psychotic Illness Accomplished During Child Psychiatry Fellowship Training. Am Acad of Child and Adolescent Psychiatry (Submitted)

#### DEPARTMENT OF RADIOLOGY

Coughlin WF, Wilson JL, Haggerty MF: A Post-Appendectomy Fecalith Detected by Ultrasound. J Clin Ultrasound 17:3:197-198, March/April 1989

Coughlin WF, Knott PE: Right Atrial Myxoma: A Cause of Septic Pulmonary Emboli in an Adolescent Girl. J Adolesc Health Care (Submitted)

Coughlin WF, Laberge JM, Dresner ML, Kennon WG, Huang YC: Percutaneous Drainage of Neonatal Hedrometrocolpos (Drainage of Hydrometrocolpos). Pediatr Radiol (Submitted)

Coughlin WF, McMurdo SK, Reeves T: Magnetic Resonance Imaging of Postpartum Cortical Blindness. J Computer Assisted Tomography (Submitted)

Coughlin WF, McMurdo SK, Reeves T: The Magnetic Resonance Appearance of Postpartum Cortical Blindness. Am J Neuroradiology (Submitted)

Johnson JF, Woisard KK, Cooper GL: Diffuse Neonatal Gastric Infarction: Pediatr Radiol 18:2, 161-163, 1988

Woisard KK, Johnson JF: Ileocolic Intussusception - New Sign on the Supine Cross-Table Lateral Radiograph. Radiol 170:483-486, February 1989

### DEPARTMENT OF SURGERY

# General Surgery Service

Carungi RC, Lee YTM: Cystadenocarcinoma Presenting as a Pseudocyst. Contemp Surg (Submitted)

Fengler SA, Berenberg JL, Lee YTM: Disseminated Coagulopathies and Advanced Malignancies. Am Surg (In Press)

Geer DA, Carroll GP: Iatrogenic bile duct injuries: Avoidance, recognition, and treatment. Milit Med 7:368-170, 1989

Murray L, Lee YTM: Primary Feritonitis: An Unusual Operative Diagnosis. Am Surg (Submitted)

Lee YTM: Loco-Regional Primary and Recurrent Melanoma .3. Update of Natural-History and Non-Systemic Treatments (1980-1987). Cancer Treat Rev 15:2:135-162, 1988

Lee YTM: Loco-regional Recurrent Melanoma .2. Non-Systemic Treatments (1964-1979). Cancer Treat Rev 15:2:105-133, 1988

Lee YTM: Metastatic Colorectal Cancer of the Liver: Prognostic Factors and Results of Surgical Treatment. Curr Hepatology (Submitted)

Lee YTM: Shrinkage of Primary-Carcinoma of the Liver - Reponse to Chemotherapy or Spontaneous Regression. Proc Am Assoc Cancer Res 29:222, March 1988

Lee YTM: Cystadenocarcinoma vs. Pseudocyst of the Pancreas: A Difficult Differential Diagnosis. Curr Surg (In Press)

q

Lee YTM: Metastatic Cancer of the Liver: Diagnosis with Radiological and Laboratory Tests. Chapter 8 in "Current Hepatology" Vol. 8, pp. 303-326, 1988

Lee YTM: Primary Liver Cancer: Curative and Pallative Surgical Management. Current Hepatology Vol. 9, Chapter 8, pp. 315-332, 1989

Lee YTM: Tumors - Chapter 6 in "Outpatient Surgery". W.B. Sauders, 3rd edition pp. 89-105, 1988

Lee YTM, Ameika JA, Martin RR, Stokes WS: Complete Occlusion of the Intestinal Tract With Staples: An experimental Study and a Case Report. Dig Surg (In Press)

Lesher SDH, Lee YTM: Acute Pancreatitis in Military Hospital. Milit Med (In Press)

Lisehora GE, Lee YTM: Tuberculous Peritonitis: A Condition Still Needs Laparotomy for Diagnosis. Surg Gynecol Obstet (In Press)

Murray L, Lee YTM: Primary Peritonitis: An Unusual Operative Diagnosis. Am Surg (In Press)

Saracino DP, Jones GP, Lee YTM: Esophageal Perforation: Case Reports and Review of the Principles in Diagnosis and Management. Contemp Surg (Submitted)

Saracino DP, Stapleton LM, Cho JM, Lee YTM: Primary Non-Hodgkin's Lymphoma of the Spleen: A Case Report. Contemp Surg (In Press)

Shatz DV, Shaver TR, Pearson JT, Whelan TJ: Gastric Leiomyoblastoma Presenting as a Pancreatic Pseudocyst. Surgical Rounds pp. 83-87, 1988

Shatz DV, Barcia PJ: Technique for Replacing Central Venous Catheters. Surg Gynecol Obstet (Submitted)

#### Neurosurgery

Doty JR, Thomson J, Simonds G, Rengachary SS, Gunby EN: Occult Intrasacral Meningocele - Clinical and Radiographic Diagnosis. Neurosurgery 24:4:616-625, 1989

## Orthopedic Surgery

Bendowski TF: Arthroscopy Provides Quick, Quality Treatment, Hawaii, 3 August 1989

Fugate DS, Romash MM: Carcinoma Cuniculatum (Verrucous Carcinoma) of the Foot. Foot Ankle (Submitted)

Harrell JF, Speilman D, Smith AC: Repair of a Distal Leg Defect Using the Latissimus Dorsi Free Flap. J Am Osteopath Assoc 88:12:1516-1518, 1988

10

Hynes RA, Reinker KA, Jones DA, Schmidt DM: Acute Compartment Syndrome Caused by a Hot Tub Inflow Jet Valve. Pediatr Ortho (Submitted)

Hynes RA: Percutaneous Tendo-Achilles Repair: A Ten Year Review, Am J Sports Med (Submitted)

Hynes RA: Primary Idiopathic Lumbosacral Scoliosis. Spine (Submitted)

Pitcher JD, Romash MM: Displaced Femoral Stress Fractures: A Retrospective Study of their Prevalence. J Ortho Transactions (abstract submitted)

Romash MM: Calcaneal Fractures - 3-Dimensional Treatment. Foot Ankle 8:4:180-197, 1988

Rungee JL, Fay MJ: Acute Posterior Cruciate Ligament Insufficiency in Children: Two Case Reports and Literature Review. J Bone Joint Surg (Submitted)

Schmidt DM, Romash MM: Atraumatic Avascular Necrosis of the Head of the Talus - A Case Report. Foot Ankle 8:4:208-211, 1988

Schmidt DM, Mitsunaga MM, Jones DA: Varus Osteotomy in the Spastic Hip. J Pediatr Orthop (Submitted)

# Otolaryngology

Antoine GA, Gates RH, Park AO: Invasive Aspergillosis in a Patient with Aplastic-Anemia Receiving Amphotericin-B. Head Neck Surg 10:3:199-203, 1988

Antoine GA, Raterink MH: Bipolaris - A Serious New Fungal Pathogen of the Para-Nasal Sinus. Otolaryngol Head Neck Surg 100:2:158-161, 1989

Burgess LPA, Quilligan JJ, Moe RD, Lepore ML, Yim DWS: Congenital Multiple Fibromatosis (Infantile Myofibromatosis). Arch Otolaryngol 114:2:207-209, 1988

Burgess LPA, Yim DWS: Thyroid Cartilage Flap Reconstruction of the Larynx Following Vertical Partial Laryngectomy - An Interim-Report. Laryngoscope 98:6:605-609, 1988

Souliere CR, Martin M, Antoine G, Blumberg A, Isaacson G: Selective Medical Therapy for Subperiosteal Abscess of the Orbit. Int J of Pediatr Otorhinolaryngol, June 1989 (Manuscript submitted)

Tomaski SM: Basal Cell Nevus Syndrome - A Review of the Literature and a Case Report. (Submitted)

Tomaski SM: Basal Cell Nevus Syndrome/Recurrent Odontogenic Keratocysts. (Submitted)

Zieske LA, Murray MJ: Infection with Dematiacious Fungi in Hawaii, Jun 87 - Dec 88. Manuscript submitted to The Journal of Infect Dis, July 1989

11

Zieske LA, Johnson JT, Myers EN, Schramm VL, Wagner R: Composite Resection Reconstruction - Split-Thickness Skin-Graft - A Preferred Option. Otolaryngol Head Neck Surg 98:2:170-173, 1988

Zieske LA, Myers EN, Brown BM: Pulmonary Lymphangitic Carcinomatosis From Hypopharyngeal Adenosquamous Carcinoma. Head Neck Surg 10:3:195-198, 1988.

# Urology Service

Alien RC, Wikert GA, Dresner ML: Prostatic Abscess. Infections in Urology. (Accepted)

Desmond PM, Hassell LH, Claybaugh JR, Wikert GA: The roles of ADH, ANF, Renin and Aldosterone in the Transurethral Resection (TUR) Syndrome. FASEB J 3:A246 (Abs #114), 1989

Kreder KJ: The Microsurgical Sucker. J Urol (Submitted)

Morey AF, Kreder KJ, Wikert GA, Cooper G, Dresner ML: Ectopic Prostate Tissue at the Bladder Dome. J Urol 141:4:942-943. 1989

Pliskin MJ: Inadvertent Urethral Insertion of a Contraceptive Suppository. J Urology, 139:1049-1050, May 1988

Pliskin MJ, Kreder KJ, Desmond PM, Dresner ML: Cocaine and Lidocaine as Topical Urethral Anesthetics. J Urol 141:1117-1119, 1989

Pliskin MJ, Soderdahl DW, Jones R: Renal Cell Carcinoma in Cadaver Donor Kidney. Urology 32:4:345-346, October 1988

Pliskin MJ, Wikert GA, Dresner ML: Hemorrhagic Complication of Extracorporeal Shock Wave Lithotripsy in an Anticoaqulated Patient. Endourology (Accepted)

Wikert GA: The Microsurgical Sucker. J Urol (Submitted)

Wikert GA, Kreder KJ, Dresner ML: Utility of the Distal Ureteroscope in Percutaneous Nephrostolithotripsy and Nephrostolithotomy. J Endourology 2:3:253-256, 1988

# U.S. ARMY HEALTH CLINIC Schofield Barracks

Dunn JF: Osgood-Schlatter's Disease. Am Fam Practice (Submitted)

## PRESENTATIONS - FY89

## DEPARTMENT OF CLINICAL INVESTIGATION

Balaraman V, Kullama LK, Nakamura K, Claybaugh JR: Ontogeny of Sodium Nitroprusside and Atriopeptin III Relaxation in Aorta of Guinea Pigs. Soc Ped Research, Washington D.C., 1-4 May 1989

Balaraman V, Kullama LK, Claybaugh JR, Nakamura K: Ontogeny of Sodium Nitroprusside Relaxation in Thoracic Aorta of Guinea Pigs. Neonatal-Pernatal Med Conference, Dist VIII, American Academy of Pediatrics, Anchorage, Alaska, 25-27 May 1989

Claybaugh JR, Sato AK, Freund BJ, McCullen AH: Effects of Prior Mineralocorticoid (DOCA) Administration on ADH Responses to Intracerebroventricular (IVT) or IV Angiotensin II. Federation of American Societies for Experimental Biology, New Orleans, Louisiana, March 1989

Claybaugh JR, Wade CE, Sondeen JL, Uyehara CFT, Cucinell SA: Neurohypophyseal and Adrenal Cortical Responses to Ascent and to Exercise at 4100 M in Man. 6th International Hypoxia Symposium, Alberta, Canada, February 1989

Claybaugh JR, Hong SK, Niu AKC: Theories on the Depth-Dependent Control of Body-Fluid-Regulating Hormones to Saturation Diving. 10th UJNR Diving Physiology and Technology Panel, Kapaa, Hawaii, 4-6 June 1989

Dice MS, Claybaugh JR, Freund BJ: Mechanisms of Cold Diuresis in the Rat. Federation of American Societies for Experimental Biology, New Orleans, Louisiana, March 1989

Freund BJ, Shizuru E, Claybaugh JR, Hashiro GM: The Hormonal and Renal Responses to Acute Exercise are Intensity Dependent. Federation of American Societies for Experimental Biology, New Orleans, Louisiana, March 1989

Freund BJ, Shizuru EM, Hashiro GM, Claybaugh JR: Fluid Regulating Hormones at Rest and in Response to Exercise: Relationships to Maximal Oxygen Consumption. Am College of Sports Med Mtg, Baltimore, Maryland, May-June 1989

Freund BJ, Yamamoto N, Hashiro GM, Claybaugh JR: A Prospective Longitudinal Evaluation of Plasma Levels of Atrial Natriuretic Factor, Plasma Renin Activity, and Aldosterone, in Patients at Risk for Preeclampsia - a Preliminary Report. Armed Forces ACOG (AFACOG) Mtg, Washington D.C., 5-9 November 89

Keeler R, Sato AK, Claybaugh JR: Effect of V2 Antagonist on the Clearance of Vasopressin by Isolated Perfused Rat Kidneys. Federation of American Societies for Experimental Biology, New Orleans, Louisiana, March 1989

Kyser KA: Introductory ½-page speech for Hawaii State Science and Engineering Fair, Honolulu, Hawaii, 6 April 1989

Kullama LK, Balaraman V, Claybaugh JR, Nakamura KT: Comparative Ontogeny of Arginine Vasopressin (AVP), Arginine Vasotocin (AVT) and Norepinephrine (NE) Mediated Contraction in Rat Thoracic Aorta. Federation of American Societies for Experimental Biology, New Orleans, Louisiana, March 1989

Wilson N, Claybaugh JR: Acid Releases Immunoreactive Atrial Peptide (iAP) From Bound Form in Plasma. Federation of American Societies for Experimental Biology, New Orleans, Louisiana, March 1989

## USA DENTAC HAWAII

Bach DE, Boice GW, Newhouse RF: A Quality Assurance Study to Compare Two Treatment Modalities for Mandibular Fractures - an Analysis of Lost Duty Time and Hospitalization Costs to the Military. Assoc of Milit Surgeons of the US, San Diego, California, 12-17 November 89

Hollinger J, Bach DE, Mark DE, Marden L, Reddi AH: Oseous Regeneration in Monkey Calvaria Using Bone Derivatives. Abstract. 15th Annual Meeting of the Society for Biomaterials, Lake Buena Vista, Florida, 28 April - 2 May

## DEPARTMENT OF MEDICINE

Berg B: Oxygen Supplementation During Altitude Exposure in COPD. American College of Chest Physicians Annual Scientific Assembly, Anaheim, California, 3-7 October 1988

Berenberg JL, Goodman PJ, Oishi N, Fleming T, Natale RB, Hutchins LH, Guy GT, MacDonald J: 5-Fluorouracil (5FU) and Folinic Acid (FA): For the Treatment of Metastatic Gastric Cancer. ASCO MTG; ASCO Proceedings, San Francisco, California, May 1989

Bornemann M: Long-Term Therapy of Conn Syndrome with Triamterene-Thiazide Combination. Hawaii Regional American College of Physicians, Honolulu, Hawaii, March 1989

Brown JD, Bruno P: Leptospirosis with Severe Pulmonary Manifestations: A Report of Five Cases. Hawaii Regional American College of Physicians, Honolulu, Hawaii, March 1989

Bruno P, Hassell LH, Brown JD: The Protean Clinical Manifestations of Hemorrhagic Fever with Renal Syndrome. Hawaii Regional American College of Physicians Meeting, Honolulu, Hawaii, October 1988

Bruno P, Hassell LH, Brown JD: The Protean Clinical Manifestations of Hemorrhagic Fever with Renal Syndrome. Hawaii Regional American College of Physicians, Honolulu, Hawaii, March 1989

Hassell LH, Siemsen AW, Streltzer J, Freund BJ, Sato AK, Claybaugh JR: Non-Compliant Behavior in Hemodialysis Patitic: Possible Role of the Renin-Angiotensin System. Federation of American Societies for Experimental Biology, New Orleans, Louisiana, March 1989

Marshall JB, Hassell LH: Antiglomerular Basement Membrane Antibody Disease (AGBMAD): Role of Pulse Methylprenisolone and Oral Cyclophosphamide. Hawaii Regional American College of Physicians, Honolulu, Hawaii, March 1989

McKoy J: Fibromyalgia Syndrome in the Military. National Medical Asso Scientific Assembly

Prager DA, Hassell LH, Claybaugh JR: Suppression of Polydipsia with Captopril in a Hyperreninemic Patient: Evidence for Angiotensin II as a Potent Dipsogen. Hawaii Regional American College of Physicians, Honolulu, Hawaii, March 1989

#### NUTRITION CARE DIVISION

Finegan F: A Quality Assurance Study to Compare Two Treatment Modalities for Mandibular Fractures - an Analysis of Lost Duty Time and Hospitalization Costs to the Military. Assoc of Milit Surgeons of the U.S., San Diego, California, 12-17 November 89

#### DEPARTMENT OF OBSTETRICS AND GYNECOLOGY

Andrews SJ, Hernandez E, Miyazawa K: Paired Papanicolaou Smears in the Evaluation of Atypical Squamous Cells. ACOG Armed Forces District Meeting, San Antonio, Texas, 6-10 November 1988

Andrews SJ, Miyazawa K: Papillary Peritoneal Tumor Metastatic to the Ovary: A Case Report. ACOG Armed Forces District Meeting, San Antonio, Texas, 6-10 November 1988

Andrews SJ, Miyazawa K: The Significance of a Negative Papanicolaou Smear with Hyperkeratosis or Parakeratosis. ACOG Armed Forces District Meeting, San Antonio, Texas, 6-10 November 1988

Bork MD, Letterie GS, Miyazawa K: Intermittent Ovarian Failure (A Report of Two Cases). ACOG Armed Forces District Meeting, San Antonio, Texas, 6-10 November 1988

Bruner JP, Forouzan I: The Acute Effects of Smoking and Buccally-Administered Nicotine on Uterine and Umbilical Artery Dobbler flow Velocity Waveforms. Armed Forces ACOG (AFACOG) Mtg, Washington D.C., 5-9 November 89

Bruner JP, Kopelman JN: Maternal Fetal Medicine Review. Armed Forces ACOG (AFACOG) Mtg, Washington D.C., 5-9 November 89

Bruner JP, Kopelman JN, Miyazawa K: Prenatal Findings in De Lange Syndrome. Armed Forces ACOG (AFACOG) Mtg, Washington D.C., 5-9 November 89

Bruner JP, Kopelman JN, Miyazawa K: Early Prenatal Diagnosis. Armed Forces ACOG (AFACOG) Mtg, Washington D.C., 5-9 November 89

Bruner JP, Ludmir J, Landon MB, Gabbe SG: Doppler Ultrasonography in Pregnancies Complicated by Insulin-Dependent Diabetes Mellitus and Vasculopathy. Armed Forces ACOG (AFACOG) Mtg, Washington D.C., 5-9 November 89

Bruner JP, Hume R, Maslow A: Changing Patterns of Obstetric Practice in Tertiary Care Medical Centers in the United States Military: 1982-1987. ACOG Armed Forces District Meeting, San Antonio, Texas, 6-10 November 1988

Bruner JP, Cheek T, Forouzan I, Samuels P: Effect of Epidural Anesthesia for Repeat Cesarean Section on Umbilical and Arcuate Artery Flow Velocity Waveforms. ACOG Armed Forces District Meeting, San Antonio, Texas, 6-10 November 1988

Bruner JP, Forouzan I: Effect of Intravenous Magnesium Sulfate on Umbilical and Arcuate Artery Doppler Flow Velocity Waveforms. ACOG Armed Forces District Meeting, San Antonio, Texas, 6-10 November 1988

Bruner JP, Yeomans ER: Maternal Fetal Medicine Review. ACOG Armed Forces District Meeting, San Antonio, Texas, 6-10 November 1988

Bruner JP, Menard MK, Samuels P, Herman C: Perinatal Effects of Acute Cocaine Abuse in Pregnancy. ACOG Armed Forces District Meeting, San Antonio, Texas, 6-10 November 1988

Byron JW, Fujiyoshi CA, Miyazawa K: Evaluation of the Direct Trocar Insertion Technique at Laparoscopy. ACOG Armed Forces District Meeting, San Antonio, Texas, 6-10 November 1988

Fasolak W, Letterie GS, Miyazawa K: Laparoscopy and Minilaparotomy as Operative Management of Ectopic Pregnancy. ACOG Armed Forces District Meeting, San Antonio, Texas, 6-10 November 1988

Gold JA, Bork MD, Kopelman JN, Miyazawa K: Congenital Eventration of the Right Hemidiaphragm Complicating Pregnancy. Armed Forces ACOG (AFACOG) Mtg, in Washington D.C., 5-9 November 89

Hibbert ML, Miyazawa K: The Use of Cystoscopy Immediately after Vaginal Hysterectomy to Detect Urinary Tract Injury. ACOG Armed Forces District Meeting, San Antonio, Texas, 6-10 November 1988

Hubbard JE, Bruner JP, Kopelman JN, Miyazawa K: Universal Maternal Serum Alpha Fetoprotein Screening - the Tripler experience. Armed Forces ACOG (AFACOG) Mtg, Washington D.C., 5-9 November 89

Kopelman JN, Miyazawa K: Inadvertent Five Fluorouracil Treatment in Early Pregnancy: A Report of Two Cases. ACOG Armed Forces District Meeting, San Antonio, Texas, 6-10 November 1988

Kopelman JN, Miyazawa K: Multifetal Pregnancies: The Tripler Experience. ACOG Armed Forces District Meeting, San Antonio, Texas, 6-10 November 1988

Kopelman JN, Miyazawa K: Topical 5 Fluorouracil Treatment in Early Pregnancy: A Report of Two Cases. ACOG Armed Forces District Meeting, San Antonio, Texas, 6-10 November 1988

Kopelman JN, Walton D, Wilson J, Miyazawa K: Antepartum Diagnosis of Arthrogryposis Associated with Trisomy 18. ACOG Armed Forces District Meeting, San Antonio, Texas, 6-10 November 1988

Kopelman JN, Wilson J, Miyazawa K: Hepatosplenic Schistosomiasis in Pregnancy: Report of a Case and Review of the Literature. ACOG Armed Forces District Meeting, San Antonio, Texas, 6-10 November 1988

Letterie GS, Vause N, Miyazawa K: Mullerian Tract Abnormalities and Associated Auditory Deficiencies. ACOG Armed Forces District Meeting, San Antonio, Texas, 6-10 November 1988

Letterie GS, Andrews SJ, Miyazawa K: Serial Monitoring of Serum Human Chorionic Gonadotropin (hCG) in Ectopic Pregnancies (EP) and First Trimester Spontaneous Abortions (AB). Armed Forces ACOG (AFACOG) Mtg, Washington D.C., 6-10 November 1989

Letterie GS, Hay DL, Miyazawa K: Secretion of Intact Human Chorionic Gonadotropin (hCG) and its Beta Subunit in Three Events of Pregnancy. Armed Forces ACOG (AFACOG) Mtg, Washington D.C., 5-9 November 1989

Letterie GS, Laberge J, Miyazawa K: Fluoroscopically-guided Transcervical Canalization for Proximal Tubal Obstruction. Armed Forces ACOG (AFACOG) Mtg, Washington D.C., 5-9 November 1989

Letterie GS, Ramirez EJ, Miyazawa K: Serum Human Chorionic Gonadotropin (hCG) Surveillance after Radical and Conservative Management of ectopic pregnancy. Armed Forces ACOG (AFACOG) Mtg, Washington D.C., 5-9 November 1989

Mandel RI, Burner JP, Miyazawa K: Endocardial Fibroelastosis: An Unusual Cause of Pulmonary Hypertension in Pregnancy. Armed Forces ACOG (AFACOG) Mtg, Washington D.C., 5-9 November 1989

Markenson GR, Hibbert ML, Kopelman JN, Miyazawa K: Unilateral Tubal Twin Gestation. ACOG Armed Forces District Meeting, San Antonio, Texas, 6-10 November 1988

Markenson GR, Kopelman JN, Freund BJ, Claybaugh JR, Yamamoto PH, Miyazawa K: A Prospective Longitudinal Evaluation of Plasma Levels of Atrial Natriuretic Factor, Plasma Renin Activity, and Aldosterone, in patients at risk for Preeclampsia - a preliminary report. Armed Forces ACOG (AFACOG) Mtg, Washington D.C., 5-9 November 1989

McNulty K, Miyazawa K: Urological Injuries Encountered During Abdominal and Vaginal Hysterectomy. Armed Forces ACOG (AFACOG) Mtg, Washington D.C., 5-9 November 89

Miyazawa K, Vogel EJ, Bruner JP: Prenantal Diagnosis of Nevoid Basal Cell Carcinoma Syndrome: A Case Report. Armed Forces ACOG (AFACOG) Mtg, Washington D.C., 5-9 November 89

Mcorman AJ, Bruner JP, Miyazawa K: Fetal Supraventricular Tachycardia Successfully Treated with Maternal Digitalization. Armed Forces ACOG (AFACOG) Mtg, Washington D.C., 5-9 November 89

Ramirez EJ, Hernandez E, Miyazawa K: Cervical Conization Findings in Women with Dysplastic Cervical Cytology and Normal Colposcopy. ACOG Armed Forces District Meeting, San Antonio, Texas, 6-10 November 1988

Rose S, Letterie GS, Miyazawa K: Pregnancy Rates Using Oil-Based and Water-Based Contrast Medium in the Evaluation of Tubal Patency. ACOG Armed Forces District Meeting, San Antonio, Texas, 6-10 November 1988

Shen-Gunther J, Andrews SJ, Miyazawa K: Primary Peritoneal Carcinomatosis: Report of Two Cases and Review of the Literature. Armed Forces ACOG(AFACOG) Mtg, Washington D.C., 5-9 November 89

Shen-Gunther J, Kopelman JN, Miyazawa K: Amnioinfusion Quantified of Amnionic Fluid Index Assessments: Preliminary Findings. Armed Forces ACOG (AFACOG), Washington D.C., 5-9 November 89

Shen-Gunther J, Miyazawa K: Epidemiological Observation and Pathological Findings of Cervical Conization: The Tripler Experience. Armed Forces ACOG (AFACOG) Mtg. Washington D.C., 5-9 November 89

Thomas TL, Hibbert ML, Miyazawa K: Successful Full Term Pregnancy After Removal of all Ovarian Tissue in the First Trimester: A Case Report and Literal Review. Armed Forces ACOG (AFACOG) Mtg, Washington D.C., 5-9 November 89

Vogel E, Shen-Gunther J, Hibbert M, Miyazawa K: Ovarian Pregnancy in a Copper T IUD User. Armed Forces ACOG (AFACOG) Mtg, Washington D.C., 5-9 November 89

## DEPARTMENT OF PATHOLOGY AND AREA LABORATORY SERVICES

Posey DM, Kark JA, Peterson BL, Robinowitz M, Coffey SE, Darcy TP, Virmani R: Causes of Sudden Unexpected Death During Military Basic Training. Am Fed for Clin Research, Washington D.C., April-May 1989

Seal LA, Lerud KS, Plymyer MR, Nadala C, Sprague MS: An Investigation of Hepatitis A Virus Infected Blood Products. Soc of Armed Forces Med Lab Scientists Meeting, San Antonio, Texas, March 1989

## DEPARTMENT OF PEDIATRICS

Alexander ME, Lovett EJ, Person DA: Postural Demonstration of Cross-sectional and M-mode Echocardiographic Mitral Valve Prolapse in Pediatric Patients with Clinical Mitral Valve Prolapse. Uniformed Services Pediatric Seminar, Honolulu, Hawaii, March 1989

Bass JW: Occult Bacteremia in Children - What to do about it. Guest Faculty, Annual Uniformed Service Pediatric Seminar. Princess Hotel, San Diego, California, 13-17 March 1988

Bass JW: Pertussis: Past, Present and Future, Kawasaki Syndrome and Look-a-Like Diseases. Annual Brooksaler Visiting Professor Lecturer, Department of Pediatrics University of Texas Health Science Center at Dallas Southwestern Medical School, Dallas, Texas, 25-26 May 1988

Bass JW: Purulent Meningitis: Pitfalls in Diagnosis and Management; Pertussis and Look-a-Like Diseases; Infectious Diarrhea. Guest Faculty, Eleventh Annual Black Hills Seminar on Advances in Clinical Pediatrics, Sylvan Lake Resort, South Dakota, 22-24 June 1988

Bass JW: Pertussis, Streptoccocal and Hemophilus Influenzae Infections. Visiting Lecturer, Tropical Medicine Course, Walter Reed Army Institute of Research, Washington, D.C., 9 August 1988

Bass JW: Streptococcal Pharyngitis: Update. Guest Faculty, American College of Physicians Conference, San Francisco, California, 20-23 October 1988

Bass JW: Program Director, 24th Uniformed Services Pediatric Seminar Honolulu, Hawaii, 19-23 March 1989

Bass JW: Occult Bacteremia, Pertussis: Past, Present and Future, Infectious Diarrhea: Update, Hemophilus Influenzae B Infections, Diagnosis and Treatment. Guest Faculty, American Academy of Pediatrics Second Annual Pediatrics in Progress, Las Vegas, Nevada, 14-16 April 1989

Nomizu S, Person DA, Saito CK, Lockett LJ: A Unique Case of Reducing Body Myopathy. Am Asso of Electromyography and Electrodiagnosis Meeting, Washington DC, September 1989

Parsons MK: Acute Shift of Right Ventricular Distensibility After Balloon Pulmonary Vavuloplasty. American Heart Association Scientific Sessions Program, 14-17 November 1988

Parsons MK: Echocardiographic Determination of Critical Left Ventricular Size in Infants with Isolated Aortic Valve Stenosis, American Heart Association Scientific Sessions Program, 14-17 November 1988

Pichoff BE, Schydlower M, Stephenson SR: Military Dependent Children at Risk for Accidental Hot Tap Water Burns. William Beaumont Army Medical Center, El Paso, Texas, 21-26 October 1989

#### DEPARTMENT OF PSYCHIATRY

Evans GD: The Use of Antidepressants in the Treatment of Chronic Pain, Tripler AMC, 23 May 1989

Evans WS, Black SA: A Comparison of Brief Group Therapies for Preschool Children: Parent Training vs Group Play Therapy vs Project Group. Military Conference on Child and Family Psychiatry, Reno, Nevada, February 1988

## DEPARTMENT OF RADIOLOGY

Johnson JF, Coughlin WF: Sensitivity of Plain Films in the Detection of Appendiceal Perforation in Children. Presentation at the 73rd Scientific Assembly and Annual Meeting of the Radiological Society of North America, Chicago, Illinois, December 1938

Shiels WE, Babcock DS, Wilson JL, Burch R: Sonographic Localization and Guided Removal of Soft Tissue Foreign Bodies. Presentation at the Society of Pediatric Radiology, San Antonio, Texas, 6 April 89

#### DEPARTMENT OF SURGERY

## General Surgery Service

Barcia PJ: Four surgical advances from the TAMC General Surgery Residency. Shogun Medical Society, Honolulu, Hawaii, 23-25 May 1988

Barcia PJ, Laberge J: Management of Oriental Cholangiohepatitis: A new approach. Shogun Medical Society, Honolulu, Hawaii, 23-25 May 1988

Barcia PJ: Pilonidal Sinus Disease: Conservative Rx. Shogun Medical Society, Honolulu, Hawaii, 23-25 May 1988

Beresky RE, Olson D, Huang YC, Barcia PJ: Abdominal Aortic Transection Secondary to Blunt Trauma in a Child. Shogun Medical Society, Honolulu, Hawaii, 23-25 May 1988

Dixon JW, Lisehora G, Lee YTM: Common Bile Duct Carcinoid Tumor. 38th Parallel Medical Society Meeting, Seoul Korea, 15-17 November 1989

Dixon JW, Martin R: Extrahepatic Bile Duct Injury from Blunt Abdominal Trauma. 38th Parallel Medical Society Meeting, Seoul Korea, 15-17 November 1989

Fengler SA, Berenberg JL, Lee YTM: Disseminated Coagulopathies and Advanced Malignancies. Hawaiian Chapter, American College Surgeons, 12 June 1989

Fengler SA, Berenberg JL, Lee YTM: Disseminated Coagulopathies and Advanced Malignancies. G. P. Wratten Surgical Symposium, Bethesda, Maryland, 30-31 March 1988

Fengler SA, Sheridan MF, Rodriguez A: Recurrent Midgut Volvulus in the Adult. Gary P. Wratten Surgical Symposium, Madigan AMC, 10-13 April 1989

Humphrey WT, Rudolph C, Barcia PJ: Toxic Shock Syndrome in the Postoperative Patients. Gary P. Wratten Surgical Symposium, Madigan AMC, 10-13 April 1989

Knuth TE, Laberge JM, Barcia PJ: New Approaches to Enternal Nutrition in Patients with Complicated Bowel Fistula. William Beaumont GI Symposium, San Francisco, California, 23-26 October 1988

Knuth TE, Laberge JM, Barcia PJ: Percutaneous Approaches to Enteral Nutrition in Patients with Complicated Bowel Fistula. G. P. Wratten Surgical Symposium. Bethesda, Maryland, 30-31 March 1988

Lee YTM: Melanoma: Clinical Presentations and RX. Marion S. DeWeese Surgical Society, San Diego, California, 2-5 March 1988

Lee YTM: Diagnosis and Treatment of Malignant Melanoma. Weekly Medical Staff Conference, Wahiawa General Hospital, Honolulu, Hawaii, 22 November 1988

Lee YTM: Surgical Incisions and Decisions. TAMC Soft Tissue Workshop, 19 January 1989

Lee YTM: Planning the Direction of Incisions. TAMC Soft Tissue Workshop, 21 January 1988

Lesher SDN, Barcia PJ: Urinary D-Lactate: A Specific Indicator of Intestinal Ischemia. Gary P. Wratten Surgical Symposium, Madigan AMC, 10-13 April 1989

Lesher SDH, Huang YC: Diagnosis and Treatment of Anorectal Malformations: Gary P. Wratten Surgical Symposium, Madigan AMC, 10-13 April 1989

Lesher SDH, Lee YTM: Acute Pancreatitis in a Military Hospital. Marion S. DeWeese Surgical Society, San Diego, California, 2-5 March 1988

Lisehora GE, Barcia PJ: Fitz-Hugh-Curtis Syndrome: A Rare Diagnosis in a Not So Rare Condition. Hawaiian Surgical Association, Oahu, Hawaii, 6 August 1988

Lisehora GE, Lee YTM, Barcia PJ: Tuberculous Peritonitis: A Condition Still Needs Laparotomy for Diagnosis. Hawaiian Chapter, American College Surgeons, Honolulu, Hawaii, 13 June 1988

Napoli PJ: Fungal Endocarditis and Mycotic Aneurysm. Hawaiian Surgeons Association Meeting, Molokai, Hawaii, 4-6 August 1989

Rudolph C: Limited Ligation and Stripping as the Preferred Method of Treating Varicose Veins. G. P. Wratten Surgical Symposium, Bethesda, Maryland, 30-31 March 1988

Rudolph C: Omental Infarction. Hawaiian Surgical Association, Oahu, Hawaii, 6 August 1988

21

Rudolph C, Kennon W: Chylous Ascites: A Case Report. Gary P. Wratten Surgical Symposium, Madigan AMC, 10-13 April 1989

Schatz D., Lee YTM: Gastrointestinal Malignant Melanoma. William Beaumont GI Symposium, San Francisco, California, 23-26 October 1988

Schuchmann GD, Barcia PJ: Phosphate Absorption after Fleet Enemas Administration in Adults. Society University Surgeon, 10 February 1988

Tomaski S: Basal Cell Nevus Syndrome. 38th Parallel Medical Society, Seoul, Korea, 22 November 1988

Watts DM, Lee YTM: Non-Osseous Sarcoma: A Fifteen Year Review. G. P. Wratten Surgical Symposium, Bethesda, Maryland, 30-31 March 1988

Watts DM, Rudolph CC, Rodriguez A: Alternatives to Permanent Ileostomy in Ulcerative Colitis Patients. Hawaiian Surgeons Association Meeting, Molokai, Hawaii, 4-6 August 1989

# Orthopedic Surgery Service

Albertson K: Multiple Volar Carpometacarpal Dislocations in an Athlete. Fourth Annual Combined Spring Orthopaedic Symposium, Turtle Bay Hilton, Hawaii, 10 June 1989

Bendowski TF: Arthroscopic Subacromial Decompression: Short Term Followup in Fourteen Patients. 30th Annual Meeting of the Society of Military Orthopaedic Surgeons, Williamsburg, Virginia, 5-9 December 1988

Fay MJ: Arthroscopic Assisted Reconstruction of the Anterior Cruciate Ligament Using Patellar Tendon Allograft. American Physical Therapists Association, Hilton Hawaiian Village, Honolulu, Hawaii, 3 February 1989

Fay MJ: Comparison of Anterior Cruciate Repair: Open vs. Arthroscopic, The Perioperative Period. Letterman Army Medical Center, Orthopaedic Surgery Service, San Francisco, California, 21 July 1989

Fay MJ: Acute PCL Insufficiency in Children. Letterman Army Medical Center, Orthopaedic Surgery Service, San Francisco, California, 21 July 1989

Fugate DS, Romash MM: Passive Range of Motion of the Great Toe Metatarsal, Preoperative Assessment. Am Ortho Foot and Ankle Soc Meeting, Las Vegas, Nevada, February 1989

Fugate DS: Passive ROM of the First Ray Prior to Bunion Surgery. Fourth Annual Combined Spring Orthopaedic Symposium, 10 June 1989

Hynes RA, Ma G: Percutaneous Tendo Achilles Repair: A Ten-Year Review of the Ma Technique. 38th Parallel Medical Society Meeting, Hyatt Regency Hotel, Seoul, Korea, 16 November 1988

Hynes RA, Ma G: Percutaneous Tendo Achilles Repair: A Ten-Year Review. 8th Annual Trauma Symposium, William Beaumont Army Medical Center, El Paso, Texas, 19 November 1988

Hynes RA, Ma G: Percutaneous Tendo Achilles Repair: A Ten-Year Review of the Ma Technique. 30th Annual Meeting of the Society of Military Orthopaedic Surgeons, Williamsburg, Virginia, 5-9 December 1988

Hynes RA, Ma G: Percutaneous Tendo Achilles Repair: A Ten-Year Review of the Ma Technique. Specialty Day of the American Orthopaedic Society for Sports Medicine, Las Vevas, Nevada, 12 February 1989

Hynes RA; Ma G: Poster Exhibit of Percutaneous Tendo Achilles Repair - A Ten-year Review of the Ma Technique. 56th Annual Meeting of the American Academy of Orthopaedic Surgeons, Las Vegas, Nevada, 13 February 1989

Ono CM: Operative Length Change in Idiopathic Scoliosis. Fourth Annual Combined Spring Orthopaedic Symposium, Turtle Bay Hilton, Makaha, Hawaii, 10 June 1989

Ono CM, Reinker KA, Vanscoy SV, Jones DA: Operative Length Change in Scoliotic Spines, Resident Essary Competition, Waikiki, Hawaii

Person DA, Reinker KA: Johnny Won't Walk: Pitfalls in Diagnosis of Joint Complaints. 24th Annual Uniformed Services Pediatric Seminar, Honolulu, Hawaii, 22 March 1988

Pitcher JD: Displaced Femoral Stress Fractures: A Retrospective Study of Their Prevalence. 121st Evac Hospital Korea, 13 September 1988

Pitcher JD: Displaced Femoral Stress Fractures: A Retrospective Study of Their Prevalence. 38th Parallel Medical Society Meeting, Hyatt Regency Hotel, Seoul, Korea, 16 November 1988

Pitcher JD: Comparison of Anterior Cruciate Ligament Repair: Arthroscopy and Arthrotomy. AOA Residents Conference, Rochester, New York, 29 March - 1 April 1989

Pitcher JD: Comparison of Anterior Cruciate Ligament Repair: Arthroscopy and Arthrotomy Perioperative Comparison. Hawaii Orthopaedic Association Meeting, Turtle Bay, Hawaii, 9 June 1989

Pitcher JD. Arthroscopic Anterior Cruciate Repair. 4th Annual Combined Spring Orthopaedic Symposium, Turtle Bay Hilton, Makaha, Hawaii, 9 June 1989

Reesor KE: Intrapelvic Leg Lengthening. 4th Annual Combined Spring Orthopaedic Symposium, Turtle Bay Hilton, Hawaii, 10 June 1989

Reinker KA, Ono CM, VanScoy S: Operative Length Change in Scoliotic Spines, Shriners Hospital for Crippled Children Chiefs of Staff Meeting, Springfield, Massachusetts, 5-8 October 1988

Reinker KA, Jones RD: Vertebral Infections: A Clinical Review. 30th Annual Meeting of the Society of Military Orthopaedic Surgeons, Williamsburg, Virginia, 5-9 December 1988

23

Reinker KA: Anesthesia and the Repair of Extremity Injuries. Soft Tissue Surgery Workshop at Tripler Army Medical Center, Honolulu, Hawaii, 20 January 1989

Reinker KA: Biomechanics, Dynamics of Joint Motion. University of Hawaii Integrated Orthopaedic Surgery Residency Training Program, Honolulu, Hawaii, 28 February 1989

Reinker KA: Basic Science of Bone Dysplasias. 17th Annual Symposium of Children's Orthopaedics at Fitzsimmons Army Medical Center, Aurora, Colorado, 8-10 March 1989

Reinker KA: Pediatric Athletic Injuries. 24th Annual Uniformed Services Pediatric Seminar, Honolulu, Hawaii, 22-23 March 1989

Reinker KA: Biomechanics. University of Hawaii Integrated Orthopaedic Surgery Residency Training Program. Honolulu, Hawaii, 6, 21, and 28 March 1989

Reinker KA: Orthopaedic Biomechanics I - Properties of Materials. 40th Annual Military Surgical Clinical Congress, Garmish, Germany, 22-25 May 1989

Reinker KA: Orthopaedic Biomechanics II - Fracture Biomechanics. 40th Annual Military Medical Surgical Clinical Congress, Garmish, Germany, 22-25 May 1989

Reinker KA: Pediatric Sports Medicine. 40th Annual Military Medical Surgical Clinical Congress, Garmish, Germany, 22-25 May 1989

Reinker KA: Metabolic Bases of Bone Dysplasia. 4th Annual Combined Spring Orthopaedic Symposium, Turtle Bay Hilton, Makaha, Hawaii, 9 June 1989

Romash MM, Fugate DS: Passive Range of Motion of the Great Toe Metatarsal, Preoperative Assessment, 19th Annual Meeting of the American Orthopaedic Foot and Ankle Society, 12 February 1989

Romash MM, Henningson HJ, Claybaugh J: Knee Braces: Comparative Functional Testing, Scientific Program of the 56th Annual Meeting American Academy of the Orthopaedic Surgeons, Las Vegas, Nevada, 9 February 1989

Rungee JL: Acute PCL Insufficiency in Children. 4th Annual Combined Spring Orthopaedic Symposium, Turtle Bay Hilton, Hawaii, 9 June 1989

Rungee JL, Fay MJ: Acute Posterior Cruciate Ligament Insufficiency in Children: Two Case Reports and Literature Review. Soc of Milit Ortho Surg, San Antonio, Texas

Schmidt DM: Ankle Arthroscopy--The Tripler Experience. 4th Annual Combined Spring Orthopaedic Symposium, Turtle Bay Hilton, Hawaii, 9 June 1989

Schmidt DM: Ankle Arthroscopy. Annual Essay Competition sponsored by the Hawaii Chapter of the American College of Surgeons, 12 June 1989

Yanklowitz BAD: Large Unicameral Bone Cyst of the Calcaneus with Iliac Bone Graft - A Case Report, USAF Podiatry Conference, Langley Air Force Base, Virginia, 14-16 March 1989

Yanklowitz BAD: Common Podiatric Conditions. Troop Medical Command at Kaneohe Marine Corps Air Station, 28 June 1989

## Otolaryngology Service

Lunde KC: Merkel Cell Carcinoma: A Case Report and Literature Review. Am Acad of Oto-Head and Neck Surg, New Orleans, Louisiana, 24-28 September 1989

Lunde KC: Granular Myringitis, Am Acad of Oto-Head and Neck Surg, New Orleans, Louisiana, 24-28 September 1989

Souliere CR: Selective Medical Therapy for Subperiosteal Abscess of the Orbit. ASPO Meeting, San Diego, California, May 1989

Souliere CR, Kava CF: Sudden Hearing Loss as the Sole Manifestation of Neurosarcoidosis. Am Acad of Oto-Head and Neck Surg, New Orleans, Louisiana, 24 September 1989

Yim DWS: The External (combination) Rhinoplasty Approach Access for Management of the Problem Nasal Deformity, Am Acad of Oto-Head and Neck Surg, New Orleans, Louisiana, 24 September 1989

Yim DWS, Zieske LA: Open Rhinoplasty Approach for Transseptal Sphenoid Sinus and Transsphenoidal Surgery, Am Acad of Oto-Head and Neck Surg, New Orleans, Louisiana, 24 September 1989

Zieske LA: Frozen Section Considerations for Basal and Squamous Cell Skin Malignancies. Symposium on Facial Skin Malignancies, San Antonio, Texas, November 1988

Zieske LA: Bipolaris Fungal Sinusitis. International Symposium on Infection and Allergy of the Nose. International Rhinology Conference, Baltimore, Maryland, June 1989

Zieske LA, Raterink MH, Kopke RD: Bipolaris Paranasal Sinusitis. PCOOS Meeting, Kauai, Hawaii, June 1989

Zieske LA, Kopke RD: Bipolaris Fungal Sinusitis. Am Acad of Oto-Head and Neck Surg, New Orleans, Louisiana, 24-28 September 1989

## Urology Service

Allen RC, Kennon WG: Intravesical Hemorrhage Following Transrectal Prostate Biopsy. 36th Kimbrough Urological Seminar, Norfolk, Virginia, November 1988

Allen RC: Prostatic Abscess. TDY Presentation (abstract) 37th Kimbrough Urological Seminar, San Antonio, Texas, 3-8 December 1989

Crain TW, Wikert GA, Kreder KJ, Pliskin MJ, Dresner ML: Early Clinical Experiences with Candela Pulsed Dye Laser. 36th Kimbrough Urological Seminar, Norfolk, Virginia, November 1988

Desmond PM, Hassell LH, Wikert GA, Pliskin MJ: The Role of ADH, Renin, Aldosterone and Human Atrial Natriuretic Factor (hANF) in TUK Syndrome. Kimbrough Urologic Seminar, Norfolk, Virginia, November 1938

Dresner ML: Cryptorchidism. American College of Osteopathic Meeting, Honolulu, Hawaii, October 1987

Dresner ML, Sateri F, Kreder KJ, Shavver TR, Huang YC: Urachal Extrophy presented at the Kimbrough Urologic Seminar, Washington D.C., November 1987

Dresner ML, Kennon WG, Wikert GA: Technical Aspects of Open Urethroplasty. 36th Kimbrough Urological Seminar, Norfolk, Virginia, November 1988

Dresner ML, Kennon WG, Wikert GA: Technical Aspects of Open Urethroplasty. Henry Ford Hospital, Detroit, Michigan, November 1988

Dresner ML: Cryptorchidism. Hot Spots in Pediatric Urology, Kauai, Hawaii, March 1989

Desmond PM, Hassell LH, Claybaugh JR, Wikert GA: The Roles of ADH, ANF, Renin, and Aldosterone in the Transurethral Resection (TUR) Syndrome. Federation of American Societies for Experimental Biology, New Orleans, Louisiana, March 1989

Dresner ML, Wikert, GA: Human Umbilical Vein Graft as a Catheterizable Continent Stoma in the Pig. American Urological 84th Annual Meeting, Dallas, Texas, May 1989

Dresner ML: Prostate Cancer. Hickam Air Force Base Clinic, Honolulu, Hawaii, June 1989

Dresner ML: Acute Scrotum and Other Emergencies. Schofield Clinic, Wahiawa, Hawaii, August 1989

Desmond PM, Dresner ML, Kreder KJ: Penile Carcinoma: Case Report in a Circumcised Male. Kimbrough Urologic Seminar, Washington D.C., November 1987

Desmond PM: Single Nephrostomy Treatment of Staghorn Calculi. TDY Presentation (abstract) 37th Kimbrough Urological Seminar, San Antonio, Texas, 3-8 December 1989

Kennon WG: Advances in the Diagnosis of Hematuria. American College of Osteopathic Meeting, Honolulu, Hawaii, October 1987

Kennon WG: Diphosphonate Therapy for Metastatic Prostate Cancer. Kimbrough Urologic Seminar, Washington D.C., November 1987

Kennon WG: Use of the Autoanalyser to Determine Red Cell Morphology and Etiology in the Diagnosis of Hematuria. 36th Kimbrough Urological Seminar, Norfolk, Virginia, November 1988

Kennon WG: long Term Follow-up in the Military: A Guide to Finding the "Lost" Patient. TDY presentation (abstract), 37th Kimbrough Urological Seminar, San Antonio Texas, 3-8 December 1989

Kreder KJ, Dresner ML: Testicular Tumors of Childhood. American College of Osteopathic Surgeons meeting, Honolulu, Hawaii, October 1987

Kreder KJ, Dresner ML: The XX Male Syndrome. Kimbrough Urologic Seminar, Washington D.C., November 1987. Presented at Chief Residents Conference, Newport, Rhode Island, May 1988

Morey AF: Fertility Issues in the Therapy of Early Stage Seminoma. TDY Presentation (abstract) 37th Kimbrough Urological Seminar, San Antonio, Texas, 3-8 December 1989

Pliskin MJ: Inadvertent Urethral Insertion of a Contraceptive Suppository. Kimbrough Urologic Seminar, Washington, D.C., November 1987

Pliskin MJ, Kreder KJ, Wikert GA, Dresner ML: Human Umbilical Vein Graft as a Catheterizable Continent. Am Uro Asso Meeting, Dallas, Texas, February 1989

Raterink MH: Recurrent Acute Parotitis in an Immunocompromised Patient. ASPO Meeting, San Diego, California, May 1989

Wikert GA, Kreder KJ, Dresner ML: Extracorporeal Shock Wave Lithotripsy and Adult Polycystic Kidney Disease. Kimbrough Urologic Seminar, Washington D.C., November 1987

Wikert GA: Intrahepatic Applications of Endourology. TDY Presentation (abstract) 37th Kimbrough Urological Seminar, San Antonio, Texas, 3-8 December 89

Prot No: 41A86 Status: Ongoing

TITLE: Effects of Elevated Mineralocorticoid on Blood Pressure, Thirst, and

Vasopressin Responses to Angiotensin in the Goat

Principal Investigator: John R. Claybaugh, Ph.D.

Associate Investigators: CPT Beau J. Freund, MS; Aileen K. Sato;

MAJ Albert H. McCullen, VC

Department/Section: Clinical Investigation/Physiology

Key Words: mineralocorticoid; vasopressin; angiotensin;

Funding: FY 88: \$16,128. FY 89: \$23,373. Periodic Review Date: Sep 89

Gifts: VA/DOD Grant Awarded Decision: Continue

OBJECTIVE: To determine if the vasopressin (VP) response to angiotensin II is enhanced by previous administration of aldosterone, and whether the VP responses to central or peripheral administration of angiotensin II are differentially affected by the aldosterone treatment.

TECHNICAL APPROACH: Goats will be surgically prepared with chronic and indwelling cannula in the lateral ventrical of the brain and a carotid arterial loop. After two weeks of aldosterone or vehicle injections, the responsiveness to angiotensin II will be determined. The angiotensin will be administered IV or into the lateral ventricle of the brain. The blood pressure, thirst, and CSF and plasma ADH responses will be determined.

PROGRESS: No. of Subjects Enrolled - To Date: NA Reporting Period: NA

Prior administration of mineralocorticoid (DOCA), as expected reduces resting levels of plasma renin activity (PRA). We also observed a significant increase in atrial natriuretic factor (ANF). Periferal iv adminstration of angiotensin II (n=6) significantly reduced PRA, and increased ANF, vasopressin, and blood pressure in goats with and without prior DOCA adminstration. Prior DOCA adminstration increased the blood pressure response and reduced the vasopressin response to iv angiotensin II. Intracerebroventricular angiotensin II stimulated vasopressin, and increased blood pressure and decreased ANF (n=4), but no diffences in these responses appears to be affected by prior administration of DOCA. Samples have been set aside for ACTH analysis. Consistent with previous reports, prior DOCA administration does appear to "up-regulate" angiotensin II receptors in the vasculature since AII produced a greater increase in blood pressure after DOCA administration. However, we found no "up regulation" of centrally mediated AII response or periferal AII effects on hormones. Publication: Claybaugh JR, Sato AK, Freund BJ, McCullen AH: Effects of Prior Mineralocorticoid (DOCA) Administration on ADH Responses Intracerebroventricular (ivt) or iv Angiotensin II. FASEB J 3:A246, 1989 (Abs #113).

Prot No: 11A87 Status: Ongoing

TITLE: The Metabolic Clearance of Arginine Vasopressin in the Amniotic Sac of the Fetal Guinea Pig

Principal Investigator: John R. Claybaugh, Ph.D.

Associate Investigators: MAJ Gerard Letterie, MC; Aileen K. Sato;

Department/Section: Clinical Investigation/Physiology

Key Words: arginine vasopressin;

Funding: FY 88: \$1,273. FY 89: \$264. Periodic Review Date: Sep 89

Gifts: None Decision: Continue

OBJECTIVE: To demonstrate that the amniotic sac is a major site of fetal AVP clearance. Further, we will determine where in the amniotic sac AVP metabolism occurs (via amniotic fluid enzymes and/or via amnionic membrane receptors), explore the kinetics of this metabolic process, and characterize the metabolites produced.

TECHNICAL APPROACH: Vasopressin, either unlabelled or labelled with tritium-will be injected into the ammiotic sac while the maternal guinea pig is under anesthesia and the fate of the vasopressin relative to insulin will be assessed by HPLC and radioimmuno assay. In vitro experiments will be conducted to determine the sites of vasopressin metabolism and action.

PROGRESS: No. of Subjects Enrolled - To Date: NA Reporting Period: NA

We have determined for the first time that: Vasopressin is metabolized into two major products in the amnionic sac. One product has been determined to be des-gly arginine vasopressin, and the enzyme responsible is most like trypsin. This is the first description of metabolism of vasopressin by a trypsin-like enzyme. This enzyme is in the amnionic fluid, and not identifiable in the amnionic membrane. The other metabolic product is as yet not identified, nor is the enzyme. Interestingly, it is usually not found in the amnionic fluid and is always found in the amnionic membrane. This year the following publications have resulted from this protocol:

Uyehara, CFT, and JR Claybaugh. Vasopressin metabolism in the amnionic sac of

the fetal guinea pig. Endocrinology 123:2040-2047, 1988.

Uyehara, CFT, Sato AK, Claybaugh JR: Vasopressin is Metabolized by a Trypsin-like Enzyme in Guinea Pig Amnionic Fluid. Am J Physiol (Endocrinol Metab) (in press)(Sep 89).

Prot No: 1A88 Status: Ongoing

TITLE: Effects of Des-leu Angiotensin I, Cortisol, and Hyperbaria on the Release of Vasopressin from the Isolated Hypothalamoneurohypophyseal System

Principal Investigator: John R. Claybaugh, Ph.D. Associate Investigators: Aileen K. Sato, Med. Tech;

Glenn M. Hashiro, Biol. Lab Tech.;

CPT Beau J. Freund, MSC; David G. Changaris, MD; Suk Ki Hong, MD, Ph.D.; Wayne Ichimura, Biomedical

Engr.

Department/Section: Clinical Investigation/Physiology

Key Words: des-leu angiotensin 1;

Funding: FY 88: \$6,243. FY 89: \$19,481. Periodic Review Date: Sep 89

Gifts: VA-DOD Grant Decision: Continue

OBJECTIVE: 1) To determine if des-leu angiotensin I is able to stimulate vasopressin from the isolated hypothalamoneurohypophyseal system (HNS) in a manner similar to angiotensin II. 2) To determine if cortisol can inhibit baseline or stimulated vasopressin release from the HNS. 3) To determine if hyperbaria wil' inhibit the release of vasopressin from the HNS. To determine if des-leu angiotension I stimulates vasopressin release in conscious goats and the control mechanism of the response.

TECHNICAL APPROACH: Two approaches to isolated hypothalamoneurohypophyseal explants have been followed, a tissue incubation (acute) and a tissue culture (chronic) approach. Both involve the surgical removal of the floor of the brain of the rat, a triangular piece of tissue approximately 1 mm thick, with a base extending parallel and anterior to the optic chiasma, and the apex approximately 2 mm posterior to the stalk of the neurohypophysis. The anterior pituitary is removed. The resulting tissue block includes the supraoptic nucleus with intact axonal projections through the stalk to the neurohypophysis. We have also begun studies on the central (intracerebroventricular) administration of angiotensin II and des-leu angiotensin I.

PROGRESS: No. of Subjects Enrolled - To Date: NA Reporting Period: NA

The chronic preparation of the HNS, although preferred, is still not functional. We have been able to stimulate vasopressin release with .00005 M angiotensin II, and with a an osmotic stimulation of 400 mOsm/kg H20 in the media, and with 56 mM KCl. des-leu Angiotensin II appears to be an order of magnitude less sensitive in the stimulation of vasopressin. We have initiated studies on the cortisol effects of angiotensin and osmotically stimulated vasopressin release. At this time, with 10 preparations observed, cortisol has no effect. We have found that des-leu angiotensin I does stimulate vasopressin release in the conscious goat. It is also 10 times less potent than angiotensin II.

Prot No: 20A88 Status: Ongoing

TITLE: Stop-flow Analysis of Sodium Entry and Tubular Transit Times for

Sodium and Inulin in Normal and Nephrotic Rats

Principal Investigator: John R. Claybaugh, Ph.D.

(formerly: Ralph Keeler, Ph.D.)

Associate Investigators: Ms. Aileen K. Sato

Department/Section: Clinical Investigation/Physiology

Key Words: vasopressin (ADH);

Funding: FY 88: \$3,084. FY 89: \$1,824. Periodic Review Date: Sep 89

Gifts: None Decision: Continue

OBJECTIVE: The purpose of the proposed experiments is to extend our current investigations on the effects of atrial natriuretic peptides (ANP) on scidium transport in kidneys as follows: (1) To use "stop-flow" analysis in an attempt to locate the tubular level at which extra-luminal sodium enters the nephron. (2) To measure the effects of ANP on simultaneous indicator dilution curves for sodium and inulin in a rat model of an ANP-resistant salt and water retaining state (Adriamycin nephrosis) using innervated or denervated kidneys.

TECHNICAL APPROACH: Because of 22-Na disposal problems possibly occurring, the more difficult approach utilizing an isolated kidney was developed. The first steps in validating the function of the kidney included the clearance of creatinine, Na, and K, and the determination of effects of vasopressin and its clearance. This has yielded interesting results regarding vasopressin clearance which we are presently persuing before continuing on to the original sodium handling questions we were after.

PROGRESS: No. of Subjects Enrolled - To Date: NA Reporting Period: NA

Progress (through August 88): To date we have successfully developed an isolated perfused rat kidney preparation that is physiologically functional for a period of about two hours. This is in agreement with previous publications. We have established that these kidneys are responsive to vasopressin in that they produce a more concentrated urine when vasopressin is in the media. We have also determined that vasopressin is metabolized by at least two mechanisms in this preparation. First via filtration and excretion, but approxiamtely 10 fold more via other renal mechanisms presumably in the vasculature. When a V vasopressin antagonist was added to the medium, the peritubular clearance of vasopressin was inhibited by 75%, but the urinary clearance was not significantly affected.

Keeler R, Sato AK, Claybaugh JR: Effect of V<sub>2</sub> antagonist on the Clearance of vasopressin by Isolated Perfused Rat Kidneys.<sup>2</sup> FASEB J 3:A246, 1989 (Abs

#112).

Prot No: 13A89 Status: Ongoing

TITLE: Effects of Hyperoxia on Airway Smooth Muscle Function in Newborn

Guinea Pigs

Principal Investigator: John R. Claybaugh, Ph.D. Associate Investigators: Kenneth T. Nakamura, M.D.;

MAJ W. Michael Southgate, MC; Linda Kullama, Ph.D.

Department/Section: Clinical Investigation/Physiology

Key Words: hyperoxia;

Funding: FY 88: NA FY 89: \$11,415 Periodic Review Date: Sep 89

Gifts: Grant \* Decision: Continue

OBJECTIVE: To determine if generalized or selective change of newborn guinea pigs airway smooth muscle responsiveness occurs in oxygen-induced injury. We will examine contractile and relaxation responses of isolated newborn guinea pig tracheal smooth muscle rings following randomization to room air or 95% oxygen for 2 days.

TECHNICAL APPROACH: Guinea pigs will be euthanized and trachea/bronchi will be removed. Isometric force will be recorded using standard organ tissue baths with rings bathed in Kreb's solution at T 37% with 95% OH2Y - 5% CO<sub>2</sub>. Agonists and antagonists will be added to the muscle bath and tension recorded via a Grass FT .03 force-displacement transducer coupled to a Gould recorder. Tissue will be examined histologically employing standard H & E staining and Giemsa stains.

PROGRESS: No. of Subjects Enrolled - To Date: NA Reporting Period: NA

Preliminary data suggest:

- 1) Newborn guinea pig airways may be more sensitive and develop greater tension per tissue weight compared to adults with histamine and acetylcholine stimulation.
- 2) The effect of epithalium removal on these responses are minimal.
- 3) Atrial natriuretic factor produces relaxation of airway smooth muscle, and is more effective following histamine contraction versus acetylcholine.

<sup>\*</sup>Research Corporation of the University of Hawaii Leahi Trust

Prot No: 21A89 Status: Ongoing

TITLE: Effects of Hypoxia on the Vasopressin Response to Hemorrhage and its Role in the Maintenance on Blood Pressure

Principal Investigator: John R. Claybaugh, Ph.D.

Associate Investigators: Mark R. Eichinger, Graduate Assistant, Ph.D. Student

Department/Section: Clinical Investigation/Physiology

Key Words: hypoxia; vasopressin;

Funding: FY 88: NA FY 89: \$7,911. Periodic Review Date: Sep 89

Gifts: MRDC Grant Decision: Continue

OBJECTIVE: There is reason to believe that the maintenance of basal blood pressure and blood pressure in response to hemorrhage would be altered during conditions of hypoxemia. Similarly, pulmonary arterial blood pressure is altered during hypoxia. We propose to determine if an altered vasopressin response or vascular responsiveness is in part responsible. In addition to volume control, osmotic control of vasopressin may be altered during hypoxia. This too, will be investigated.

TECHNICAL APPROACH: We have chosen the conscious adult goat as our animal model. All animals to be employed in the study must first undergo surgical procedures for the construction of a carotid artery loop and tracheal fistula. The carotid artery loop allows for both blood sampling and the means of blood withdrawl during the hemorrhage studies. The fistula is used to make the animal hypoxemic by introduction of nitrogen through a tracheal catheter. The level of hypoxemia is determined through blood gas analysis, and radioimunoassays are employed for measurement of hormonal changes.

PROGRESS: No. of Subjects Enrolled - To Date: NA Reporting Period: NA

To date, four goats have undergone the above mentioned surgical procedures, and two have been run in trial experiments. In the course of the trial experiments, some necessary changes became obvious. An addendum to the protocol has been submitted to account for these changes (i.e. tracheal catheter and utilization of only nitrogen vs. tracheostomy and a closed loop system). The two animals run in the trial experiments were successfully made hypoxemic. Further, analysis of blood samples revealed an expected increase in plasma concentrations of vasopressin. These preliminary findings are promising, and work is proceeding in fully implementing protocol 21A89.

Prot No: 36A89 Status: Ongoing

TITLE: Untogeny of the Mechanisms of Arginine Vasopressin and Vasotocin

Mediated Contraction

Principal Investigator: John R. Claybaugh, Ph.D.

Associate Investigators: Linda K. Kullama, Ph.D., Dr. Kenneth T. Nakamura, MD;

Dr. Venkataraman Balaraman, MD, Wayne M. Ichimura,

Biomedical Engineer.

Department/Section: Clinical Investigation/Physiology Service

Key Words: arginine vasopressin; vasotocin;

Funding: FY 88: NA FY 89: \$15,104. Periodic Review Date: Sep 89

Gifts: grant\* Decision: Continue

OBJECTIVE: To define the ontogeny of the mechanism(s) of arginine vasopressin (AVP) and arginine vasotocin (AVT) mediated contraction as compared to norephinephrine (NE) mediated contraction.

TECHNICAL APPROACH: We are using invitro isometric tension measurements of the contractile response of rings of rat thoracic aorta in the presence and absence of Ca blockers and Ca-free solutions. We will be utilizing <sup>45</sup>Ca in in vitro experiments using similar composition solutions - this portion has not been started yet.

PROGRESS: No. of Subjects Enrolled - To Date: NA Reporting Period: NA

Thus far we have determined that vasopressin mediated contraction is partially dependent on intracellular calcium release and is not totally dependent on the presence of extracellular calcium; a report to the effect that it is completely extracellular calcium dependent is in the literature. Thus our initial results refute this report. There is some indication that Ca blockers are somewhat more effective in adult rat aorta than in 1 week rat aorta. Thus far the proportion of the contractile response blocked by Ca antagonists appears similar for norepinephrine and vasopressin mediated contraction.

\* American Heart Association Fellowship Grant

Prot No: 52A89

Status: Ongoing

TITLE: Effects of Vasopressin on Pulmonary Vascular Resistance in Hypoxia Induced Pulmonary Arterial Hypertension in Newborn and Adult Pigs

Principal Investigator:

John R. Claybaugh, Ph.D.

Associate Investigators:

MAJ Mark K. Parsons, MC; Catherine F.T. Uyehara, Ph.D.

Kenneth T. Nakamura, MD; Mark Eichinger; CPT Beau J. Freund, MS; Aileen K. Sato;

Glenn M. Hashiro;

Department/Section: Clinical Investigation/Physiology Section

Key Words: vasopressin; hypoxia;

Funding: FY 88: NA FY 89: NA Gifts: \$25,000. Leahi Trust Periodic Review Date: Sep 89

Decision: Continue

OBJECTIVE: To determine the vasopressin response of the pig to acute hypoxic exposure (i.e. 10% inspired 0,) and characterize this response in pigs of ages ranging from newborn to 3 months. We will also assess the atrial natriuretic peptide responses in the same series. To determine the pulmonary arterial pressure and pulmonary vascular resistance (PVR) response of the newborn pig to hypoxia. To determine the pulmonary arterial pressure and PVR responses to vasopressin or atrial natriuretic peptide of the pig. To determine the sensitivity of the hypoxia induced pulmonary arterial hypertension and PVR to V1 and V2 receptor blockade.

TECHNICAL APPROACH: Two to three day old pigs will be anesthetized and catheterized with a Swan-Ganz catheter to determine pulmonary arterial and wedge presssures and cardiac output. They may also have to have the ductus arteriosus ligated. A hypoxic gas, 10%~0, will be administred bytracheal tube, and the pulmonary vascular resistance monitored. Vasopressin will be measured prior to hypoxia and during hypoxia and  $V_1$  and  $V_2$  blockers will be administered to assess the role of vasopressin receptors in the increased pulmonary vascular resistance response to hypoxia.

PROGRESS: No. of Subjects Enrolled - To Date: NA Reporting Period: NA

We are awaiting the arrival of Catherine F. T. Uyehara, Ph.D. to conduct the studies.

Prot llo: 541189\* Status: Ongoing TITLE: Responses of Water and Electrolyte Regulating Hormones During a Saturation Dive to 450M Principal Investigator: John R. Claybaugh, Ph.D. Associate Investigators: Peter B. Bennett, Ph.D.; Richard E. Moon, MD; Suk Ki Hong, MD, Ph.D.; James Goldinger, Ph.D. Department/Section: Clinical Investigation/Psysiology Section Key Words: electrolyte; Funding: FY 88: NA FY 89: 3705. Periodic Review Date: Sep 89 Gifts: NIH Decision: Continue

OBJECTIVE: Nocument diversis in Trimix 450 M dive and to determine whether there is an alteration in the circadian pattern of urine flow and/or excretion of electrolytes. To determine if hormones that regulate the volume and excretion of osmotic particles, sodium, and potassium in urine are altered in this environment.

TECHNICAL APPROACH: There will be 4 subjects, all male professional saturation divers. We will collect all urine and 11 blood samples each. The dive schedule will include 2 days predive, 7 days at 450M, 4 days decompression and 4 days at 360M, 4 days decompression and two days decompression to 265M then 12 days decompression to sea level and 2 days post control. The study will begin September 30, 1989 and end November 8, 1989.

<u>PROGRESS</u>: No. of Subjects Enrolled - To Date: NA Reporting Period: NA None to date.

\*Exempt from committee protocol. (Multicenter study, we only run assays, procedures done at collaborating centers).

Prot No: 56A89 Status: Ongoing

TITLE: Mechanism of Cold Induced Diuresis

Principal Investigator: Margaret S. Dice

Associate Investigators: John R. Claybaugh, Ph.D.; Aileen K. Sato;

Wayne M. Ichimura; CPT Beau J. Freund, MS

Department/Section: Clinical Investigation/Physiology Section

Key Words: cold diuresis;

Funding: FY 88: NA FY 89: NA Periodic Review Date: Sep 89

Gifts: None Decision: Continue

OBJECTIVE: This study will attempt to clarify the hormonal determinants of cold diuresis. Specifically, the study will test the "Gauer-Henry hypothesis" whereby central blood volume expansion is proposed to increase water and sodium excretion. In addition experiments will be conducted to evaluate the role of the "Gauer-Henry" hypothesis in the onset and continuance of the cold diuresis.

TECHNICAL APPROACH: To evaluate the diuretic response of concious rats to low ambient temperatures - blood pressure, relevant blood and urinary hormones, and urine flows will be measured via indwelling catheters. Bilateral cervical vagotomy will be performed to determine the contribution of cardiac low pressure receptors to the diuresis.

PROGRESS: No. of Subjects Enrolled - To Date: NA Reporting Period: NA

To date the hormones aldosterone, atrial natriuretic peptide and vasopressin have been evaluated.

Prot No: 28A87\* Status: Terminated

TITLE: Mechanism of Cold Induced Diuresis: a Pilot Protocol

Principal Investigator: Margaret S. Dice, Biological Laboratory Technician

Associate Investigators: John R. Claybaugh, Ph.D.; Aileen K. Sato;

CPT Beau J. Freund, MS

Department/Section: Clinical Investigation/Physiology

Key Words: cold diuresis;

Funding: FY 88: \$5,813. FY 89: \$16,260. Periodic Review Date: Sep 89

Gifts: \*NIH#HL28542 Decision: Terminate

OBJECTIVE: This is a pilot protocol to develop the rat as a model for studying hormonal determinants of cold diuresis.

TECHNICAL APPROACH: To evaluate the diuretic response of conscious rats to low ambient temperatures - blood pressure, relevant blood and urinary hormones, and urine flows will be measured via indwelling catheters. Consequently, the development of methods for surgically implanting and maintaining bladder, and femoral arterial and venous catheters is the primary technical focus of this pilot.

PROGRESS: No. of Subjects Enrolled - To Date: NA Reporting Period: NA

Nineteen animals have been surgerized to date. Surgical implantation of catheters has progressed to a satisfactory stage of ease and rapidity. Problems of catheter destruction by the animal have also been overcome.

<sup>\*</sup>Superseded by TAMC Protocol No. 56A89.

Prot No: 4A88 Status: Ongoing

TITLE: Are the Natriuretic and Diuretic Actions of Atrial Natriuretic Factor

Dopamine Dependent?

Principal Investigator: CPT Beau J. Freund, Ph.D., MSC

Associate Investigators: John R. Claybaugh, Ph.D.; MAJ Albert H. McCullen, VC,

Department/Section: Clinical Investigation/Biochemistry

Key Words: atrial natriuretic factor (ANF);

Funding: FY 88: \$877. FY 89: \$948. Periodic Review Date: Sep 89

Gifts: None Decision: Continue

OBJECTIVE: 1) To document a diuresis and natriuresis during blood volume expansion with isotonic saline using the adult female goat as the experimental model. 2) To determine the response of atrial natriuretic factor (ANF) and dopamine to saline infusion. 3) To determine if a dopamine antagonist (Haloperidol or Domperidone) can blunt the infusion induced diuresis or natriuresis. 4) To determine any interactive effects of other fluid regulating hormones, i.e., plasma renin activity, aldosterone, or antidiuretic hormone.

TECHNICAL APPROACH: Ten female goats will be surgically prepared with an exteriorized carotid loop. Following recovery from surgery (minimum 2 weeks) experimental procedures to include bladder catheterization and blood volume expansion via saline infusion will occur both with and without dopamine blockade with halperidol. Renal and hormonal responses will be evaluated and statistically compared between the dopamine antagonist and control conditions.

PROGRESS: No. of Subjects Enrolled - To Date: NA Reporting Period: NA

To date 5 goats have been prepared with an exteriorized carotid loop. Experimental procedures and hormonal assays are scheduled to occur over the next year.

Prot No: 39H88 Status: Ongoing

TITLE: Hormonal and Renal Responses to Exercise: Effects of Exercise

Intensity

Principal Investigator: CPT Beau J. Freund, MS

Associate Investigators: Everett M. Shizuru, Graduate Student;

John R. Claybaugh, Ph.D.; MAJ Thomas A. Perkins, MC;

Glenn Hashiro, M.S.

Department/Section: Clinical Investigation/Biochemistry

Key Words: hormonal and renal responses;

Funding: FY 88: \$1,512. FY 89: \$7,075. Periodic Review Date: Sep 89

Gifts: None Decision: Continue

OBJECTIVE: The purpose of this study will be to: 1) investigate the effects of exercise intensity on renal function; 2) determine the mechanisms responsible for the diuresis and natriuresis reported during low intensity exercise; and 3) to investigate the stimuli reponsible for the release of atrial natriuretic peptide (ANP).

TECHNICAL APPROACH: Subjects: Eight to twelve healthy male subjects of varying fitness states and between the ages of 20 and 39 years will be recruited for this study. The methodology and experimental protocol will be explained in detail to all prospective subjects with written informed consent being obtained prior to data collection. In addition, all subjects will be informed that they may withdraw at any time from the study without ill will.

PROGRESS: No. of Subjects Enrolled - To Date: 8 Reporting Period: 8

All testing and data collection has been completed on the 8 subjects enrolled. Statistical analysis is currently being performed and manuscript is to be written over the next year.

Adverse Effects: No adverse effects occurred in any of the subjects.

Prot No: 57H89 Status: Ongoing

TITLE: Effect of Negative Pressure Breathing on Fluid and Electrolyte Balance

in Human Subjects

Principal Investigator: Roy A. Hebden, Ph.D. -

Associate Investigators: John R. Claybaugh, Ph.D., CPT Beau Freund, MS;

Glenn Hashiro, MS, Aileen K. Sato;

Wayne Ichimura

Department/Section: Clinical Investigation/Physiology Section

Key Words: electrolyte;

Funding: FY 88: NA FY 89: NA Periodic Review Date: Sep 89

Gifts: None Decision: Continue

<u>OBJECTIVE</u>: The purpose of this study will be to examine the effect of negative pressure breathing on water and electrolyte homeostasis in human subjects.

TECHNICAL APPROACH: Eight to ten healthy male subjects of similar fitness states and between the ages of 20 to 35 years will be recruited for this study.

PROGRESS: No. of Subjects Enrolled - To Date: NA Reporting Period: NA

This is a new study. To date, the co-investigators and I have tested out our various pieces of equipment using ourselves as subjects. Everything would appear to be in order, so we will soon be enrolling subjects.

Prot No: 6A88 Status: Completed

TITLE: The Ontogeny of Vasopressin Receptors in Vascular Smooth Muscle in the Rat\*

Principal Investigator: Linda K. Kullama, Ph.D.

Associate Investigators: John R. Claybaugh, Ph.D.; Kenneth T. Nakamura, MD;

Dr. Venkataraman Balaraman, M.D.

Department/Section: Clinical Investigation/Physiology

Key Words: arginine vasopressin (AVP); vascular smooth muscle responses;

Funding: FY 38: \$6,161. FY 89: \$10,273. Periodic Review Date: Sep 89

Gifts: Hawaii Heart Decision: Completed

OBJECTIVE: The objective of this study is to investigate the ontogeny of vascular smooth muscle responses to arginine vasopressin (AVP) using aortic ring segments from fetal, newborn, and adult guinea pigs. We will examine the AVP-mediated vasoconstriction, vasodilation, and the effect of endothelium dependent relaxing factor (EDRF) on modifying changes in isometric force.

TECHNICAL APPROACH: Isolated vascular rings are mounted in organ bath and bathed in Kreb's solution aerated continuously with 95%0, 5%CO<sub>2</sub>. Isometric contractile responses are studied by addition of cumulative doses of drugs mediating vasoconstriction. The responses are recorded using a Grass .03FT force displacement transducer attached to a Gould recording device. Thus dose response curves to the various vasoconstrictors are generated and differences compared using standard statistical tests.

PROGRESS: No. of Subjects Enrolled - To Date: NA Reporting Period: NA

The results and conclusions of this study are contained in the publications resulting from this study (see below). Briefly, 1) receptor mediated contractility is present from 2 days of age for NEm AVP and AVT; 2) sensitivity to KCl and NE increases progressively during postnatal development while sensitivity to AVP and AVT slightly decreases in the first week of life and shows no progressive age related increase by 12 weeks; 3) AVP and AVT mediate contraction via a similar  $V_1$  receptor.

ABSTRACTS: 1. Kullama LK, Balaraman V, Claybaugh JR and Nakamura KT. Comparative Ontogency of Arginine Vasopressin (AVP), Arginine Vasotocin (AVT) and Norepinephrine (NE) Mediated Contraction in Rat Thoracic Aorta. The FASEB Journal. 3(3): A1024, 1989. 2. LK Kullama, V Balaraman, JR Claybaugh and KT Nakamura. Comparative Ontogency of Vasopressin, Vasotocin and Norepinephrine Mediated Contraction in Rat Thoracic Aorta. Pediatric Research. 25(4): 69A, 1989.

PRESENTATIONS FASEB meetings, March 19-23, 1989; New Orleans, LA (poster).

PUBLICATIONS: Kullama LK, Balaraman V, Claybaugh JR, Ichimura WM and Nakamura KT. Ontogency of Vasoconstrictor Neurohypophyseal Hormone Function in Rats. American Journal of Physiology (in press).

Prot No: 38A88 Status: Ongoing

TITLE: The Ontogeny of cGMP Mediated Relaxation in Smooth Muscle (e.g. aorta, pulmonary artery, trachea etc.,) of Developing Fetal, Newborn and Adult Guinea Pigs and Rats

Principal Investigator: Linda K. Kullama, Ph.D.; John R. Claybaugh, Ph.D.

Dr. Venkataraman Balaraman, M.D.: Associate Investigators:

Dr. Kenneth T. Nakamura, M.D.;

Department/Section: Clinical Investigation/Physiology

Key Words: ontogeny;

Funding: FY 88: \$6,128. FY 89: \$21,164. Periodic Review Date:

Decision: Continue Gifts: Grant\*

OBJECTIVE: The objective of this study is to determine the ontogeny of cGMP mediated relaxation in smooth muscle (isolated vascular rings, tracheal rings etc.,) of developing fetal, newborn and adult guinea pigs and newborn and adult rats. We will use three different classes of pharmacological agents which stimulate cGMP by different mechanisms, viz., directly at the level of smooth muscle, receptor mediated release and endothelium dependent relaxing factor (EDRF) mediated release.

TECHNICAL APPROACH: Isolated smooth muscle structures (vascular rings, tracheal rings) are mounted in isolated organ bath and bathed in Kreb's solution aerated continuously with 95%0, 5%CO,. Isometric relaxation responses are studied by addition of cumulative doses of drugs mediating relaxation after the tissue if preconstricted with a known constricting agent. The responses are recorded using a Grass .O3FT force displacement transducer attached to a Gould recording device. Thus dose response curves to the various relaxing agents are generated and differences compared using standard statistical tests.

PROGRESS: No. of Subjects Enrolled - To Date: NA Reporting Period: To date we have studied the relaxation responses to sodium nitroprusside (SNP) and Atriopeptin III (APIII), stimulators of soluble and particulate guanylate cyclase, respectively. We have observed that there is a progressive increase in the relaxation mediated by SNP with age while responses mediated by APIII appear unchanged. Furthermore, methylene blue, a selective inhibitor of soluble guanylate cyclase blocks SNP responses in an age dependent manner, though incompletely, while it does not affect responses mediated by APIII. These studies have been done so far only in the thoracic aorta of the guinea pig. At present, further experiments to study the relaxation responses mediated by acetylcholine and A23187, stimulators of EDRF which in turn stimulates soluble quanylate cyclase are being planned. We further plan to study these responses in pulmonary arteries. ABSTRACTS: 1. Balaraman V, Kullama LK, Easa D, Robillard JE and Nakamura KT. Ontogeny of Sodium Nitroprusside and Atriopeptin III relaxation in aorta of quinea pigs. Pediatric Reasearch 25(4):64A, 1989. <u>PRESENTATIONS</u>: 1. Society for Pediatric Research meetings, May 1-4, 1989. Washington D.C. (Platform presentation) 2. District VIII meeting of the American Academy of Pediatrics, Section of Perinatal Medicine, May 25-27, 1989. Anchorage, AK. (poster) Manuscript submitted for publication.

Prot No: 44A88 Status: Completed

TITLE: Pilot Study: Investigation of Transplanted Tumor Cell Lines in Mice: Establishment of Cancer Models at Tripler AMC to Support Research Protocols in Pathology, Surgery, and Medicine

Principal Investigator: COL Kay Alvin Kyser, MC

Associate Investigators: LTC Y-T. Margaret Lee, MC; CPT Kraig S. Lerud, MC;

Dan Brooks, MT; Cindy Ollinger; SGT Anne Brady

Department/Section: Clinical Investigation

Key Words: tumor cell lines;

Funding: FY 88: \$2,425. FY 89: \$5,150. Periodic Review Date: Sep 89

Gifts: None Decision: Completed

<u>OBJECTIVE</u>: To establish experimental cancer models at Tripler to support training and research on naturally occurring and man-made antitumor substances.

TECHNICAL APPROACH: Transfer of technology from Letterman AMC to establish mouse tumor colony. Traditional cancer cell line transfer. Estrogen receptor quantification using computer enhanced microscopy.

PROGRESS: No. of Subjects Enrolled - To Date: NA Reporting Period: NA

Lung, breast and malignant melanoma cancer cell lines have been successfully moved from Letterman AMC. Tumor tissues have been collected for freeze-back.

Prot No: 27A89 Status: Ongoing

TITLE: The Prevalence of Hantavirus and Hantavirus Antibody in Rats on Oahu

Principal Investigator: MAJ Albert H. McCullen, VC Associate Investigators: MAJ Michael J. Langford, VC

Department/Section: Clinical Investigation/Veterinary Service

Key Words: Hantavirus Antibody

Funding: FY 88: NA FY 89: \$3,309. Periodic Review Date: Sep 89

Gifts: None Decision: Continue

of Hantavirus in both free running and laboratory rats on Oahu. The general approach to this problem will be to conduct a survey of laboratory and free running wild rats on Oahu to establish the presence of Hantavirus sp. and to determine its distribution. Seropositive rats will be examined to detect viral antigen in tissues and an attempt will be made to isolate the virus from antigen positive lung tissues. If isolation is successful the virus will be characterized biologically, immunologically, and antigenically.

TECHNICAL APPROACH: Blood samples will be obtained from laboratory rat and wild rat populations on the island of Oahu to screen for Hantavirus antibody. If animals have positive antibody titers to the virus, isolation and characterization will be attempted.

PROGRESS: No. of Subjects Enrolled - To Date: NA Reporting Period: NA

To date antibodies to the Hantavirus have been defected in laboratory rats and wild rats. Virus isolation and characterization remain to be done.

Prot No: 58A89 Status: Ongoing

TITLE: The Ontogeny of "Cyclic Guanosine Monophosphate (cGMP) Dependent" and "cGMP Independent" Relaxation Mediated by Sodium Nitroprusside (SNP) and Atrial Natriuretic Factor (ANF) in the Thoracic Aorta of Guinea Pigs

Principal Investigator: Kenneth T

Kenneth T. Nakamura, MD

Associate Investigators: Venkataraman Balaraman, MD; Linda K. Kullama, Ph.D.;

Aileen K. Sato; Naomi Fujiwara;

John R. Claybaugh, Ph.D; MAJ Edward Stevens, MC;

CPT Bruce Pichoff, MC

Department/Section: Department of Clinical Investigation

Key Words: Cyclic Guanosine Monophosphate (cGMP)

Funding: FY 88: NA FY 89: NA Periodic Review Date: Sep 89

Gifts: Grant\* Decision: Continue

OBJECTIVE: This proposed study is designed to define the ontogeny of "cGMP dependent" and "cGMP independent" relaxation in the thoracic aorta of guinea pigs mediated by SNP and ANF. Aortae from fetal, newborn and adult guinea pigs will be studied.

TECHNICAL APPROACH: Relaxation responses will be measured employing the isolated vessel technique measuring isometric force. cGMP will be extracted and assayed by RIA employing a commercially available kit (New England Nuclear). Protein content will be assayed according to the technique described by Lowrey.

PROGRESS: No. of Subjects Enrolled - To Date: NA Reporting Period: NA

Preliminary experiments have just begun. Approval for this project was granted one month ago.

\*Research Corporation of the University of Hawaii Leahi Trust

Prot No: 11H89\* Status: Completed

TITLE: A Quality Assurance Study to Compare Two Treatment Modalities for Mandibular Fractures - An Analysis of Lost Duty Time and Hospitalization Costs to the Military

Principal Investigator: LTC Durwood E. Bach, DC

Associate Investigators: MAJ Gregory W. Boice, DC; MAJ Jeffery Dootson, DC

Department/Section: Dental Activity/oral/maxillary surgery

Key Words: maxillomandibular fixation;

Funding: FY 88: NA FY 89: NA Periodic Review Date: Sep 89

Gifts: None Decision: Completed

OBJECTIVE: To analyze two different modalities of treatment for mandibular fractures: 1) Maxillomandibular fixation. 2) Rigid internal fixation (bone plating) without maxillomandibular fixation. To make comparison between these treatment modalities for length of hospitalization, hospitalization costs to the military, and lost duty time.

TECHNICAL APPROACH: Twenty Hospital patient records with mandible fractures treated with IMF were reviewed. Fifteen consecutive Active Duty patients were treated with open reduction and rigid fixation. These patients were returned to duty when determined fit for discharge from the hospital. Patients were issued food blenderizers if none was available to them. In the IMF treated group (I) the mean length of hospitalization was 44 days. For the rigid fixation group (II) 10.26 days. Lost duty time in group I was 36.44 days for group II 12.26 days. Meantime from injury to return to full duty in Group I was 50.17 days in group II was 26.06 days. Comparison of body weights at intervals revealed a similar pattern of weight loss or nutritional maintenance in both groups. There was no significant surgical or post operative complications associated with the rigid fixation group. Results indicate that, when appropriate, rigid fixation of mandible fractures markedly reduces the need for IMF and permits expeditious return to original duty assignment.

PROGRESS: No. of Subjects Enrolled - To Date: 15 Reporting Period: 15

Data collection completed. Results will be presented at the AMSUS annual meeting in San Diego, CA, Nov. 1989.

Prot No: 12A89 Status: Ongoing

TITLE: Evaluation of a Composite Graft (Porous Particulate Hydroxyapatite-Particulate Marrow Cancellous Bone) for Onlay Augmentation of the Atrophied Alveolar Ridge with Simultaneous Placement of Endosseous Implants in Goats

Principal Investigator: LTC Durwood E. Bach, DC

Associate Investigators: COL Richey F. Newhouse, DC; MAJ Gregory Boice, DC;

MAJ Steven Perkins, DC; COL Jeffrey O. Hollinger, DC

Department/Section: Dentistry/Oral Surgery

Key Words: endosseous implants;

Funding: FY 88: NA FY 89: NA Periodic Review Date: Sep 89

Gifts: Pending USUNS Decision: Continue

OBJECTIVE: To evaluate a composite graft system for augmentation of the atrophied alveolar ridge with simultaneous placement of 2 endosseous implant systems. Clinical evaluation to assess the degree of stability of the implant. Clinical and radiographic assessment to determine the degree of bone graft maintenance or resorption postoperatively. Histologic and histomorphometric analysis to quantitate osseointegration of the dental implants within the matrix of the graft.

TECHNICAL APPROACH: Each animal will have an augmentation and simultaneous implant placement on the right and left side of the maxilla and the mandible. There will be 4 surgical/experimental sites per animal. One side of the mandible/maxilla will be augmented with an autogenous particulate marrow graft and the opposite side will be augmented with a composite graft of 50% hydroxyapatite and 50% autogenous particulate marrow. The sites will be randomized.

PROGRESS: No. of Subjects Enrolled - To Date: NA Reporting Period: NA

Apparently protocol has been approved by HSC and forwarded through channels to Henry Jackson Foundation.

Prot No: 48A89 Status: Ongoing

IIILE: Microsurgery Training for Oral Maxillofacial Surgery Residents Using

Rat Nerves and Vessels

Principal Investigator: LTC Durwood E. Bach, DC

COL Ricney Newhouse, DC: MAJ Gregory Boice, DC: Associate Investigators:

MAJ Steven Perkins, DC: MAJ Michael Werner, DC:

LTC Charles Ringold, DC

Department/Section: Dental Activity/Oral Maxillofacial Surgery Service

Key Words: oral maxillofacial;

Funding: FY 88: NA FY 89: \$5,261. Periodic Review Date: Sep 89

Gifts: None Decision: Continue

OBJECTIVE: To train residents in the techniques of epineural and fasciculur nerve repair for nerves approximately 1mm in diameter. To train residents in the repair of arteries and veins approximately 1mm in diameter.

TECHNICAL APPROACH: A 2 day laboratory course was held on the 8. 9 August 1989 at Clinical Investigation. Tracheostomy, and sciatic nerve co-aptations were performed on rats in the lab.

PROGRESS: No. of Subjects Enrolled - To Date: NA Reporting Period: NA

Eight rats were utilized for the course.

Prot No: 9H88 Status: Ongoing

TITLE: A Comparison of Complete Maxillary Denture Retention Before and After

Magnetic Retention is Obtained Utilizing Osseointegrated Implants

Principal Investigator: MAJ Gregory W. Boice, DC

Associate Investigators:

Department/Section: Dental Activity

Key Words: osseointegrated implants;

Funding: FY 88: NA FY 89: NA Periodic Review Date: Sep 89

Gifts: None Decision: Continue

OBJECTIVE: To measure the in vivo retention that is added to complete maxillary dentures by using rare earth magnets in conjunction with osseointegrated implants.

TECHNICAL APPROACH: Patients were selected on the basis of having an edentulous maxillary ridge and a suitable maxillary denture. A stainless bar was fixed to the palatal portion of the denture and reinserted into the patients' mouth. Using a Chattilion push-pull gauge, the patients' denture was pulled down and the force needed to break the seal was recorded. After those measurements were taken, 2 Interpore IMZ Titanium Endosseous implants were placed, 1 each at the maxillary canine area. The implants were allowed four months to osseointegrate then were uncovered and keepers were attached to the implants. Then 2 Jackson regular rare-earth magnets were placed in the patients'dentures in such away to achieve contact with the keepers when the dentures were fully seated. Pull out measurements were done after magnetic augmentation in the same way as before.

PROGRESS: No. of Subjects Enrolled - To Date: NA Reporting Period: NA

During the follow-up year for this study several problems have occurred.

1) When the patients are wearing their magnetically augmented denture, the intermobile element in the IMZ implant are coming unscrewed. This problem has necessitated changing from teflon IME's to titanium IME's on four patients.

2) An additional four implants have been lost due to loading of the implants. One of the lost implants was on a patient who lost an implant at the uncovering appointment. Failed to integrate. This necessitated "sleeping" the remaining implants on these patients. One year follow-up radiographs and recall appointments are being done on all patients at this time.

Prot No: 64H88 Status: Ongoing

TITLE: A Comparison of Amitriptyline vs. Trazodone vs. Placebo as Adjuvants

to Opiate Analgesics in the Management of Pain in Cancer Patients

Principal Investigator: COL Jeffrey L. Berenberg, MC

Associate Investigators:

Department/Section: Medicine/Hematology-Oncology Service

Key Words: amitriptyline; trazodone;

Funding: FY 88: NA FY 89: NA Periodic Review Date: Sep 89

Gifts: Amitriptyline, Trazodone & Placebo Decision: Continue

Tablets

OBJECTIVE: a) Compare the relative effectiveness of amitriptyline and trazodone as adjuvants to opiate analgesics for the management of pain of malignant diseases. b) Quantify the "opiate sparing" effect of these two agents when used in conjunction with morphine sulfate. c) Evaluate the cost-efficiency/effectiveness of trazodone and amitriptyline, as adjuvants to opiate analgesics, in the treatment of pain associated with malignant disease.

TECHNICAL APPROACH: Patients agreeing to participate in the study will first be titrated to a dose of morphine sulfate that controls their pain satisfactorily. They will then be randomized to receive an additional drug (either 1. amitriptyline, 2. trazodone or 3. placebo). This will be double blind. When this additional drug is started, their morphine dose will be decreased by 25% and the patients will be monitored closely for their pain level. The patients will have constant access to additional morphine if and when they need it for breakthrough pain. The physician following the patient will be expected to adjust the regularly scheduled morphine based on any regularly occurring breakthrough pain. Patients will be followed for 60 days minimum.

PROGRESS: No. of Subjects Enrolled - To Date: O Reporting Period: O

Multi-institutional study to continue until study objective met. Status is ongoing.

Prot No: 19H84 Status: Ongoing

TITLE: Treatment of Graves' Ophthalmopathy with Cyclosporin

Principal Investigator: COL Michael Bornemann, MC

Associate Investigators:

Department/Section: Medicine/Endocrine-Metabolic

Key Words: Graves' ophthalmopathy;

Funding: FY 88: NA FY 89: NA Periodic Review Date: Sep 89

Gifts: None Decision: Continue

OBJECTIVE: To assess the efficacy of Cyclosporin treatment on the ophthalmopathy of Graves' disease.

TECHNICAL APPROACH: This is a random crossover study comparing Cyclosporin therapy of Graves' ophthalmopathy versus the standard of current therapy, high-dose oral Prednisone. Because of potential toxicity, this is not a double-blind study. The drugs will be administered for three weeks each, and then the patient will be crossed over with clinical response measured by an ophthalmopathy index. There will be a pretherapy clinical assessment and the usual laboratory testing pre-, post-, and during therapy.

PROGRESS: No. of Subjects Enrolled - To Date: O Reporting Period: O

This Walter Reed collaborative protocol remains open anticipating any patients that might meet the study population criteria. No (new) subjects enrolled. Recommend on-going status. This is part of an Army-wide project with centralized support WRAMC.

Prot No: 31H86 Status: Terminated

TITLE: The Incidence of Clinically Relevant IgE-Hypersensitivity to Mold

Spores in Hawaii

Principal Investigator: MAJ Robert E. Bowen, MC Associate Investigators: MAJ William F. Long, MC

Department/Section: Medicine/Allergy-Immunology Service

Key Words: mold spores;

Funding: FY 88: \$270. FY 89: NA Periodic Review Date: Sep 89

Gifts: None Decision: Terminate

<u>OBJECTIVE</u>: To determine whether or not the recently developed extracts of the mold spores, Myxomycetes, Basidiomycetes, and imperfect fungi represent clinically significant aeroallergens in Oahu.

TECHNICAL APPROACH: Two hundred adult patients will be skin-tested for common Hawaiian aeroallergens. In addition, nine spore extracts will be tested. Prick testing will be done first using a template on the back to insure uniformity. This will permit comparison with the three whole body imperfects. At the completion, the data will be collated.

PROGRESS: No. of Subjects Enrolled - To Date: 0 Reporting Period: 0

Dr. Bowen ETS'd in Aug 88 and has not left any of his research protocol results. Presently, none of the other two allergists are familiar with his research project and cannot continue it. Request the study be terminated.

Prot No: 22H88 Status: Terminated

TITLE: "Double Blind, Multicenter, Placebo Controlled Clinical Trial to Evaluate the Efficacy and Safety of HA-1A Human Monoclonal Antibody in Patients with Severe Gram-Negative Sepsis/Gram-Negative Septic Shock"

Principal Investigator: COL Joel Brown, MC

Associate Investigators: COL Jeffrey L. Berenberg, MC; MAJ Gerald R.

Harrington, Jr., MC; MAJ Phillip P. Bruno, MC; MAJ Gary P. Jones, MC; MAJ Iris J. West. AN

Department/Section: Medicine/Infectious Disease

Key Words: gram-negative sepsis/gram-negative septic shock;

Funding: FY 88: NA FY 89: NA Periodic Review Date: Sep 89

Gifts: None Decision: Terminate

OBJECTIVE: To test whether anitbody against endotixin core subfraction offers a safe treatment for septic shock.

TECHNICAL APPROACH: The multicenter study plans to enroll between 45 and 450 patients, with 50 patients at T^MC. Patients with sepsis or septic shock will be given a vial that contains either the antibody or a human serum albumen placebo. The code can be broken by rubbing a blackened area of the label with an alcohol pad.

PROGRESS: No. of Subjects Enrolled - To Date: O Reporting Period: O

This protocol provided funds for a research nurse to be hired through CPOH. The paperwork for this position was submitted through TAMC and CPOH some time ago but the position has still not been filled. Funding for this protocol will not continue past December 1989. Chances of recruitment and significant progress in this study are now remote. I, therefore, prefer to terminate the study.

Prot No: 33H86 Status: Ongoing

TITLE: The Natural History of HTLV-III Infection and Disease in a United

States Military Population

Principal Investigator: COL Joel D. Brown, MC Associate Investigators: MAJ Robert Gates, MC

Department/Section: Medicine/Infectious Disease Service

Key Words: HTLV-III; AIDS; infection;

Funding: FY 88: NA FY 89: NA Periodic Review Date: Sep 89

Gifts: None Decision: Continue

OBJECTIVE: To assess the impact of HTLY-III infection on military readiness by defining the natural history of infection in the general military population and to form a study cohort upon which subsequent studies can be built.

TECHNICAL APPROACH: Personnel with confirmed HTLV-III infection who agree to participate will receive standard evaluation, counseling, and referral of contacts. Information will be centralized in a common data base. Serum and CSF samples will be stored at WRAIR for future testing. Follow-up studies will be performed every six months.

PROGRESS: No. of Subjects Enrolled - To Date: O Reporting Period: O

This study enrolls volunteer HIV infected patients for epidemiologic and periodic clinical evaluation to determine the course of their disease over time. It is part of a multicenter protocol, and the study will continue for at least 1 more year. No investigational agents are involved therefore there were no adverse results. Two patients were dropped due to death from AIDS. Results: A total of 125 patients entered the study to date. Thirteen patients were enrolled in 1989. No publications were submitted by TAMC since it is a multi-centered study.

Prot No: 58H88 Status: Terminated

TITLE: BIG ANP in Salt and Water Retention States.

Principal Investigator: CPT Steven E. Farrell, MC

Associate Investigators: Nadine Wilson, Ph.D.; MAJ L. Harrison Hassell, MC;

John Claybaugh, Ph.D.

Department/Section: Medicine

Key Words: big ANP;

Funding: FY 88: NA FY 89: 1,797. Periodic Review Date: Sep 89

Gifts: None Decision: Terminate

OBJECTIVE: To demonstrate the prescence of Big ANP (a large peptide that crossreacts immunologically with antisera to regular (ANP) in disease states characterized by volume expansion; i.e., congestive heart failure, end-stage renal disease, and liver failure with cirrhoses and to quantify levels of Big ANP and Reg ANP in the serum of representative patients of these three disease states. Additionally, to search for presence of Big ANP in ascitic fluid of patients with liver failure (cirrhoses) and ascites.

TECHNICAL APPROACH: Obtain serum samples from approximately 8 patients of each disease state to be studied and 8 normal controls. (The serum will be obtained during routine admission blood draws and will consist of one 7cc purple top container per patient.) These disease groups are: 1-Congestive heart failure, 2-End-stage renal disease groups hemodialysis, and 3-Liver failure characterized by cirrhoses with ascites. Determine the concentration of Reg ANP and Big ANP in this sera by methods outlined by Dr. Wilson in the Department of Clinical Investigations. Obtain ascitic fluid by paracentesis of the eight subjects with liver failure and carry-out similar fluid analysis of ANP levels. (Ascitic fluid will be obtained during diagnostic or therapeutic paracentesis conducted for the clinical benefit of the patient, there will be no paracentesis conducted for the clinical benefit of the patient, there will be no paracentesis conducted solely for obtaining experimental specimens. The volume required will be approximately 10cc's). Correlate the Big ANP: Reg ANP ratio in the disease states and compare these with a group of "normal" subjects. Procedures to be performed on the subjects will consist of routine vascular blood draws on all subjects consist of and controls and abdominal paracentesis on the liver failure subjects alone.

PROGRESS: No. of Subjects Enrolled - To Date: NA Reporting Period: NA Cancelled due to collaborator returning to Canada.

Prot No: 8189 Status: Ongoing

TITLE: Evaluation of Anamnestic Response of Lymphocytes from Recipients of the Hephavax Vaccine who are HBsAb Negative

Principal Investigator: CPT Albert G. Fedalei, MC

Associate Investigators: MAJ Kenneth Sherman, MC, MAJ Merle S. Sprague, MC,

MAJ Lawton A. Seal, MS

Department/Section: Medicine

Key Words: heptavax vaccine;

Funding: FY 88: NA FY 89: NA Periodic Review Date: Sep 89

Gifts: None Decision: Continue

<u>OBJECTIVE</u>: To determine if the lymphocytes from subjects who have previously received the Heptavax but are now HBsAb negative, are able to mount an anamnestic response to antigen challenge.

TECHNICAL APPROACH: Physicians and ancillary staff at Tripler Army Medical Center who received the Heptavax vaccine between 1981 and 1986 were identified by questionnaire. To date, 43 subjects met the initial criteria and were tested for antibody to the surface antigen of hepatitis B (HBsAb). Initial screen utilized an ELISA assay whose positive/negative cutoff corresponded to a cutoff level of 10 S.R.U. by RIA. Three subjects (approximately 7%) were found to be antibody negative. These were matched with HBsAb positive controls for age, sex, site of injection and time vaccine was administered. Peripheral blood mononuculear cells were isolated by differential Ficoll-Hypaque gradient centrifugation. The cells were washed and then suspended in culture medium in microtiter well plates. Stimulation was provided by use of PHA, Hepatax or Recombivax. One microgram of hepatitis B antigen was found to be optimal in preliminary studies. After stimulation, cells were labeled with tritiated thymidine to measure increased cell activity. The lymphocytes from all subjects showed significant stimulation in response to phytohemagglutinin (PHA).

PROGRESS: No. of Subjects Enrolled - To Date: 91 Reporting Period: 91

No adverse effects from the veni-puncture have been encountered to date. The lymphocytes from all subjects showed significant stimulation in response to phytohemagglutinin (PHA). HBsAb negative subjects all had a blast index of less than one. Two of the three antibody positive controls and a separate internal positive control had blast indexes between 1.43 and 3. The antibody positive individual with a blast index less than 1 was found to also have very low titer antibody on serial dilution.

Prot No: 541188 Status: Terminated

TITLE: A Prospective, Randomized, Double-Blind, Placebo Controlled Study of the Effects of 6 Months of Enalapril on Microalbuminuria in Patients with Insulin-Dependent Diabetes Mellitus

Principal Investigator: CPT Rosemary Fitzpatrick, MC

Associate Investigators: MAJ L. Harrison Hassell, MC; Dr. Craig Holland, M.D. CPT Robert A. Decker, MC

Department/Section: Medicine

Key Words: diabetes mellitus:

Funding: FY 88: NA FY 89: NA Periodic Review Date: Sep 89 Gifts:

\*HMJFAMM Decision: Terminate

OBJECTIVE: To see if Enalapril will decrease rate of microalbuminuria in patients with Insulin-Dependent Diabetes Mellitus.

TECHNICAL APPROACH: Randomized placebo controlled double-blind study with approximately 30 patients in control groups; 30 in treatment group. Control group receives placebo. Test group receives 5 mg Enalapril 4 times a day. Following patients- glucose control, GFR, timed basal urines for microalbuminuria. Compare test and control group.

PROGRESS: No. of Subjects Enrolled - To Date: 0 Reporting Period: 0

\*Study referred via Uniformed Services University of the Health Sciences (USUHS) to Henry M. Jackson Foundation (HMJF) for outside funding. During delays at USUHS study was completed and published by other authors.

Prot No: 55H88 Status: Ongoing

TITLE: A Direct Comparison Between the Cholesterol Lowering Effects of

Psyllium Mucilloid and Bile Sequestering Agents

Principal Investigator: CPT Gary D. Gazenski, MC

Associate Investigators: CPT Steven E. Hill, MC; CPT Gary D. Gazenski, MC

MAJ Suzanne Chang, RD

Department/Section: Medicine

Key Words: psyllium mucilloid:

Funding: FY 88: NA FY 89: NA Periodic Review Date: Sep 89

Gifts: None Decision: Continue

<u>OBJECTIVE</u>: To show that psyllium mucilloid is more efficacious than the bile sequestrant cholestyramine in reducing total serum cholesterol and low density lipoprotein.

TECHNICAL APPROACH: Two arm outcome study of approved medications.

PROGRESS: No. of Subjects Enrolled - To Date: 77 Reporting Period: 77

The protocol requires a total of 150 participants, of which 77 are currently enrolled in the project. Preliminary data does not tend to support the findings of the Psyllium Hydrophilic Mucilloid Study by Anderson, et. al. and could provide important clinical information concerning primary intervention for Hypercholesterolemia. Due to the numerous PCS moves this summer, the estimation date of completion has been changed to August 1990. CPT Timothy Pfanner, MC, Department of Medicine has assumed the position of Principal Investigator.

Prot No: 611188 Status: Terminated

TITLE: Prevention of Nosocomial Penumonias and Stress Gastroduodenal Ulcers

in Ventilated Patients (A Multi-Center Protocol)

Principal Investigator: MAJ Ney Gore, MC

(formerly: MAJ Gerald R. Harrington, MC)

Associate Investigators: MAJ Mary Moser-Gautreaux, ANC;

MAJ Sheila Bunton, ANC

Department/Section: Medicine

Key Words: nosocomial pneumonias;

Funding: FY 88: NA FY 89: NA Periodic Review Date: Sep 89

Gifts: None Decision: Terminate

OBJECTIVE: The objectives of the study are four-fold. 1) To determine if patients receiving adequate antiulcer prophylaxis and nonabsorbable antibiotics will have a decreased incidence of nosocomial pneumonia. 2) To determine if sucralfate may reduce the incidence of nosocomial pneumonia without increasing the incidence of gastroduodenal ulcer disease. 3) To determine if cimetidine and antacids have an effect on bacterial and fungal colonization of mechanically ventilated patients. 4) To determine if any of these regimens can decrease the incidence of nosocomial pneumonia in mechanically ventilated patients.

TECHNICAL APPROACH: The study will encompass all patients admitted to the Surgical and Medical Intensive Care Units. Any patient without pre-existing pneumonia requiring mechanical ventilation for longer than 24 hours and having no contraindication to ulcer prophylaxis will be asked to participate in the study. Patients receiving the oropharyngeal decontamination will also receive antacids and cimetidine while those in the sucralfate group will only receive sucralfate. Those receiving Famotidine will receive no other drugs. Patients receiving just cimetidine and antacids will be the standard therapy control Patients undergoing surgical procedures may be on prophylactic or therapeutic antibiotics. This can alter the flora of the respiratory tree. This will be documented in the study as well as the type of procedures, underlying illness or the presence of ileus upon admission. The patients will be stratified for severity of illness using APACHE II scores. The end point of the study is the development of pneumonia, stress gastroduodenal ulcer disease as evidenced by clinically overt bloeding (bright red blood per NG, hematemesis, melena and/or decrease in hematocrit) or over 14 days or continuous mechanical ventilation.

PROGRESS: No. of Subjects Enrolled - To Date: O Reporting Period: O

Withdrawal of TAMC MICU from this study as a primary investigator is no longer assigned to this center. I have no desire to pursue this study.

Prot No: 8L87 Status: Ongoing

TITLE: Noncompliant Behavior Among Hemodialysis Patients: Relationship to Disturbances of the Renin-Angiotensin-Aldosterone, Autidiuretic Hormone, and Atrial Natriuretic Hormone Axes

Principal Investigator: MAJ L. Harrison Hassell, MC

Associate Investigators: John R. Claybaugh, Ph.D.; Arnold Siemsen, MD;

Jon Streltzer, MD

Department/Section: Medicine/Nephrology

Key Words: hemodialysis patients;

Funding: FY 88: \$2,851. FY 89: \$323. Periodic Review Date: Sep 89

Gifts: None Decision: Continue

OBJECTIVE: Designed to compare levels of plasma renin activity (PRA), aldosterone (PA), antidiuretic hormone (ADH), and human atrial natriuretic peptide (hANP) in compliant and noncompliant hemodialysis patients to those in both humans and experimental animals associated with stimulation of thirst and salt appetite. Abnormalities of these hormonal axes may provide inferential evidence of disturbances of thirst and salt appetite which may underlie noncompliant behavior.

TECHNICAL APPROACH: Hemodialysis patients have blood drawn before and after two consecutive hemodialysis treatments. Urine is collected in the interim to calculate residual renal function. Patients have been categorized according to pre-defined criteria of compliance as assessed by interhemodialytic weight gain. The study will evaluate relationships of normal abnormalities to compliant and noncompliant behavior.

PROGRESS: No. of Subjects Enrolled - To Date: NA Reporting Period: NA

No adverse effects have occurred. Results of the study were presented to the 1989 FASEB meeting. Present plans include submission of manuscript. No further new patients will be enrolled in the study.

Prot No: 761187 Status: Terminated TILE: Effect of Hemodialysis on Hearing Threshold Principal Investigator: MAJ L. Harrison Hassell, MC Associate Investigators: CPT Raymond J. Enzenauer, MC; NAJ Jeffrey W. Davies. MSC Department/Section: Medicine Key Words: hemodialysis; hearing threshold; Funding: FY 88: NA FY 89: NA Periodic Review Date: Sep 89 Gifts: None Decision: Terminate

OBJECTIVE: To across the acute effect of a standard hemodialysis procedure and various modifications to include changing dialysate sodium concentration, replacement of solute loss with mannitol, and separating solute and fluid removal on middle and inner ear function.

TECHNICAL APPROACH: Lab studies (electrolytes, BVN, Cr, Osmolality Glucose, Calcium, Magnesium, Phosphorus), determination of hearing threshold, and tymponograms are performed before and after a "standard" or usually prescribed hemodialysis treatment. Phase II requires CIC approval; therefore, no patients have been enrolled.

PROGRESS: No. of Subjects Enrolled - To Date: 9 Reporting Period: 9

No adverse effects have occurred. Analysis of data from patients entering the study failed to demonstrate effects of HD on hearing threshold. Therefore, the study is terminated. Phase II studies will not be undertaken.

Prot 171188 Status: Onging TITLE: Impact of Clinical Laboratory Methodology on the Accurate Measurement of Serum Chloride and Calculated Bicarbonate from Arterial Blood Gases and the Clinical Approach to the Diagnosis of Acid-Base Disorders MAJ L. Harrison Hassell, MC Principal Investigator: Associate Investigators: Department/Section: Medicine Key Words: serum chloride; Funding: FY 88: NA FY 89: NA Periodic Review Date: Seu 89 Gifts: None Decision: Continue

OBJECTIVE: a. To determine the effect of the clotted RBC mass on the accurate measurement of serum chloride and calculated bicarbonate from arterial blood gases b. To determine the effect of air exposure on the accurate measurement of serum chloride and calculated bicarbonate from arterial blood gases. c. To test the clinical maxim, "arterial blood gas values should be validated before being used in clinical decision making."

TECHNICAL APPROACH: Arterial blood is sampled and divided into a series of blood tubes designed to assess effects of various post-phlebotomy effects on the laboratory determination of the serum bicarbonate. This data is combined with arterial blood gas measurements to determine whether post-phlebotomy effects will alter the diagnosis of acid-base disorders.

PROGRESS: No. of Subjects Enrolled - To Date: NA Reporting Period: NA

This study is laboratory intensive and requires extensive computer programming to account for all variable effects. However, the question is still valid and completion is planned.

Prot liv: 43likg\* Status: Ongoing

TITLE: Clinical Utility of Post-Thoracentesis Chest Roentgenography

Principal Investigator: CPT William D. Holland, MC

Associate Investigators: CPT Oleh Hnatirt, MC; MAJ John D. Olsen, MC

Department/Section: Medicine

Key Words: post-thoracentesis; roentgenagraphy;

Funding: FY 88: NA FY 89: NA Periodic Review Date: Sep 89

Gifts: None Decision: Continue

OBJECTIVE: The purpose of this study is to prospectively assess whether the routine use of post-thoracentesis chest roentgenagraphy in asymptomatic patients without clinically apparent complications is warranted. This prospective study hopes to provide unbiased, well documented evidence needed to calculate an accurate negative predictive value for the parameters identified in our retrospective review.

TECHNICAL APPROACH: No alteration from basic standards of medical practice. Followup of pt's thoracentesis will involve reviewing thoracentesis form and reviewing CYR.

PROGRESS: No. of Subjects Enrolled - To Date: NA Reporting Period: NA

Due to delay in receiving standardized thoracentesis forms (received 14 Sept) project initiated 15-18 Sept 89. No subjects at present.

\* Exempt from committee protocol (retrospective study).

Prot No: 10H89 Status: Ongoing

TITLE: Double Blind Trial of Sucralfate in the Treatment of Minor Aphthous

Stomatitis

Principal Investigator: CPT James K. Howden, MC

Associate Investigators:

Department/Section: Medicine

Key Words: sucralfate; aphthous stomatitis;

Funding: FY 88: NA FY 89: NA Periodic Review Date: Sep 89

Gifts: None Decision: Continue

OBJECTIVE: Recurrent aphthous stomatitis, commonly known as canker sores, is estimated to affect 20 percent of the general population. (1) Effective therapy of the common idiopathic aphthous ulcerative type is not available. Because of promising results in the therapy of chemotherapy associated oral mucositis, a therapeutic trial with sucralfate is proposed.

# TECHNICAL APPROACH:

After being assessed through questionnaire, short physical exam and complete blood count, patients are randomly assigned, in blinded fashion, to either the treatment or placebo group. The patient's consent is obtained and he is given a prescription. The patient is instructed to begin therapy on the initiation of symptoms and to call the Internal Medicine Clinic to arrange follow up within one day. The patient is thereafter seen every two days for a total of ten days to assess for subjective and objective improvement.

PROGRESS: No. of Subjects Enrolled - To Date: 15 Reporting Period: 15

Presently the collection of data is on going.

I'rot No: 27H88 Status: Ongoing

TITLE: A Treatment Protocol for the Use of Trimetrexate with Leucovorin Rescue for AIDS Patients with <u>Pneumocystis</u> <u>Carinii</u> <u>Pneumonia</u> and <u>Serious</u> Intolerance to Approved Therapies

Principal Investigator: Dr. Arthur C. Johnson, M.D.

Associate Investigators: COL Joel D. Brown, MC

Department/Section: Medicine/Infectious Disease

Key Words: Teucovorin; Pneumocystis Carinii pneumonia (PCP);

Funding: FY 88: NA FY 89: NA Periodic Review Date: Sep 89

Gifts: None Decision: Continue

OBJECTIVE: To make available this treatment approach to our patients pending FDA approval. To add to existing information on the safety and efficacy of trimetrexate with leucovorin rescue in AIDS patients with Pneumocystis Carinii pneumonia (PCP) who have no therapeutic alternatives because they have demonstrated serious (severe or life threatening) intolerance to both conventional therapies for PCP.

TECHNICAL APPROACH: Treatment protocol (national).

PROGRESS: No. of Subjects Enrolled - To Date: 1 Reporting Period: 1

Project is ongoing. No new additional patients have been enrolled. It is part of a multicenter protocol. Recent changes in the treatment and prophalaxis of Pneumocystis carinii pneumonia (PCP) have greatly reduced the incidence and recurrence of this disease. No new patients were treated in FY 89 therefore there were no adverse effects. Results: Accrual of subjects has been significantly less than initially anticipated. No publications were submitted by TAMC since this is a multi-center study.

Prot No: 10H88 Status: Terminated

TITLE: Assessment of Nonspecific Decrease in Skin Test Reactivity and Late Phase Reactions During Immunotherapy

Principal Investigator: MAJ Marcia L. Muggelberg, MC

Associate Investigators:

Department/Section: Medicine/Allergy-Immunology Service

Key Words: immunotherapy;

Funding: FY 88: NA FY 89: NA Periodic Review Date: Sep 89

Gifts: None Decision: Terminate

<u>OBJECTIVE</u>: To determine whether there is a nonspecific decrease in skin test reactivity to unrelated extracts during immunotherapy and to determine the effect of immunotherapy on the late response.

TECHNICAL APPROACH: Observational study of skin test changes during indicated immunology in treatment.

GRESS: No. of Subjects Enrolled - To Date: NA Reporting Period: NA

Terminated. Never started in Hawaii. Similar study done by another investigator.

Prot No: 11H88 Status: Ongoing

TITLE: Efficacy of Steroids in the Acute Treatment of Asthma: Are Duration

of Symptoms Important?

Principal Investigator: MAJ Marcia L. Muggelberg, MC

Associate Investigators: MAJ T. R. Vaughan, MC

Department/Section: Medicine/Allergy-Immunology Service

Key Words: efficacy of steroids; asthma;

Funding: FY 88: NA FY 89: NA Periodic Review Date: Sep 89

Gifts: None Decision: Continue

<u>OBJECTIVE</u>: To determine whether the efficacy of steriods for the treatment of asthma in the acute setting is related to the duration of the patients' symptoms for that episode of asthma.

TECHNICAL APPROACH: Prospective data collection; standard patient care.

PROGRESS: No. of Subjects Enrolled - To Date: NA Reporting Period: NA

New Start.

Prot No: 12H88 Status: Ongoing

TITLE: Multicenter Clinical Evaluation of Penicillin Skin Testing Materials

Principal Investigator: MAJ Marcia L. Muggelberg, MC

Associate Investigators:

Department/Section: Medicine/Allergy-Immunology Service

Key Words: penicillin allergy;

Funding: FY 88: NA FY 89: NA Periodic Review Date: Sep 89

Gifts: None Decision: Continue

OBJECTIVE: 1) To determine whether there is a difference is the incidence of skin test positivity to the different skin testing reagents prepared by different methods in patients with a history of penicillin allergy as well as in subjects with no previous history of an adverse reaction to a pencillin-like drug. 2) To study the comparative potency, as determined by cutaneous endpoint tiration skin testing, of reagents prepared by difference methods in skin test positive patients. 3) To compare skin test reactivity to freshly reconstituted reagents with that produced by aged reagents.

TECHNICAL APPROACH: Test-arm trials.

PROGRESS: No. of Subjects Enrolled - To Date: 7 Reporting Period: 7

New start.

Prot No: 32H89 Status: Ongoing

TITLE: The Effect of Cancer Chemotherapy on the Reactivation of Chronic

Hepatitis B Infection

Principal Investigator: CPT Rickey C. Myhand, MC

Associate Investigators: COL Jeffrey Berenberg, MC; COL Charles C. Jones, MC;

MAJ Kenneth Sherman, MC: COL Joseph Woods, MC;

LTC Bruce A. Cook, MC

Department/Section: Medicine

Key Words: chronic hepatitis B;

Funding: FY 88: NA FY 89: NA Periodic Review Date: Sep 89

Gifts: None Decision: Continue

OBJECTIVE: Cases of reactivation of chronic hepatitis B infection with resultant acute hepatitis and death have been described in the literature. The changing status of hepatitis B infection in patients who receive cancer chemotherapy has not been evaluated in a prospective study. Specific questions to be addressed by this study are: 1) Does hepatitis B reactivation and subsequent liver damage occur frequently in chronic carriers who receive cancer chemotherapy for malignancy? 2) Should candidates for cancer chemotherapy be routinely screened for chronic hepatitis B infection? 3) Is there a morphologic/histopathologic distinction between chemotherapy induced hepatotoxicity and viral induced liver disease?

TECHNICAL APPROACH: Screen patients receiving or about to receive chemotherapy (screen for positive HBsAg). If positive, obtain consent to enter study. When consent is obtained, obtain baseline studies of HBsAg, Delta Ag and Ab, HBcAB (IgM, IgG), HBeAg, HBeAb, HB serum DNA probe, HAV Ab, SGOT, SGPT, GGT, Tibili, Alkaline Phosphatases, T-Helper/Suppressor ratio, cytotoxic T-cell. Liver biopsy (excluding pediatric patients) upon entrance of study and at the completion of chemotherapy regimen. Follow baseline studies monthly. Total number of patients required for study: 15-20 Duration of study: 2 years.

PROGRESS: No. of Subjects Enrolled - To Date: 0 Reporting Period: 0

Still screening prospective patients for HBsAg.

Prot No: 2H86 Status: Ongoing

TITLE: Systolic Hypertension in the Elderly Program

Principal Investigator: CPT Howard J. Zimring, MC

(formerly: COL Garold L. Paul, MC)

Associate Investigators: Dr. Helen Petrovitch, M.D.

(Principal Investigator in Hawaii for the national

SHEP study)

Department/Section: Medicine

Key Words: hypertension;

Funding: FY 88: NIH\* FY 89: NA Periodic Review Date: Sep 89

Gifts: None Decision: Continue

OBJECTIVE: To assess whether long-term administration of antihypertensive therapy to elderly subjects with isolated systolic hypertension reduces the combined incidence of fatal and nonfatal stroke.

TECHNICAL APPROACH: The study will be a double-blind, placebo-controlled, randomized clinical trial. Half of the participants will be given active intervention using a step-up treatment program. The other half will be randomly assigned to placebo.

<u>PROGRESS</u>: No. of Subjects Enrolled - To Date: NA Reporting Period: NA Study ongoing. No progress to report.

\* (Division of Heart, Lung and Blood)

Prot No: 401189 Status: Ongoing

TITLE: A Blinded HIV Seroprevalence Survey Utilizing Cord Blood Specimens Routinely Collected for Neonatal RH Antibody Titer and Hematocrit Testing

Principal Investigator: LTC Margaret M. Baird, RN, MS

Associate Investigators: Dr. Patricia Nishimoto, Ph.D., RN

Department/Section: Nursing

Key Words: IIIV seroprevalence;

Funding: FY 88: NA FY 89: NA Periodic Review Date: Sep 89

Gifts: None Decision: Continue

OBJECTIVE: To identify HIV Seroprevalence in childbearing women in Honolulu - as one of 30 metropolitan areas in an ongoing CDC study. The purpose is to define risk areas for targeting education for prevention and future resources for care and treatment.

TECHNICAL APPROACH: An additional take of cord blood will be obtained at the time of delivery to test for HIV Sercprevalence.

PROGRESS: No. of Subjects Enrolled - To Date: NA Reporting Period: NA

To date, there are no subjects enrolled in the study. Materials (cord blood collection tubes, racks and labels) and demographic sheets (currently being printed) have been ordered. The study will not begin until these materials are all available. The expected date to begin, since the delay in obtaining equipment, is 1 October 1989.

Prot No: 17H89 Status: Completed

TITLE: Metoclopramide's Effectiveness in Reducing F)st-Operative Nausea and Vomiting When Administered Post-Operatively as Compared to Intra-Operative Administration

Principal Investigator: CPT Douglas M. Baysinger, II, AN

Associate Investigators: CPT Carl A. Cheramie, AN; CPT Paula M. Varney, AN

Department/Section: Nursing/Anesthesiology Nursing Section

Key Words: metoclopramide; nausea; vomiting; post-operative

Funding: FY 88: NA FY 89: NA Periodic Review Date: Sep 89

Gifts: None Decision: Completed

OBJECTIVE: The purpose of this project is to determine whether there is any difference in the antiemetic/antinausea properties of metoclopramide given intra-operatively as compared to its administration in the recovery room.

TECHNICAL APPROACH: The accessible population will be all adult female patients presenting for elective gynecological laparoscopy and D&C at TAMC. From this population a convenience sample of ASA I and ASA II category patients who meet the described criteria will be included in the study. A minimum of twenty-five patients will be in each group.

PROGRESS: No. of Subjects Enrolled - To Date: 50 Reporting Period: 50

Data collection has been completed. We are in the process of writing the project.

Prot No: 531189 Status: Ongoing

TITLE: The Effect of Therapeutic Massage on Patient's Back Pain after Cardiac

Catheterization

Principal Investigator: Lolita A. Ching, RN

Associate Investigators:

Department/Section: Nursing/Medical Intensive Care Unit

Key Words: therapeutic massage;

Funding: FY 88: NA FY 89: NA Periodic Review Date: Sep 89

Gifts: None Decision: Continue

OBJECTIVE: To determine if therapeutic massage has an effect on the patient's back pain after cardiac catheterization. To determine if patients who receive therapeutic massage will decrease the rate of back pain as measured by the visual analogue scale than the patients who do not receive therapeutic massage.

TECHNICAL APPROACH: The study will be a non-equivalent pretest posttest contro quasiexperimental design. A convience sample of 30 subjects with 15 subjects in each group will be given a visual analogue scale to rate the pain intensity before and after the intervention.

PROGRESS: No. of Subjects Enrolled - To Date: 2 Reporting Period: 2

At this point, patient who received therapeutic massage has a significant reduction of back pain clinically as compared to the patient who repositioned on the right side. Further data collection is needed (for) to check statistical significance.

Prot No: 37H85 Status: Terminated

TITLE: Nutritional Support of the Hospitalized Patient: A Comparison Between Continuous and Intermittent Administration of Enteral Tube Feedings

Principal Investigator: CPT Theresa A. Taylor, AN

Associate Investigators:

Department/Section: Nursing

Key Words: enteral tube feeding;

Funding: FY 88: NA FY 89: NA Periodic Review Date: Sep 89

Gifts: None Decision: Terminate

<u>OBJECTIVE</u>: To ascertain which mode of tube feeding administration, intermittent or continuous, is optimal for the hospitalized patient in regard to maximizing the benefits of nutritional support and minimizing adverse reactions.

TECHNICAL APPROACH: Subjects for the study are selected from a surgical ward population of patients and must neet the criteria of being unable or unwilling to consume caloric needs by p.o. intake alone. Patients from both the otorhinolaryngology and neurosurgical services are considered and entered into the study if enteral tube feeding nutritional support is indicated, and patients are randomly assigned to either mode of administration. After one week of the initial mode of administration, the patient is changed to the alternate mode for another week. Data is collected by nursing staff responsible for the care of the patient per intake and output worksheets and study-specific data sheets. If patients demonstrate a desire to eat, they must be eliminiated from the study.

PROGRESS: No. of Subjects Enrolled - To Date: NA Reporting Period: NA

Study terminated due to PCS of investigator, CPT Theresa Taylor in June 1988.

Prot No: 32H88 Status: Ongoing

TITLE: Vasoconstriction and Anesthesia for Intranasal Surgery: Is Cocaine

Really Necessary?

Principal Investigator: CPI Terry C. Wicks, ANC

Associate Investigators: CPT Timothy A. Newcomer, AN

MAJ Marc A. Faradia, MC

Department/Section: Nursing/Anesthesiology Nursing Section

Key Words: intranasal surgery; vasoconstriction;

Funding: FY 88: NA FY 89: NA Periodic Review Date: Sep 89

Gifts: None Decision: Continue

OBJECTIVE: To examine whether or not 4% lidocaine with 0.002% oxymetazoline can provide anesthesia and vasoconstriction comparable to 4% cocaine when applied topically. Is ephinephrine in a concentration of 1:200,000 as effective in reducing blood in the operative field as epinephrine 1:50,000 when infiltrated into masal tissue?

TECHNICAL APPROACH: Double blind, treatment arm trial of standard, in use procedures.

PROGRESS: No. of Subjects Enrolled - To Date: 60 Reporting Period: 60

Since last report an additional 60 subjects have been studied. Thus far all subjects in this study have received adequate vasoconstriction and anesthesia. Two subjects were dropped from the study because of failure to follow the study protocol. One patient experienced a transient increase in heart rate and blood pressure and the code was broken as a safety precaution. The patient's vital signs normalized within a few minutes and he suffered no sequela as a result of participation in the study. Data collection for this study should be complete by August 1990.

Prot No: 14H88 Status: Terminated

TITLE: Use of the PGE2 Vaginal Suppository in Cervical Ripening and/or Labor

Induction

Principal Investigator: CPT Stephen J. Andrews, MC.

Associate Investigators: MAJ Robert W. Smith, MC; MAJ Jerome N. Kopelman, MC;

COL Kunio Miyazawa, MC

Department/Section: Obstetrics and Gynecology

Key Words: PGE2 vaginal suppository;

Funding: FY 88: NA FY 89: NA Periodic Review Date: Sep 39

Gifts: None Decision: Terminate

OBJECTIVE: Establish the efficacy and safety for the term parturient and her fetus of th PGE2 vaginal suppository (3.0 mg) as an inducing and ripening agent for unripe cervixes.

TECHNICAL APPROACH: Patient with medical or obstetric indication for induction with unripe cervix will be randomized to either Pitocin induction vs PGE2 suppository. Resident and staff assigned to Labor and Delivery will follow patient according to protocol and neonate will be followed in newborn nursery according to protocol.

PROGRESS: No. of Subjects Enrolled - To Date: 0 Reporting Period: 0

The study has been terminated for the following reasons:

1) The exclusion criteria were too rigid to permit the acquisition of data in a timely fashion.

2) The Division of Maternal-Fetal Medicine preferred to emphasize the use of PGE2 in a gel vehicle rather than the suppository vehicle and to proceed on the basis of a use protocol. Continuance of the study protocol, encumbered by very rigid exclusion criteria would only serve to split the effort of this department relative to the use of PGE2 in cervical ripening. The number of patients enrolled in the study was far too few (three) to allow

any statement of accomplishment.

Frot No: 47H88 Status: Ongoing

TITLE: Uterine and Umbilical Artery Blood Flow Change in Cesarean Section

Under Subarachnoid Block

Principal Investigator: MAJ Joseph P. Bruner, MC Associate Investigators: COL Kunio Miyazawa, MC

Department/Section: Obstetrics and Gynecology

Key Words: subarachnoid blood;

Funding: FY 88: NA FY 89: NA Periodic Review Date: Sep 89

Gifts: None Decision: Continue

OBJECTIVE: The purpose of the present study is to measure changes in uterine and umbilical artery blood flow velocity waveforms that occur during administration of subarachnoid block in doses adequate to perform delivery by cesarean section. Conduction anesthesia is commonly employed for obstetric pain relief. The anesthetic agents used can be sympatholytic, however, and thus effect resting vascular tone.

TECHNICAL APPROACH: All patients admitted to the labor floor for scheduled repeat Cesarean section under subarachnoid block will be eligible to participate in the study. Data descriptive of the patient population and anesthesia procedure will be collected. Subarachnoid block will be administered according to established protocol and observing recognized guidelines of intravenous access, fluid volume preload, maintenance of physiologic blood pressure, and left uterine displacement. Baseline uterine and umbilical artery flow velocity waveforms will be recorded after the fluid load, and again after an anesthetic level of T<sub>10</sub> to L<sub>4</sub> has been obtained.

PROGRESS: No. of Subjects Enrolled - To Date: 4 Reporting Period: 4

Study ongoing.

Prot No: 48H88 Status: Ongoing

TITLE: Continuous Instantaneous Assessment of the Adequacy of Fetal Cerebrovascular Perfusion by Means of Transvaginal Continuous Wave Doppler Ultrasonography of the Fetal Anterior Cerebral Arteries Through the Anterior Fontanelle

Principal Investigator: MAJ Joseph P. Bruner, MC Associave Investigators: COL Kunio Miyazawa, MC

Department/Section: Obstetrics and Gynecology

Key Words: fetal anterior cerebral arteries;

Funding: FY 88: NA FY 89: NA Periodic Review Date: Sep 89

Gifts: None Decision: Continue

OBJECTIVE: The purpose of the present study is: (1) to determine the feasibility of continuous transvaginal Doppler ultrasonography of the fetal anterior cerebral arteries during labor and delivery; (2) to determine the best means of fetal anterior cerebral artery waveform analysis for clinical applications; (3) to correlate recorded flow velocity waveforms with methods of intrapartum fetal surveillance currently in use; (4) to assess the desirability of developing a prototype for an integrated Intrapartum Fetal Surveillance Monitor.

TECHNICAL APPROACH: After cerebral artery flow velocity wave forms measured manually during labor, delivery and the neonatal period and compared to known standards.

PROGRESS: No. of Subjects Enrolled - To Date: 0 Reporting Period: 0

Study ongoing.

Frot No: 3H89 Status: Ongoing TITLE: Chorionic Villous Sampling in a Military Population Principal Investigator: 'MAJ Joseph P. Bruner, MC Associate Investigators: MAJ Jerome N. Kopelman, MC Department/Section: Obstetrics and Gynecology Key Words: (CVS); Funding: FY 88: NA FY 89: NA Periodic Review Date: Gifts: None Decision: Continue

OBJECTIVE: The purposes of this project are: (1) to compare the efficiency of ultrasonically directed transabdominal needle biopsy of chorionic villi to midtrimester genetic amniocentesis; (2) to compare the efficiency of obtaining chromosome preparations which are suitable for clinical laboratory testing from these samples.

TECHNICAL APPROACH: Patients with requirement for early prenatal diagnosis or need for large tissue sample candidates for CVS. Specimens obtained under ultrasound guidance and processed at Vivingen, Santa Fe, NM. Details of clinical course, specimen collection, antepartum care, delivery and neonatal examination collected and compared to midtrimester amniocentesis and early amniocentesis. Data collection coordinated with tissue lab at Vivigen.

PROGRESS: No. of Subjects Enrolled - To Date: 5 Reporting Period: 5

All studies performed in first and second trimesters for prenatal diagnosis in living fetuses. All karyotypes normal. All fetuses live born at term. All neonates normal. No complications noted.

Prot No: 29H89 Status: Ongoing

TITLE: Development of a Standard Technique of Insonation of the Umbilical Artery with Continuous Wave Doppler Ultrasound

Principal Investigator: MAJ Joseph P. Bruner, MC

Associate Investigators: CPT Thomas J. Luetkehans, MC, CPT Beau J. Freund, MS

CPT Gregory Logsdon, MC

Department/Section: Obstetrics and Gynecology/Perinatology Service

Key Words: doppler ultrasonography;

Funding: FY 88: NA FY 89: NA Periodic Review Date: Sep 89

Gifts: None Decision: Continue

<u>OBJECTIVE</u>: The purpose of the present study is to determine a standard technique for measuring the umbilical artery during pregnancy with continuous wave Doppler ultrasound.

TECHNICAL APPROACH: FYW SID ratio of placental cord insertion site, midcord regiment, and abdominal cord insertion site measured with duplex Doppler in radiology. Examination follows immediately in OB/GYN clinic with continuous wave Doppler machine, measuring easiest site, next easiest site, etc, until all 4 quadrants sampled. Analysis of correlation will follow.

<u>PROGRESS</u>: No. of Subjects Enrolled - To Date: 4 Reporting Period: 4 Study ongoing.

Frot No: 30H89 Status: Terminated

TITLE: Doppler Ultrasound Examination of Maternal Uterine and Fetoplacental

Vessels in Complicated Pregnancies

Principal Investigator: MAJ Joseph P. Bruner, MC

Associate Investigators: CPT Thomas J. Luetkehans, MC

Department/Section: Obstetrics and Gynecology/Perinatology Service

Key Words: doppler ultrasonography;

Funding: FY 88: NA FY 89: NA Periodic Review Date: Sep 89

Gifts: None Decision: Terminate

OBJECTIVE: The purpose of the present study is to determine the efficacy of Doppler Ultrasonography of maternal and fetal vessels in the diagnosis and management of complicated pregnancies.

TECHNICAL APPROACH: Patients selected for the study will have a pregnancy complication, the diagnosis or management of which may benefit from Doppler studies of blood flow. The equipment and techniques of study have been carefully described previously. Examination results will be placed in the inpatient/outpatient record by the examining physician, along with an interpretation of test results. Evidence of adequate patient counseling by a staff perinatologist will be placed in the medical record. Demographic variables and parameters of perinatal outcome will be recorded for possible future analysis.

PROGRESS: No. of Subjects Enrolled - To Date: NA Reporting Period: NA

Terminated. Protocol now used as SOP. Data not being collected.

Prot No: 33H88 Status: Completed

TITLE: Cefamandol Irrigation vs. Parenteral Cefadyl or Cefoxitin Prophylaxis and the Relationship of Bladder Flap Closure to the Incidence of Postpartum Endometritis

Principal Investigator: CPT John W. Byron, MC

Associate Investigators: CPT Michael D. Bork, MC; MAJ Jerome N. Kopelman, MC;

COL Kunio Miyazawa, MC

Department/Section: Obstetrics and Gynecology

Key Words: cefamandol irrigation;

Funding: FY 88: NA FY 89: NA Periodic Review Date: Sep 89

Gifts: None Decision: Completed

OBJECTIVE: To determine the effect of bladder flap closure on the incidence of postpartum endometritis as well as the associated complications e.g., abscess formation. Simultaneously, the use of prophylactic antibiotics in our patient population will be examined in order to determine the most effective regimen. Cefamandol irrigation will be compared with Cefoxitin and Cefadyl parenteral antibiotics.

TECHNICAL APPROACH: All patients in Labor and Delivery scheduled for C-section are considered as candidates for random number blindly for and assigned respectively. Bladder flap (open or closed) will be assigned at random according to protocol.

PROGRESS: No. of Subjects Enrolled - To Date: 300 Reporting Period: 300

Study was performed from September 1988 through June 1989 with enrollment of over 250 patients. Research results have yet to be analyzed.

Frot No: 34H88 Status: Ongoing

TITLE: A Prospective Evaluation of Laparoscopic Techniques Verres Needle

Insuflation vs. Direct Trocar Insertion

Principal Investigator: CPT John W. Byrun, MC

Associate Investigators: CPT Glenn R. Markenson, MC; MAJ Milo L. Hibbert, MC;

COL Kunio Miyazawa, MC

Department/Section: Obstetrics and Gynecology

Key Words: Taparoscopic techniques;

Funding: FY 88: NA FY 89: NA Periodic Review Date: Sep 89

Gifts: None Decision: Continue

OBJECTIVE: To compare the efficiency and safety between two laparoscopic techniques in a prospective manner. Determine if direct insertion technique offers benefits of decreased time of surgery and reduction in amount of pneumoperitonium required.

TECHNICAL APPROACH: Patients for the proposed study will come from those undergoing Taparoscopic procedures through any of the gynecologic teams: GYN Oncology Team, GYN Team, Family Planning or Infertility Service. Informed consent will be obtained prior to the procedure. Patients will then be randomized into one of the two groups with the procedure to be performed located on the surgeon data sheet. The data sheet will remain sealed until immediately prior to surgery. A data sheet will be completed by the operating surgeon in conjunction with the anesthetist. Data sheets will then be collected by an author who will check them for accuracy and completeness.

PROGRESS: No. of Subjects Enrolled - To Date: 200 Reporting Period: 200

Study was performed from September 1988 through June 1989 with over 200 patients enrolled. Results to be analyzed at this point. May possibly extend enrollment if necessary with CPT Glenn R. Markenson/MAJ Milo L. Hibbert, MC continuing in my place, after I PCS this summer.

Prot No: 35H89 Status: Ongoing

TITLE: Effect of Local Infiltration Anesthesia of Abdominal Incisions on Post-Operative Pain Relief and the Requirement for Post-Operative Pain Medication

Principal Investigator: CPT James W. Hubbard, MC

Associate Investigators: LTC J. Benjamin Hall, MC; MAJ Joseph P. Bruner, MC;

Department/Section: Obstetrics and Gynecology

Key Words: intra-operative infiltration;

Funding: FY 88: NA FY 89: NA Periodic Review Date: Sep 89

Gifts: None Decision: Continue

OBJECTIVE: To evaluate the effect of incisional infiltration of bupivicaine versus normal saline infiltration vs. no treatment upon subjective perception of post-operative pain and the requirement for pain medication in women undergoing cesarean section.

TECHNICAL APPROACH: Patients are matched for 1) No treatment. 2)
Infiltration with normal saline or 3) Infiltration with 0.25% Marcaine.
Performed following closure of rectus fascia and prior to skin closure.

PROGRESS: No. of Subjects Enrolled - To Date: 63 Reporting Period: 63

63 patients enrolled to date. No data compilation has occurred to date. To commence upon enrollment of 100 patients.

Prot No: 17H87 Status: Ongoing

TITLE: Comparison of Pregnancy Rates Using Oil-based and Water-based Contrast

Medium in the Evaluation of Tubal Patency

Principal Investigator: MAJ Gerard S. Letterie, MC

Associate Investigators: COL Kunio Miyazawa, MC

Department/Section: Obstetrics and Gynecology

Key Words: tubal patency;

Funding: FY 88: NA FY 89: NA Periodic Review Date: Sep 89

Gifts: None Decision: Continue

<u>OBJECTIVE</u>: To determine if the use of oil-based contrast medium in the evaluation of tubal patency enhances fertility when compared to water-based solutions.

TECHNICAL APPROACH: Sixty patients fulfilling the study criteria will be entered into one of two random study groups. Group I patients will have an oil-based contrast medium injected during the intra-operative tubal insufflation and a water based contrast medium will be used in an identical fashion on Group II patients. Effectiveness will be determined by the conception rates for the two groups at the end of a three month period.

PROGRESS: No. of Subjects Enrolled - To Date: 30 Reporting Period: 30

Thirty patients have been entered, fifteen into each of two groups (as described above). Six pregnancies in the oil-based group and one patient in the water-based group have been observed. This difference was statistically significant (Fisher's Exact Test). No adverse effects were noted. Preliminary manuscript is in preparation.

Prot No: 29H87 Status: Ongoing

TITLE: Evaluation of Missed Pills on the Effectiveness of Oral Contraception

Principal Investigator: MAJ Gerard S. Letterie, MC

Associate Investigators: LTC James Wilson, MC

Department/Section: Obstetretics and Gynecology

Key Words: oral contraception;

Funding: FY 88: NA FY 89: NA Periodic Review Date: Sep 89

Gifts: None Decision: Continue

OBJECTIVE: To determine if missed pills in an oral contraceptive cycle result in the sequence of follicular maturation and eventual ovulation.

TECHNICAL APPROACH: Ten patients will be assigned to each group on a rotating basis for a total of 20 patients. The study population will consist of volunteers drawn from these patients referred to the Reproductive Endocrinology Service, Department of Obstetrics and Gynecology for tubal reanastomosis. The use of this specific population will enable a manipulation of an oral contraceptive regimen without the risk of pregnancy.

PROGRESS: No. of Subjects Enrolled - To Date: 8 Reporting Period: 8

Eight patients have been entered. Results are preliminary. Study will be continued until a full complement of patients has been achieved. No adverse effects have been noted. Study is ongoing.

Prot No: 41189 Status: Ongoing

TITLE: A Prospective Evaluation of Serial Concentrations of Human Atrial Natriuretic Peptide (ANP), Plasma Renin Activity, and Aldosterone, in Normal Pregnancies, and Those at Risk for Preeclampsia

Principal Investigator: CPT Glenn R. Markenson, MC

Associate Investigators: MAJ Jerome Kopelman, MC; John Claybaugh, Ph.D.;

CPT Beau J. Freund, MS; COL Kunio Miyazawa, MC

Department/Section: Obstetrics and Gynecology

Key Words: atrial natruiretic peptide (ANP);

Funding: FY 88: NA FY 89: \$5,011. Periodic Review Date: Sep 89

Gifts: None Decision: Continue

OBJECTIVE: (1) To determine if ANP secretion is altered during pregnancy.
(2) To determine the prognostic or diagnostic value for ANP in pregnancies complicated by preeclampsia. (3) To determine if there is an association between ANP, plasma renin activity, and aldosterone in normal pregnancies and those complicated by preeclampsia.

TECHNICAL APPROACH: Patients at risk for preeclampsia are screened for blood pressure weight, plasma renin activity, aldosterone, and atrial natriuretic hormone at 14, 28, 36, 38, 40 weeks and 6 weeks post partum. Samples are obtained after the subjects are at rest - in the lateral recumbent position for 15 minutes.

PROGRESS: No. of Subjects Enrolled - To Date: 42 Reporting Period: 42

Two subjects have withdrawn from the study. One subject was obese and technically difficult to obtain blood samples, and one patient moved off the island. Preliminary data shows that in normal pregnancies atrial natriuretic hormone levels are not changed compared to non-pregnant states. In the few cases in which preeclampsia has developed atrial natriuretic factor is elevated and increases prior to the clinical diagnosis of preeclampsia. Preliminary data was submitted to be presented at the Armed Forces District Meeting of the American College of OB/GYN and accepted. The meeting will be held in November 1989.

Prot No: 8H86

Status: Terminated

TITLE: Infection Prevention in Patients Undergoing Radical Hysterectomy

Principal Investigator: COL Kunio Miyazawa, MC

Associate Investigators:

Department/Section: Obstetrics and Gynecology/Gynecology Oncology Service

Key Words: hysterectomy; antibiotics; infection

Funding: FY 88: NA FY 89: NA

Gifts: None

Periodic Review Date: Sep 89

Decision: Terminate

OBJECTIVE: To determine the effectiveness of antibiotics (cefamandole) in preventing infectious morbidity of radical abdominal hysterectomy.

TECHNICAL APPROACH: In a double-blind, randomized study patients receive placebo or iv cefamandole prior to the surgical incision and again two hours later.

PROGRESS: No. of Subjects Enrolled - To Date: 0 Reporting Period: 0

No additional cases entered. The currest case load is not adequate for statistical analysis. It appears Mandol causes an increased bleeding in operative site. The study should be terminated at this point.

Prot No: 29186 Status: Ongoing

TITLE: GYN-Surgical Training Laboratory Using Animal Models (Swine)

Principal Investigator: COL Kunio Miyazawa, MC

Associate Investigators:

Department/Section: Obstetrics and Gynecology/Gynecology Oncology Service

Key Words: training

Funding: FY 88: \$2,281. FY 89: 0 Periodic Review Date: Sep 89

Gifts: None Decision: Continue

<u>OBJECTIVE</u>: To expose TAMC gynecology residents to procedures performed in the management of gynecologic malignancies and to train them in the management of minor urologic and intestinal complications during gynecologic surgery.

TECHNICAL APPROACH: Pigs will be preanesthetized with Acepromazine, 0.2 mg/kg IM, and Atropine, 0.04 mg/kg IM; sedated with Ketamine HCl, 22 mg/kg IM; and then either (1) anesthetized with sodium pentobarbital iv to effect with additional pentobarbital given as needed to maintain a surgical plane of anesthesia, or (2) anesthesia induced with sodium pentothal and maintained with nitrous oxide and methoxyflurane. All animals will be entubated. All animals will be euthanatized at the end of the laboratory so no postoperative medication is necessary.

PROGRESS: No. of Subjects Enrolled - To Date: NA Reporting Period: NA

Due to initiation of surgical enhancement training for OB-GYN physicians the study was not conducted last year. It is currently debated if this study should continue or not pending the Army's plan for additional surgical enhancement training.

Prot No: 60H88 Status: Ongoing

TITLE: Relief of Repetitive Variable Decelerations by Saline Smnioinfusion in Conjunction with Amniotic Fluid Index Determinations

Principal Investigator: CPT Jane Shen-Gunther, MC;

Associate Investigators: COL Kunio Miyazawa, MC; MAJ Jerome Kopelman, MC;

CPT Scott Rose, MC;

Department/Section: Obstetrics and Gynecology

Key Words: amnioinfusion;

Funding: FY 88: NA FY 89: NA Periodic Review Date: Sep 89

Gifts: None Decision: Continue

OBJECTIVE: To determine the success rate of amnioinfusion for complete relief of repetitive moderate and severe variable decelerations in conjunction with AFI determinations. To determine the minimum amniotic fluid index achieved by amnioinfusion which will result in complete relief of repetitive variable decelerations. To compare the following outcomes between the infusion-successful and nonsuccessful groups (after segregating the nulliparous and multiparous groups): 1) mode of delivery: vaginal vs. cesarean 2) cesarean section indicated for fetal distress 3) incidence of cord complications: no cord complications vs. identified nuchal cords, occult cord, bandilard cord, true knot; 4) arterial and venous cord PH results 5) APGAR scores.

TECHNICAL APPROACH: After meeting the inclusion criteria, the patient's consent is obtained, and fetal scalp electrode and intrauterine catheter are placed. The preinfusion amniotic fluid index is determined by ultrasound and reassessed every 30 minutes while the infusion is running. A final AFI is determined upon reaching therapeutic success. Amnioinfusion is perfomed by using normal saline in iv bags and connecting it to the intrauterine catheter by iv tubing and infusing the fluid at the rate of 1000 cc/hr. If fetal distress develops, management is based on scalp pH results. The maximum allowable AFI is set at 20 to prevent the rare complication of polyhydramnios.

PROGRESS: No. of Subjects Enrolled - To Date: 14 Reporting Period: 14

No adverse effects have been observed on all subjects to date. Preliminary findings suggest a delta AFI (10.4 cm, range 5.9-14.3), not an absolute postinfusion AFI, must be achieved for amnioinfusion success. Likely causes of failure included cord complications and inadequate retention of infusate in utero. Investigation continues in attempt to conform our preliminary findings. Paper on preliminary findings of this study is to be presented at the 1989 Armed Forces District Meeting (OB-GYN).

I'rot No: 39H89 Status: Ongoing

TITLE: Prevalence of Cytomegalovirus (CMV) Antigenemia in Tripler Army

Medical Center Random Blood Donors

Principal Investigator: CPT Randy L. Hamill, MC

Associate Investigators: Dr. Lucille Kimura, Ph.D., 1LT Frank Cross;

LTC David Posey, MC

Department/Section: Pathology and Area Laboratory Services

Key Words: cytomegalovirus (CMV); antigenemia;

Funding: FY 88: NA FY 89: NA Periodic Review Date: Sep 89

Gifts: None Decision: Continue

OBJECTIVE: To determine the prevalance of CMV antigenemia and therefore potential CMV infectivity of random donor blood units. Compare the prevalance of CMV antigenemia to the prevalence of CMV seropositivity in random donors.

TECHNICAL APPROACH: The donor center of the TAMC blood bank will collect one green top tube of blood (7-10 ml with sodium heparin) from random consenting donors during blood drives. At least 200 samples will be collected. These samples will be taken to the TAMC hematology lab where they will be processed that same day for CMV antigen testing. Simultaneously, CMV antibody testing will be performed by the blood bank on a separate sample of blood as part of the routine screening of donor units.

PROGRESS: No. of Subjects Enrolled - To Date: 0 Reporting Period: 0

We recently received our materials and have performed the test on control cells. We plan to do our first subjects on 10 Oct 89.

Prot No: 50H89\* Status: Ongoing

TITLE: The Prevalence of Hepatitis A and Hepatitis Non-A, Non-B Antibodies in the Population of American Samoa

Principal Investigator: COL Robert B. Hill, MC

Associate Investigators: MAJ Lawton A. Seal, Ph.D., MS;

MAJ Mike Langford, DVM; Arwind R. Diwan, Ph.D.

Department/Section: Pathology and Area Laboratory Services

Key Words: Hepatitis A; Hepatitis Non-A; Hepatitis Non-B;

Funding: FY 88: NA FY 89: NA Periodic Review Date: Sep 89

Gifts: None Decision: Continue

OBJECTIVE: To determine the prevalence of antiboides of the Hepatitis A virus (HAV) and the Non-A, Non-B hepatitis (NANBH) virus(es) in this relatively static population of Pacific Islanders.

TECHNICAL APPROACH: As all the sera for this study has been collected previously by others, no additional serum will be collected, and no other patients will be enrolled in this study. A representative sample of 4,000 - 5,000 sera under evaluation for hantavirus antibodies will be used in these studies. Antibody determinations will be via standard elisa assays presently available or under development by Abbott Diagnostics and we will follow the manufacturer's guidelines for all test procedures. Multiple logistical regression will be employed to evaluate the results.

PROGRESS: No. of Subjects Enrolled - To Date: NA Reporting Period: NA

\*exempt from committee protocol

New start.

Frut No: 44H87 Status: Ongoing

TITLE: An Investigation of the Possible Transmission of Hepatitis A by Transfusion of Infectious Blood Products at Tripler Army Medical Center

Principal Investigator: MAJ Lawton A. Seal, Ph.D., MS

Associate Investigators: CPT Kraig S. Lerud, MC, CPT Michael A. Riel, MC,

COL Robert B. Hill, MC

Department/Section: Department of Pathology & Area Laboratory Services/

Microbiology/Immunology

Key Words: Hepatitis A virus (HAV)

Funding: FY 88: WA FY 89: NA Periodic Review Date: Sep 89

Gifts: None Decision: Continue

<u>OBJECTIVE</u>: To assay for the presence of hepatitis A virus (HAV) in blood products obtained from an infected donor and to monitor the status of the recipient of these potentially infectious products in regard to the presence of HAV specific antibodies (abs) or antigen (agn).

TECHNICAL APPROACH: Viral isolation and immunological assay of patient samples!

PROGRESS: No. of Subjects Enrolled - To Date: NA Reporting Period: NA

The recipient of the potentially contaminated blood products (platelets) was lost to followup at the 121st Evac Hospital upon her return to the ROK. No additional data are available on this patient. The electron microscopic analysis of the contaminated blood plasma is complete, a draft manuscript has been cleared for submission to a scientific journal. The final draft to be submitted for peer review is nearing completion.

Prot No: 30H88 Status: Ongoing

TITLE: SYVA COMPANY - Microtrak HSV Culture Identification Test Premarket

**Evaluation Trial** 

Principal Investigator: MAJ Lawton A. Seal, MS

Associate Investigators: CPT Kathleen M. Fleet, MC; Ms. Patricia Toyama, M.S.

COL Robert B. Hill, MC; COL Joseph C. Woods, MC

Department/Section: Pathology and Area Laboratory Services

Key Words: HSV culture;

Funding: FY 88: NA FY 89: NA Periodic Review Date: Sep 89

Gifts: \* Decision: Continue

OBJECTIVE: To compare the overall accuracy of the Microtrak HSV Culture Identification Reagent, using a certrifugation-enhanced shell vial, to conventional cell culture methods in use at Tripler for identification of HSV antigen obtained from clinical specimens.

TECHNICAL APPROACH: Laboratory quality assurance study.

PROGRESS: No. of Subjects Enrolled - To Date: NA Reporting Period: NA

\*Request for outside support referral via USUHS to HMJF. Please note the request via USUHS to HMJF has been withdrawn. TAMC funds have been used to purchase these reagents. Protocols No. 46H88 and No. 30H88 have been merged, and the project is progressing nicely. Presently approximately 130 samples submitted for HSV studies have been analyzed by the Syva HSV Microtrak System and the Pathogene DNA Probe. Another 75-100 samples will be analyzed before the study is completed in the 2nd quarter of FY 90.

i'rot No: 46H88 Status: Ongoing

ITLE: Evaluation of the Pathogene Identification Kit - An in situ DNA Probe for Herpes Simplex Virus (HSV)

Principal Investigator: MAJ Lawton A. Seas, MS

Associate Investigators: MAJ Merle S. Sprague, MC; COL Joseph C. Woods;

COL Robert B. Hill, MC; Ms. Patricia Toyama, M.S.

Department/Section: Pathology and Area Laboratory Services

Key Words: Herpes Simplex Virus (HSV)

Funding: FY 88: NA FY 89: NA Periodic Review Date: Sep 89

Gifts: None Decision: Continue

OBJECTIVE: To compare the sensitivity and specificity of this newly developed method of detecting HSV in clinical material to that of a standard culture method as outlined in TAMC Protocol No. 21H88 and a modified culture method as described in TAMC Protocol No. 30H88.

TECHNICAL APPROACH: Laboratory quality assurance study.

PROGRESS: No. of Subjects Enrolled - To Date: 1 Reporting Period: 1

Protocols No. 46H88 and No. 30H88 have been merged, and the project is progressing nicely. Presently approximately 130 samples submitted for HSV studies have been analyzed by the Syva HSV Microtrak System and the Pathogene DNA Probe. Another 75 - 100 samples will be analyzed before the study is completed in the 2nd quarter of FY 90.

Prot No: 33H89\* Status: Ongoing

TITLE: The Prevalence of Hantavirus Antibody in Humans from Dahu, Samoa and

Other Selected Locations in the Pacific

Principal Investigator: MAJ Lawton A. Seal, MS

Associate Investigators: MAJ Michael J. Langford, VC

Department/Section: Pathology & Area Lab Svcs

Key Words: Hantavirus antibody;

Funding: FY 88: NA FY 89: \$2,993. Periodic Review Date: Sep 89

Gifts: None Decision: Continue

OBJECTIVE: To determine the prevalence of <u>Hantavirus</u> antibody in human population groups located in the Pacific region.

TECHNICAL APPROACH: Serologic testing (EIA) for serum antibodies to the hantavirus (KHF).

PROGRESS: No. of Subjects Enrolled - To Date: NA Reporting Period: NA

At this time over 4,000 sera from America Samoa have been tested by EIA for antibodies to the hantavirus. Approximately 5% are positive. Confirmatory tests are pending using a DFA assay. Additional sera will be tested from individuals on Oahu in the near future.

<sup>\*</sup>Exempt from committee protocol (study done on sera sent from other hospitals).

Prot No: 21H88 Status: Ongoing

TITLE: Use of Maternal Serum IgG Antibody Titer as an Assessment of the kisk of Infection with Herpes Simplex Virus (HSV) to the Unborn Infant

Principal Investigator: MAJ Merle S. Sprague, MC

Associate Investigators: CPT Beau J. Freund, MS; COL Kunio Miyazawa, MC:

MAJ Jerome N. Kopelman, MC; COL Joseph C. Woods, MC; COL Robert B. Hill, MC: CPT Kraig S. Lerud, MC;

Patricia S. Toyama, M.S.

Department/Section: Pathology and Area Laboratory Services

key Words: maternal serum igG antibody titer; herpes simplex virus (HSV);

Funding: FY 88: NA Periodic Review Date: Sep 89 FY 89: NA

Gifts: \*\$85,639. Decision: Continue

OBJECTIVE: The primary objective of this project is to test the possibility that obstetricians may be able to simplify their management of patients with herpes simplex virus infection during pregnancy. Instead of cumbersome culturing procedures, results from this project may provide evidence that ordering two sequential herpes serologies during the course of the pregnancy may provide an alternative and easier method of predicting the susceptibility of an infant to herpes neonatorum based on maternal antibody status.

TECHNICAL APPROACH: Laboratory quality assurance study.

PROGRESS: No. of Subjects Enrolled - To Date: NA Reporting Period: NA \*Request for outside support referred via USUHS to HMJF.

New start awaiting funds. The new Principal Investigator is COL Robert B. Hill. MC.

Prot No: 2H89\* Status: Completed

TITLE: Postural Demonstration of Two-Dimensional and M-Mode Echocardiographic Mitral Valve Prolapse in Pediatric Patients with Clinical Mitral Valve Prolapse

Principal Investigator: CPT Mark E. Alexander, MC Associate Investigators: LTC Etheridge J. Lovett, MC

Department/Section: Pediatrics

Key Words: echocardiographic (ECHO)

Funding: FY 88: NA FY 89: NA Periodic Review Date: Sep 89

Gifts: None Decision: Complete

OBJECTIVE: We propose to systematically evaluate two dimensional (2DE) and M-mode (MME) echocardiographic (ECHO) images of the mitral valve leaflets and changes in left-ventricular end diastolic volume (LVEDV) secondary to postural changes in pediatric patients. We will determine if pediatric patients with clinical mitral valve prolapse (MVP) have increased frequencey of posturally induced ECHO MVP, compared with pediatric patients referred to ECHO exam without clinical evidence of mitral valve prolapse.

TECHNICAL APPROACH: Cooperative pediatric patients 5-18 years old referred for echocardiographic examination were examined in both the supine and the upright positions. Doppler was performed as warranted in the supine position. Left ventricular end-diastolic volume was measured in both positions. Evaluations were read routinely for patient care and then episodically reviewed in a blinded fashion for the presence or absence of mitral valve prolapse in CSE or MME views.

PROGRESS: No. of Subjects Enrolled - To Date: 21 Reporting Period: 21

Study currently closed at TAMC - as noted 6/89. Will need to study 10-20 normal children and adolescents under protocol to answer criticisms of manuscript. Abstract presented and paper presented at Tri-Service Pediatric Seminar in Honolulu, 21 March 1989. Manuscript currently in preparation.

<sup>\*</sup>Exempt from committee protocol (no extra procedures).

Prot No: 3H87 Status: Terminated

TITLE: Serum Phosphate Levels in Necrotizing Enterocolitis of the Newborn

Principal Investigator: LTC Richard A. Banks, MC

Associate Investigators: COL Franklin Smith, MC; MAJ Robert Jarrett, MC;

MAJ Lynn Whittington, MC

Department/Section: Pediatrics

Key Words: neonate, enterocolitis, necrotizing;

Funding: FY 88: NA FY 89: NA Periodic Review Date: Sep 89

Gifts: None Decision: Terminate

<u>OBJECTIVE</u>: To evaluate the changes in serum phosphate concentrations in neonates with necrotizing enterocolitis (NEC) as a possible marker for the presence and extent of NEC.

TECHNICAL APPROACH: Serum phosphate determination in three groups of patients. NEC, maybe NEC, and not NEC.

PROGRESS: No. of Subjects Enrolled - To Date: O Reporting Period: O

There have been no cases of Necrotizing Enterocilitis (NEC) within the last 1-2 years. Request that protocol be discontinued.

Prot No: 4H87 Status: Ongoing

TITLE: Immunosuppressive Therapy with Methylprednisolone, Prednisone, and Azathioprine in Patients with Newly Diagnosed Insulin-Dependent Diabetes Mellitus

Principal Investigator: LTC Richard A. Banks, MC

Associate Investigators: Janel Silverstein

Department/Section: Pediatrics

Key Words: diabetes mellitus, pediatric, ketoacidosis;

Funding: FY 88: NA FY 89: NA Periodic Review Date: Sep 89

Gifts: Imuran Decision: Continue

NBJECTIVE: To prevent the progression of autoimmune destruction of the pancreatic islet  $\beta$ -cells in previously undiagnosed diabetic patients presenting with hyperglycemia but without overt ketoacidosis.

TECHNICAL APPROACH: Four randomly assigned treatment arms: 1) steroids and imuran 2) steroids 3) imuran and 4) neither steroids nor imuran; measured against multiple parameters of progression of diabetes.

PROGRESS: No. of Subjects Enrolled - To Date: 0 Reporting Period: 0

Study is still in progress at Florida. No candidates have qualified in Hawaii for inclusion. Please continue protocol.

Prot No: 38H87 Status: Ongoing

TITLE: A Comparison of Transdermal Estradiol and Oral Combined Estrogen-Progestin Preparations in the Treatment of Polycystic Ovarian Syndrome

Principal Investigator: LTC Richard A. Banks, MC Associate Investigators: MAJ Robert M. Lehman, MC;

MAJ Gerard S. Letterie, MC

Department/Section: Pediatrics

Key Words: polycystic ovarian syndrome;

Funding: FY 88: NA FY 89: NA Periodic Review Date: Sep 89

Gifts: None Decision: Continue

OBJECTIVE: To compare the effects of transdermal estradiol and oral sequential estrogen-progestin preparations in patients with polycystic ovarian syndrome, with emphasis placed on relief of symptoms and occurrence of side effects.

TECHNICAL APPROACH: Two-arm treatment trial of approved treatments.

<u>PROGRESS</u>: No. of Subjects Enrolled - To Date: NA Reporting Period: NA

Although intake studies have been initiated on several girls, the inability to guarantee birth control has prevented girls from entry into actual study phase. Please continue protocol.

Prot No: 31H85 Status: Onyoing

TITLE: Treatment of Kawasaki Syndrome with Intravenous Gamma Globulin

Principal Investigator: COL James W. Bass, MC Associate Investigators: Marian E. Melish, M.D.

Department/Section: Pediatrics

Key Words: Kawasaki syndrome

Funding: FY 88: NA FY 89: NA Periodic Review Date: Sep 89

Gifts: IV Gamma Globulin Decision: Continue

<u>OBJECTIVE</u>: Is to evaluate the use and establish the proper dose of intravenous Immuno Globulin for the treatment of children with Kawasaki Syndrome.

TECHNICAL APPROACH: Children with Kawasaki Syndrome seen at Tripler Army Medical Center will be offered the opportunity to participate in the study after informed written consent is obtained from the parents. The intravenous immuno globulin will be supplied by Dr. Mellish. It will be administered in two different doses as outlined in the protocol.

PROGRESS: No. of Subjects Enrolled - To Date: 0 Reporting Period: 0

No subjects have been enrolled to date. We would like to keep this protocol open and should any children with Kawasaki's Syndrome present in the coming year we would like to offer this form of therapy. It already has proven efficacy only the optimal dose is yet to be determined. However, patients would benefit significantly from participation in this study as the intravenous immuno globulin is very costly and the specific preparation used has proved efficacy. In addition, continuation of this study would be in support of the civilian scientific community and the University of Hawaii clinical research endeavors.

Prot No: 14H87 Status: Completed

TITLE: The Evaluation of Early Detection of Group A β-hemolytic Streptococci and Treatment in Index Patients and Household Contacts

Principal Investigator: MAJ James R. Baugh, NC

Associate Investigators: COL James W. Bass, MC; MAJ Lawton A. Seal, MS;

Department/Section: Pediatrics

Key Words: streptococcal infection

Funding: FY 88: NA FY 89: NA Periodic Review Date: Sep 89

Gifts: None Decision: Completed

OBJECTIVE: To investigate the potential benefit of early detection and treatment in index patients with group A ß-hemolytic streptococcal infection and their household contacts with respect to the attack rate of streptococcal pharyngitis within the household.

TECHNICAL APPROACH: Families with a child with group A Strep Pharyngitis C (pharyngitis with a throat culture positive for group A  $\beta$ -hemolytic strep) are randomized into one of two groups. Family members have a throat culture taken at the onset, and then are followed over the ensuring 3 months for any secondary cases of group A strep pharyngitis. Group A families have all household members at the onset receive Penicillin while Group B contacts only receive antimicrodials if they are symptomatic with a positive throat culture. The attack rate of secondary cases of strep pharyngitis is then compared between the two groups.

PROGRESS: No. of Subjects Enrolled - To Date: 154 Reporting Period: 154

We had 154 throat cultures submitted total and from that we were not able to show a difference between the prophylactic group and the control. I am currently writing the final draft of the completed project to submit for publication.

Prot No: 33H87 Status: Ongoing

TITLE: Ceftriaxone vs. Augmentin for Initial Empirical Therapy of Occult

Bacteremia

Principal Investigator: COL James W. Bass, MC

(formerly: MAJ James R. Baugh, MC)

Associate Investigators:

Department/Section: Pediatrics

Key Words: occult bacteremia;

Funding: FY 88: NA FY 89: NA Periodic Review Date: Sep 89

Gifts: None Decision: Continue

OBJECTIVE: To evaluate the efficacy of a single intramuscular injection of ceftriaxone (75 mg/kg) versus augmentin suspension administered three times a day (40 mg/kg/day divided into three equal doses) in preventing or alleviating the acute infectious morbidity of occult bacteremia in febrile children.

TECHNICAL APPROACH: Children 3-36 months of age with documented rectal or tympanic temperature ≥103.0 and no source of infection by physical exam, chest x-ray, and lab (urinalysis) with informed consent will be randomized to receive emperical therapy of either oral Augmentin or one injection of IM Ceftriaxone. Patients are then followed up in 12-36 hours for evidence of focal infection and blood culture results.

PROGRESS: No. of Subjects Enrolled - To Date: 333 Reporting Period: 333

333 patients have been enrolled as of 5 October 1989. There have been 34 (10.2%) positive blood cultures. All have done well and none have developed focal infection. This study is now a multicenter study. It is anticipated that we will need over 1000 patients entered into the study with approximately 100 with positive blood cultures to prove or disprove our hypothesis - this Ceftriaxone will prove superior to Augmenten for patients with occult bacteremia. This will probably take 1-2 more years.

Prot No: 40H88 Status: Terminated

TITLE: Infant Pneumonia and Ophthalmia Neonatorum Prevention Project

Principal Investigator: MAJ James R. Baugh, MC

Associate Investigators: MAJ Robert R. Wittler, MC; MAJ Lawton Seal, MS;

CPT Everett Gayle, MC; Dr. Niven Marchetti;

Dr. Margaret Hammerachlag

Department/Section: Pediatrics

Key Words: chlamydia;

Funding: FY 88: NA FY 89: NA Periodic Review Date: Sep 89

Gifts: None Decision: Terminated

<u>OBJECTIVE</u>: Can the incidence of chlamydia trachomatis infection in the newborn be lowered by a multidosing of regimen of erythromycin ophthalmic ointment.

TECHNICAL APPROACH: Prior to beginning the study, a prevalence survey was done for cervical chlamydia colonization in 100 pregnant women. The survey entailed culture as well as chlamydizyme testing. the results indicate a lower than suspected prevalence which translates into fewer study patients. The study, however, will be done at 2 hospitals which will circumvent Tripler's low study population.

PROGRESS: No. of Subjects Enrolled - To Date: 0 Reporting Period: 0

Project terminated because of Dr. Margaret Hammerachlag, a leading expert in the field of chlamydia research. She stated that data that she and others recently found indicated categorial ineffectiveness of post natal chlamydia prophylaxis.

Prot No: 23H88 Status: Ongoing

TITLE: Predicting Responsiveness to Methylphenidate

Principal Investigator: Dr. Thomas E. Gallagher, M.D. Associate Investigators: Dr. David S. Weiss. Ph.D.

Department/Section: Pediatrics//Exceptional Family Member Program

Key Words: methylphenidate(ritalin);

Funding: FY 88: NA FY 89: NA Periodic Review Date: Sep 89

Gifts: None Decision: Continue

OBJECTIVE: To identify the variables which predict the responsiveness of Attention Deficit Disorder children to treatment with methylphenidate (Ritalin).

TECHNICAL APPROACH: Multivariant prospective data collection of patient care.

PROGRESS: No. of Subjects Enrolled - To Date: 7 Reporting Period: 7

The study is ongoing and despite slow numbers is advancing with promising results.

Prot No: 16H89 Status: Ongoing

TITLE: Urinary C-peptide Response to Umbilical Anterial Catheter Position in

Neonates

Principal Investigator: CPT Richard T. Hatch, MC

Associate Investigators: MAJ Robert V. Jarrett, MC; LTC Richard A. Banks, MC

Department/Section: Pediatrics

Key Words: umbilical arterial catheter(UAC);

Funding: FY 88: NA FY 89: NA Periodic Review Date: Sep 89

Gifts: None Decision: Continue

OBJECTIVE: To determine if Umbilical Arterial Catheter (UAC) position, (high vs. low) results in different rates of insulin production in neonates.

TECHNICAL APPROACH: All infants in which a UAC is to be placed will be eligible for enrillment in the study. The decision is to place a UAC will be made based solely on the infants clinical condition. Informed consent will be obtained prior to enrollment of all infants. After enrollment, UAC placement will be allocated to either high or low position. The patients will be stratified based on weight. The first child in any weight group will have a high UAC tip placement. Subsequent UACs in each weight group will be alternated sequentially in order to maintain equal numbers of high and low UACs in each weight group. Each child will receive IV fluid (D<sub>10</sub>W) at 80 cc/kg/day (5.55 mg of glucouse/kg/min). At 24 hours following placement of the catheter, a 4-6 hour collection of urine will be assayed for C - protein. The urine will be obtained by passive collection with a container placed to catch the urine as the child voids. Capillary dextrosticks will be obtained at a minimum of eight hour intervals during the first 24 hours following placement (as per NICU protocol). The study group will consist of 10 children with low UACs, 10 children with high UACs and 10 children receiving IVF through peripheral veins. Children enrolled in the study will be at no additional risk based on the study. Benefits of being enrolled in the study include prompt recognition of problems involving glucose metabolism, as well as catheter related complications.

PROGRESS: No. of Subjects Enrolled - To Date: 5 Reporting Period: 5

We plan to enroll 20 - 30 patients. No data as yet; waiting for sufficient number of samples to arrive.

Prot No: 57H88 Status: Ongoing

TITLE: Combined Utilization of Albuterol, Cromolyn Sodium and Prednisone in the Management of the Dual Phases of Acute Asthma

Principal Investigator: CPT Nm. Joseph Horam, MC

Associate Investigators: COL James W. Bass, MC; Dr. Wallace J. Matthews, M.D.

CPT Mark E. Alexander, MC

Department/Section: Pediatrics

Key Words: acute asthma;

Funding: FY 88: NA FY 52: NA Periodic Review Date: Sep 89

Gifts: None Decision: Continue

<u>OBJECTIVE</u>: To determine the clinical effectiveness of combining albuterol, cromolyn sodium and prednisone for the outpatient management of the early and late phases of acute asthma.

TECHNICAL APPROACH: Prospective clinical quality assurance study.

PROGRESS: No. of Subjects Enrolled - To Date: 16 Reporting Period: 16

Sixteen patients have been enrolled. No adverse effects have occurred. All patients have responded to outpatient management without subsequent hospitalization. Numbers are to small to conclude.

Prot No: 26H88 Status: Ongoing

TITLE: Vancomycin Dosing Based on Individual Pharmacokinetic Profiles in

Neonates

Principal Investigator: MAJ Robert V. Jarrett, MC

Associate Investigators: MAJ Thomas J. Kueser, MC; CPT Everett L. Gayle, MC

COL James W. Bass, MC

Department/Section: Pediatrics/Neonatology Service

Key Words: vancomycin; pharmacokinetic profiles;

Funding: FY 88: NA FY 89: NA Periodic Review Date: Sep 89

Gifts: None Decision: Continue

OBJECTIVE: To determine if vancomycin dosing based on individual pharmacokinetic profiles reliably effects desired therapeutic blood levels in neonates.

TECHNICAL APPROACH: Clinical quality assurance study of blood levels to pharmakokinetic profiles. Only modification made in approach has been to have pharmacy to suply all vancomycin doses in a unit dose form rather than have nursing draw up doses.

PROGRESS: No. of Subjects Enrolled - To Date: 10 Reporting Period: 10

Ten subjects enrolled. One subject withdrawn by principal investigator when initial vancomycin levels found to be toxic. Infant developed transient in BUN and creatinine which quickly reverted to normal. No adverse sequelae on followup. In the ten patients studied thus far, 7/10 peak values were in desired range. 9/10 trough values in desired range. These results are slightly better than previously reported methods.\*\*

Prot No: 18H89

Status: Ongoing

TITLE: EXOSURF Pediatric Multiple Dose Prophylaxis Study in High Risk

Premature Infants: A Multicenter Trial (P51 Protocol 13)

Principal Investigator: Associate Investigators:

MAJ Robert V. Jarrett, MC

MAJ Thomas J. Kueser, MC; MAJ William M. Southgate, MC;

MAJ Maureen Jewitt, AN

Department/Section: Pediatrics/Neonatology Service

Key Words: EXOSURF; prophylaxis;

Funding: FY 88: NA FY 89: NA

Periodic Review Date: Sep 89

Gifts: None Decision: Continue

OBJECTIVE: To study the efficacy of three artificial surfactant treatment regimens in the prophylactic treatment of premature infants with birth weights between 700 and 1100 grams.

TECHNICAL APPROACH: This is a multicenter study plan to enroll 768 patients, with at Teast 10 patients at TAMC. The effects of two dosage regimens of EXOSURF Pediatric will be studied. Each dosing regimen consists of three intratracheal doses of either EXOSURF Pediatric or air given 12 (±1) hours apart to infants with birthweights between 700 and 1100 grams. The first dose will be immediately after the infant is stabilized at birth. Patients in Group A will receive three 5cc/kg EXOSURF Pediatric followed by two 5cc/kg doses of air. Patients in Group C will receive three 5cc/kg doses of EXOSURF Pediatric. This protocol may be modified by the results of another multicenter EXOSURF protocol (Protocol 04). In that protocol infants with birthweights between 700 and 1100 grams are randomized to recieve a single prophylactic dose 5cc/kg of EXOSURF Pediatric or air at birth. If a single dose of EXOSURF Pediatric proves efficacious, patient entry in Group A of this study will be halted. If it does not prove effective in improving the incidence of intact cardiopulmonary survival, but other important clinical benefits are apparent, patients will continue to be enrolled in Groups A, B, and C. If no benefit is apparent from a single prophylactic dose, Group B will be dropped from this study.

PROGRESS: No. of Subjects Enrolled - To Date: 0 Reporting Period: 0

New start.

Prot No: 19H89 Status: Ongoing

TITLE: EXOSURF Pediatric Dose and A-a Gradient Changes in Larger Infants with

RDS (P51 Protocol 12)

Principal Investigator: MAJ Robert V. Jarrett, MC Associate Investigators: MAJ Thomas J. Kueser, MC:

MAJ William M. Southgate, MC;

MAJ Maureen Jewitt, AN

Department/Section: Pediatrics/Neonatology Service

Key Words: EXOSURF; respiratory distress syndrome(RDS)

Funding: FY 88: NA FY 89: NA Periodic Review Date: Sep 89

Gifts: None Decision: Continue

<u>OBJECTIVE</u>: The objectives of this study is premature infants with birthweight greater than 1250 grams and established RDS are to evaluate whether a 50% increment or decrement in EXOSURF Pediatric alters the effects of two 5cc/kg doses given 12 hours apart.

TECHNICAL APPROACH: This is a multicenter study plan to enroll 240 patients, with at least 10 patients at TAMC. The effects of three dosage regimens of EXOSURF Peidatric will be studied. Each dosing regimen consists of two intratracheal doses of either EXOSURF Pediatric or air given 12 (±1) hours apart to infants with birthweights greater than 1250 grams and established RDS. The first dose will be given after 2 hours of life but before 24 hours of life. Patients in Group A will receive two 5cc/kg doses of air. Patients in Groups B, C, and D will receive two 2.5cc/kg, 5.0 cc/kg, and 7.5 cc/kg doses of EXOSURF Pediatric, respectively, 12 hours apart.

PROGRESS: No. of Subjects Enrolled - To Date: O Reporting Period: O

New start.

Prot No: 1H89 Status: Ongoing

TITLE: A Comparison of Liquid Nitrogen and Cantharidin in the Treatment of

Warts in Children

Principal Investigator: CPT Peter E. Knott, MC Associate Investigators: LTC, Bruce A. Cook, MC

Department/Section: Pediatrics

Key Words: cantharidin;

Funding: FY 88: NA FY 89: NA Periodic Review Date: Sep 89

Gifts: None Decision: Continue

OBJECTIVE: To compare the effects of liquid nitrogen and cantharidin in treating common warts with regard to: efficacy, time to resolution, and side effects.

TECHNICAL APPROACH: Patients age 0-18 years old with more than one common wart are treated with both liquid nitrogen and cantharidin. They are followed at weekly intervals to assess efficacy of treatment.

PROGRESS: No. of Subjects Enrolled - To Date: 32 Reporting Period: 32

To date 32 patients have been entered into this study. The present plan is to enroll a total of 50. Liquid Nitrogen appears to be superior to Cantharidin at this time but additional patients will be needed.

Prot No: 21H86 Status: Completed TITLE: Prophylactic Intravenous Sandoglobulin for Infections in High-Risk lleonates Principal Investigator: MAJ Thomas J. Kueser, MC Associate Investigators: MAJ Robert Jarrett, MC Department/Section: Pediatric/Neonatology Service Key Words: neonatal infection; Funding: FY 88: NA FY 89: NA Periodic Review Date: Sep 89 Gifts: Sandaglobulin Decision: Completed

OBJECTIVE: To determine in a double-blind manner if the prophylactic use of intravenous immune serum globulin compared to an albumin placebo affects the morbidity or mortality of bacterial infections in high-risk neonates.

TECHNICAL APPROACH: Fifty consecutive infants meeting criteria for the protocol will be enrolled. The enrolled infants will receive a single IV infusion of either Sandoglobulin, 500 mg/kg, or placebo (albumin, 5 mg/kg). All infants will be monitored during infusion. Infants will be reevaluated on days 9 (postinfusion), 7, 14, and 56 with serum total IgG, opsonic antibody to GBS, physical examination, and documentation of coexisting disease, concomitant medications, antibiotic therapy, blood product transfusions, and the occurrence of septic episodes. Following the eight-week study period, blood collected for immunoelectrophoresis and historical data will be forwarded to WRAIR for evaluation.

PROGRESS: No. of Subjects Enrolled - To Date: 45 Reporting Period: 45

45 patients have been enrolled at TAMC. Over 750 patients have been enrolled overall in this multi-collaborative study. No patients have been dropped or withdrawn from the the study. The multi-collaborative study is completed.

Prot No: 9A89 Status: Ongoing

TITLE: Pediatric Intubation Training Utilizing the Feline Model

COL Richard A. Banks, MC Principal Investigator:

(formerly: MAJ Thomas J. Kueser, MC)

COL John D. Roscelli. MC Associate Investigators:

Department/Section: Pediatrics

Key Words: intubation training;

Periodic Review Date: Funding: FY 88: NA FY 89: \$3,071.

Gifts: None Decision: Continue

OBJECTIVE: This training is designed to teach physicians and other health care professionals the basic knowledge and endotracheal intubation skills required to resuscitate a neonate (newborn) or infant.

TECHNICAL APPROACH: Initially the cats will be anesthetized with ketamine HCL (22 mg/kg intramuscularly) with atropine (0.04 mg/kg, subcutaneously). Additional doses of ketamine may be given if necessary by the Veterinarian staff. The administration and monitoring of the anesthesia will be directly performed by the Veterinarian staff. The students will then visualize the larynx and perform endotracheal intubation using the larynx scope and endotracheal tubes. Anesthesia will be maintained throughout the procedure. Examination gloves will be worn by the students. Animals not suffering significant trauma may be retained for future sessions. If euthanasia is required (determined by the Veterinarian staff), the animals will be euthanized with T-61 given IV, 0.3 ml/kg.

PROGRESS: No. of Subjects Enrolled - To Date: NA Reporting Period: NA

March 23-25 1989 Tripler AMC held a Pediatric Advanced Life Support (PALS) course which instructed and certified over 55 pediatricians. Four cats were used to teach the technical and mechanical skills of endotracheal intubation. The plan is to offer this course at least yearly and possibly twice a year. Therefore, the above protocol (#9A89) would need to be continued. Currently, no plans for Pediatric Advanced Life Support (PALS), as last course was March 89.

Prot No: 36H87 Status: Completed

TITLE: Identification of the Socially Isolated, Non-delinquent Youth

Principal Investigator: MAJ Robert M. Lehman, MC Associate Investigators: 2LT Helene Jo. RN. ANC(Res)

Department/Section: Pediatrics/Adolescent Medicine Service

Key Words: adolescents, self-esteem;

Funding: FY 88: NA FY 89: NA Periodic Review Date: Sep 89

Gifts: None Decision: Complete

OBJECTIVE: To identify a subgroup of youth that are excluded by their peers and to determine if a difference in permitted self-esteem exists between peer-included and peer-excluded groups.

TECHNICAL APPROACH: All patients coming to the adolescent clinic for school physicals are asked if they desire participation. Informed consent obtained. Physicals performed, then patient placed in private room to complete questionnaires. Parents complete their form and place in the box in the waiting room.

PROGRESS: No. of Subjects Enrolled - To Date: 140 Reporting Period: 140

Due to the sparsity of patients coming in for regular school physicals without complications that would exclude them from the study, we just achieved about 200 questionnaires completed. However, I am about to ETS to be on faculty at the University of Washington at Seattle in one week. Because of the substantial amount of statistical analysis that needs to be done to complete this project, I will bring the questionnaire with me to analyze at the University of Washington. I expect it should take a few months for me to get settled and then complete the data. At that point I will send you either a summary and termination notice or a prospective article for submission to a Journal. At that point I will be most appreciative of your comments and criticisms and return to me for continued adjustments.

Prot No: 44H89\* Status: Ongoing

TITLE: National Survey of Pediatric Sedation Procedures

Principal Investigator: CPT Simone Nomizu, MC
Associate Investigators: COL James W. Bass, MC; CPT Mark Alexander, MC

Department/Section: Pediatrics

Key Words: sedation;

Funding: FY 88: NA FY 89: NA Periodic Review Date: Sep 89

Gifts: None Decision: Continue

OBJECTIVE: To collect data from institutions across the country through questionnaire form regarding the procedures used in the sedation of pediatric patients for diagnostic procedures.

TECHNICAL APPROACH: Questionnaires will be sent to various medical centers in order to collect the following data:

- a. selection, route, and dosage of premedication b. procedures for which sedation routinely used
- c. age at which sedation routinely used
- d. monitoring procedures
- e. type of health care facility and practice
- f. existence of written guidelines for pediatric sedation
- g. approximate indidence of adverse side effects due to sedation The date collected will be combined, analyzed and summarized; appropriate conclusions will be made in regards to a national consensus (if one does exist) as to the procedures used in the sedation of pediatric patients for diagnostic procedures. Also, further recommendations will be made for improving currently followed sedation protocols.

PROGRESS: No. of Subjects Enrolled - To Date: 82 Reporting Period: 82

To date over 82 questionnaires have been received. We are presently totalizing the results. We expect to have this work finalized and ready to submit for presentation and publications with the next 2-3 months. The new Principal Investigator is LTC Bruce A. Cook, MC.

<sup>\*</sup>Exempt from committee protocol.

Prot No: 15A88 Status: Completed

TITLE: Inspiratory Flow as a Determinant of Barotrauma in New Zealand White

Rabbits Rendered Surfactant Deficient

Principal Investigator: MAJ Thomas A. Perkins, MC

Associate Investigators: COL Franklin R. Smith, MC; MAJ Larry J. Godfrey, MC;

COL Robert B. Hill. MC.

Department/Section: Pediatrics/Newborn Medicine Service

Key Words: surfactant deficient;

Funding: FY 88: \$6,417. FY 89: \$4,732. Periodic Review Date: Sep 89

Gifts: None Decision: Completed

OBJECTIVE: To determine if backup IMV during HFOV will prevent atelectasis in adult rabbits rendered surfactant deficient by saline lavaged.

TECHNICAL APPROACH: Rabbits are initially sedated with IM Letamine and xylazine. Catheters, arterial and venous are placed under local anesthesia with 1% lidocaine. Endotracheal tube is placed by tracheostomy. ABG and hot performed under baseline conditions. Fi02 is increased to 1.0. After 30 min of 100% oxygen and CPAP of 4cm H20 pressure, lavage with warmed saline begins, using 20 to 30 ml aliquots. ABG is checked after every other lavage. Pa02 is reduced to 90 mm Hg. Ventilation studies begin.

FROGRESS: No. of Subjects Enrolled - To Date: NA Reporting Period: NA

No advantage appears to be offered through the use of backup IMV during HFOV in the saline lavaged adult rabbit.

Prot No: 2A88 Status: Completed

TITLE: The Use of Hyaluronidase in the Treatment of Intravenous Extravasation

Injuries

Principal Investigator: CPT William V. Raszka, MC

Associate Investigators: MAJ Thomas K. Kueser, MC, COL Franklin R. Smith, MC

COL James W. Bass, MC

Department/Section: Pediatrics

Key Words: hyaluronidase; intravenous extravasation injuries;

Funding: FY 88: \$1,440. FY 89: NA Periodic Review Date: Sep 89

Gifts: None Decision: Completed

OBJECTIVE: The objective of this blinded pilot study will be to determine if hyaluronidase is effective in reducing the morbidity associated with intravenous extravasation injuries. If hyaluronidase is shown to be effective, we will then determine the maximal time between extravasation of a noxious substance and effective treatment with hyaluronidase.

TECHNICAL APPROACH: CaCl, in a concentration determined from a pilot phase to reliably produce a full thickness skin necroses, will be injured subcutaneously at 36 sites in 6 juvenile pigs. In a blinded manner either 150 units of hyaluronidase or 1.0cc of normal saline will be curcumferentially injured subcutaneously about the injection site. The injection site will be graded by area of induration and area of necrosis to see if hyaluronidase is effective in preventing ulcer formation and skin sloughing.

PROGRESS: No. of Subjects Enrolled - To Date: NA Reporting Period: NA

This work has been completed. It was presented at the 21st Annual Uniform Services Pediatric Seminar 19-23 March 1989 and the final paper is in preparation for submission for publication.

Prot No: 50N88 Status: Completed

TITLE: Impetigo: Bacteriologic Etiology and Comparison of Effectiveness of

Penicillin, Erythromycin and Cephalexin

Principal Investigator: CPI Michael E. Ruff, MC

CPT Michael E. Ruff, MC (formerly: CPT Carl W. Demidovich, MC)

Associate Investigators: COL James W. Bass, MC

Department/Section: Pediatrics

Key Words: impetigo;

Funding: FY 88: NA FY 89: NA Periodic Review Date: Sep 89

Gifts: None Decision: Completed

OBJECTIVE: To compare the therapeutic efficacy of penicillin VK versus erythromycin estolate versus cephalexin in the treatment of culture proven superficial skin infections.

TECHNICAL APPROACH: Impetigo, the most common skin infection in children is caused by staphaureus or group A streptococcal bacteria. This study compares treatment efficacy of three randomized antibiotics - erythromycin, penicillin, cephalexin as compared to the specific identified bacteria obtained by culturing the lesion.

PROGRESS: No. of Subjects Enrolled - To Date: 75 Reporting Period: 75

The study was stopped after 75 subjects had been enrolled and it was determined that clinically Penicillin was inferior to Erythromycin and Cephalexin p.05. We are currently in the process of submitting our findings for publication.

Prot No: 26084 Status: Ongoing

TITLE: Use of Sodium Allopurinol to Control Hyperuricemia in Patients With No Therapeutic Alternative

Principal Investigator: CPT Scott C. Martin, MS

Associate Investigators: COL Jeffrey L. Berenberg, MC; LTC Bruce A. Cook, MC;

LTC William J. Uphouse, MC; MAJ Luke Stapleton, MC

Department/Section: Pharmacy Service/Oncology

Key Words: hyperuricemia; allopurinol;

Funding: FY 88: NA FY 89: NA Periodic Review Date: Sep 89

Gifts: Allopurinol Decision: Continue

<u>OBJECTIVE</u>: To provide a water soluble form of allopurinol that can be given intravenously to patients with hyperuricemia who are too ill to take oral medication.

TECHNICAL APPROACH: This is a "convenience" protocol to make an uncommonly required dosage form available for use without the need for individual, special exception approval of the committee for each patient. This study also centralizes and simplifies the procedures for requesting the drug for patients. It is anticipated that 1-2 patients a year will be treated on this protocol.

PROGRESS: No. of Subjects Enrolled - To Date: 11 Reporting Period: 2

Two patients enrolled in FY89. Protocol to continue as a "convenience protocol" for use on an as needed basis. Status is onging.

Prot No: 15H89 Status: Ongoing

TITLE: A Study of the Relationship Between the Topography of Herniated Lumbar Disks, Lumbar List, and the Side of Pain

Principal Investigator: LTC Richard C. Schreck, SP

Associate Investigators: MAJ Kevin Foley, MC, MAJ Douglas Fellows, MC, Mark

Laslett, N.Z.R.P., Maynard Williams, MSC.

Department/Section: Physical Medicine

Key Words: herniated lumbar disks;

Funding: FY 88: NA FY 89: NA Periodic Review Date: Sep 89

Gifts: None Decision: Continue

OBJECTIVE: 1) lo test the hypothesis that the relationship between an entrapped lumbar nerve root and a herniated lumbar disk will determine whether a lumbar list will be towards or away from the side of pain. Specifically: that a herniated disk that lies medial to the nerve root will cause a list to the same side as the pain, and a herniated disk that lies lateral to the nerve root will cause a list away from the side of pain. 2) To test the reliability and specificity with which therapists observe a lumbar list.

### TECHNICAL APPROACH:

# A. INCLUSIONS:

Consecutive patients diagnosed as having a herniated lumbar disk.

2) Those patients who are scheduled to undergo surgery for removal of the herniated lumbar disk.

#### B. EXCLUSIONS:

1) Those who will not sign a standard informed consent form.

Those patients who are unable (for whatever reason) to complete the study procedures.

Those whose pain is too severe for them to be subjected to the study procedures.

PROGRESS: No. of Subjects Enrolled - To Date: NA Reporting Period: NA

The number of subjects enrolled in the study as of 29 Sep 89 is 30. There have been 33 subjects asked to participate in the study with three patients electing not to participate. Of the 30 patients in the study, all have completed the procedures with no adverse response.

Early statistical analysis indicates that there is no correlation between the side of pain, lumbar list, and the location of the disk herniation. It is anticipated that another 20 to 30 subjects are needed to make the study statistically significant. There have been no formal presentations of the data or articles written or published.

Prot No: 49H89

Status: Ongoing

TITLE: A Study of the Conservative Approach for the Treatment of the Trigger

Finger

Gifts: None

Principal Investigator:

MAJ Mary I. Thornton-Vogel, SP

Associate Investigators: LTC Elizabeth Quinlan, MC; CPT Doug Fugate, MC;

LTC Dorothy F. McKennett, SP; SPC Chris Millard;

SPC Willie Collins

Department/Section: Physical Medicine Service

Key Words: trigger finger;

Funding: FY 88: NA FY 89: NA

Periodic Review Date: Sep 89

Decision: Continue

OBJECTIVE: 1) To further study the conservative approach for the treatment of trigger finger. Specifically: That no other treatment is necessary for the majority of patients suggesting that this technique should be considered prior to injection or surgery. Hypothesis: This study will clinically support the hypothesis that the described splinting and exercise program reverses the pathological state of the trigger finger in a significant number of cases.

TECHNICAL APPROACH: MCP flexion block splint (Burkhalter) to be worn for 3 weeks during waking hours and 3-4 times daily bending PIP and DIP's. If continues to trigger, refer back to Orthopedics for treatment.

PROGRESS: No. of Subjects Enrolled - To Date: 3 Reporting Period: 3

New start.

Prot No: 37H89 Status: Ongoing

TITLE: The Effectiveness of a Community Health Nursing Outreach Program on Reducing the Effect of High-Risk Factors Associated with Child Abuse/Neglect

Principal Investigator: Teena Edwards, RN, MS Associate Investigators: COL Lucille A. Smith, ANC

Department/Section: Preventive Medicine Service/Community Health Nursing

Key Words: child abuse/neglect

Funding: FY 88: NA FY 89: NA Periodic Review Date: Sep 89

Gifts: None Decision: Continue

OBJECTIVE: This study will determine the correlation between a community health nursing outreach program and the effects of high-risk factors predisposing to child abuse/neglect within a military community.

TECHNICAL APPROACH: The protocol for this study has remained unchanged. However, because of a greater than 50% staff turnover, lack of staff resources for over a 4-month period, and new staff orientation, the program guidelines have not been strictly adhered to. Therefore, the study period has been delayed by six months.

PROGRESS: No. of Subjects Enrolled - To Date: 61 Reporting Period: 61

Subjects: 61 families are enrolled in study as of 30 September 1989. Due to above technical difficulties, this research study will probably be delayed with a projected completion date of December 1990.

Prot No: 59A88 Status: Ongoing

TITLE: Resistance of Aedes albopictus in Hawaii to Mosquito Adulticides

Principal Investigator: LTC Bruce M. Furlow, MS

Associate Investigators: Mr. Brian Zeichner, U.S. Army Environmental Hygiene

Agency (USAEHA), Aberdeen Proving Ground, MD.

Department/Section: Preventive Medicine Service

Key Words: mosquito; pesticides; Acdes albopictus;

Funding: FY 88: NA FY 89: \$372. Periodic Review Date: Sep 89

Gifts: None Decision: Continue

OBJECTIVE: Determine the mortality response of <u>Aedes</u> <u>albopictus</u> mosquito populations to pesticides commonly used in Hawaii.

TECHNICAL APPROACH: Laboratory rat will be anesthesized, hair clipped from a 2" by 5" area of the back, and the animal will be placed in a net sling over a mosquito colony. Hungry, host-seeking female mosquitoes will take a blood meal. The rat will be exposed to mosquitoes until they are satiated and no more mosquitoes are observed feeding up to a maximum of 60 minutes. The rat will be removed and euthanized. The mosquitoes will be provided time for incubation of eggs and appropriate site for deposition of eggs.

PROGRESS: No. of Subjects Enrolled - To Date: NA Reporting Period: NA

Adult mosquitoes are provided blood meals from anesthesized laboratory rats. The next generation of mosquitoes produced by these gravid females are tested against specific insecticides to determine susceptibility.

Results: To date one series of resistance tests have been completed. The mosquito species Aedes albopictus was tested against insecticides malathion and resmethrin. Both insecticides were determined to be effective against this species.

Publications: Memorandum dated 27 February 1989, Subject: Pest Resistance Study No. 16-44-0530-89, Susceptibility Test of the Asian Tiger Mosquito collected from Fort Shafter and Schofield Barracks, Hawaii, 19 November 1988 to 20 January 1989, U.S. Army Environmental Hygiene Agency.

Prot No: 8H88 Status: Ongoing

TITLE: Measles Susceptibility in Hospital Personnel

Principal Investigator: MAJ Lorrin Pang, MC

Associate Investigators: COL Joel Brown, MC, MAJ Lawton Seal, MC

MAJ Merle Sprague, MC, MAJ Philip Bruno, MC

Department/Section: Preventive Medicine Service

Key Words: measles;

Funding: FY 88: NA FY 89: NA Periodic Review Date: Sep 89

Gifts: None Decision: Continue

OBJECTIVE: Determine adequacy of ACIP screening (historical) procedure for determination of measles immunity in hospital staff. Also, prevalence of measles immunity in hospital staff will be determined.

TECHNICAL APPROACH: ACIP screening questionnaires are given to newly hired hospital staff. A sensitive and specific ELISA test for measles antibody is simulatanously done on a serum sample to determine accuracy of ACIP criteria.

PROGRESS: No. of Subjects Enrolled - To Date: 94 Reporting Period: 94

Enrollment into the study has been completed (94 subjects). Data is now being analyzed to compare historical account of immunity against serologic evidence. Serology has been completed on all subjects.

Prot No: 51H88 Status: Completed

TITLE: Leptospirosis Presenting as Aseptic Meningitis

Principal Investigator: MAJ Lorrin W. Pang, MC

Associate Investigators: CPT Douglas W. Dothager, MC; COL Joel Brown, MC;

Patrick Moore, EIS Officer, CDC

Department/Section: Preventive Medicine Service

Key Words: leptospirosis; aseptic meningitis;

Funding: FY 88: NA FY 89: NA Periodic Review Date: Sep 89

Gifts: None Decision: Completed

<u>OBJECTIVE</u>: The purpose of this study is to examine, retrospectively, the occurrence of leptospirosis among patients given the diagnosis of "aseptic meningitis".

TECHNICAL APPROACH: TAMC records were screened retrospectively for the diagnosis of "aseptic meningitis," for the previous 18 months. Patients are asked to enroll and a serum sample is drawn for microagglutination test of leptospirosis antibody by the CDC. If prevalence of antibody is high, controls will be matched and serum tested for comparison.

PROGRESS: No. of Subjects Enrolled - To Date: 70 Reporting Period: 70

70 charts were submitted by PAD, TAMC which fulfilled the criteria of aseptic meningitis. Unfortunately those patients seen by the pediatric service did not have lumbar punctures done to confirm this diagnosis. These records, 30, could not be used. Of the remainder only 15 patients could be contacted, the rest having moved off island. All of those contacted permitted blood samples to be taken. One sample was destroyed and not submitted for leptospirosis titers. Of the 14 samples submitted to the CDC one was positive for leptospirosis titer. The findings were presented at the Department of Medicine review of resident projects. It was decided that even though the number of subjects was small the low prevalence of leptospirosis among aseptic meningitis patients in our study population does not warrant further investigation (increased patient numbers, matched controls, or longitudinal study). The State Department of Health conducted a similar study subsequent to the start of this one. Unfortunately, only seven civilians volunteered to have serum tested. Of those tested, three were positive for leptospirosis. It is not known if this difference in leptospirosis rate in patients with the diagnosis of aseptic meningitis represents increased exposure or more missed diagnoses in the civilian sector.

Prot No: 53H88 Status: Completed

TITLE: A Comparison of Brief Group Therapies for Preschool Children: Parent

Training vs Group Play Therapy vs Project Group

Principal Investigator: CPT William S. Evans, Jr., MC;

Associate Investigators: CPT Susan A. Black, MC

Department/Section: Psychiatry

Key Words: parental training; Group Play therapy; Activity Groups

Funding: FY 88: NA FY 89: \$210. Periodic Review Date: Sep 89

Gifts: None Decision: Completed

OBJECTIVE: To compare the relative efficacy of parent training, group play therapy vs project group for preschool children (4-6 years of age).

TECHNICAL APPROACH: A comparison of three short-term group therapy approaches to preschool children. Achenbach, Home Situation Questionnaire and Connors will be used as dependent measures. 8 behaviorally or emotionally disordered preschool children were assigned to each treatment modality. Each group ran for 8 weeks, 75 minutes per week. The dependent measurements were administered prior to entry into the study and at completion of the treatment.

PROGRESS: No. of Subjects Enrolled - To Date: 23 Reporting Period: 12

Study was completed 1 February 1989 with 16 participants completing. Overall there was no significant difference in post treatment outcome between groups. There was a trend in the data showing improvement of the Play Therapy Group. The project was presented at the United States Army Medical Department's Annual Child and Family Psychiatry Conference and plans for submission of the article to the Jefferson Journal of Psychiatry are underway.

Prot No: 41H89 Status: Ongoing

TITLE: The Effects of a Multicomponent Smoking Cessation Program

Principal Investigator: Raymond A. Folen, Ph.D. Associate Investigators: MAJ Edward O. Crandell. MS

Department/Section: Psychiatry/Clinical Psychology Service

Key Words: smoking cessation:

Funding: FY 88: NA FY 89: NA Periodic Review Date: Sep 89

Gifts: None Decision: Continue

OBJECTIVE: To assess the effects of a weight control component in a smoking cessation program versus smoking cessation alone on recruitment of participants, attrition rates, cessation rates, and body weight changes.

TECHNICAL APPROACH: All individuals expressing an interest in the on-going smoking cessation program are contacted and, as a possible alternative, offered enrollment in one of the two experimental arms of the project. Subjects expressing an interest in the study are, after giving informed consent, placed in a) the six week behavioral-cognitive smoking cessation arm or b) the six week behavioral-cognitive and weight control component arm of the project. Participants not electing to participate in the study are provided with standard TAMC smoking cessation treatment. No adverse effects are to be reported, and no subjects have been withdrawn or dropped from the study.

PROGRESS: No. of Subjects Enrolled - To Date: 11 Reporting Period: 11
This study continues as proposed.

Prot No: 51189\* Status: Ongoing

TITLE: The Effect of the Absence of Father on the Patterns of Cosleeping in Military Families in Clinical and Nonclinical Samples

Principal Investigator: CPT John F. Forbes, MC

Associate Investigators:

Department/Section: Psychiatry

Key Words: cosleeping;

Funding: FY 88: NA FY 89: NA Periodic Review Date: Sep 89

Gifts: None Decision: Continue

OBJECTIVE: It is hypothesized that there will be significant differences between the changes in the frequency and pattern of cosleeping in "clinical" vs. "nonclinical" military families. I expect to demonstrate a significantly larger proportion of cosleeping during father's absence in the clinical sample.

TECHNICAL APPROACH: To address the question, "does cosleeping cause psychiatric difficulties?" I propose to administer the accompanying questionnaire to parents visiting the Child and Adolescent Psychiatry and Pediatrics Clinic. The questionnaire will explore sleeping habits in military families during times of father's deployment and of father's presence at home. The questionnaires will be anonymous. I will be present in the Pediatrics Clinic to hand out the questionnaires and to answer questions. Those questionnaires administered to parents of the Child and Adolescent Psychiatry Clinic will be mailed out with our other questionnaire in the intake packet, or given to parents by their clinicians. In addition to the questions regarding sleep habits, the questionnaire will have several questions screening for a history of psychiatric treatment or psychiatric problems in the child, Using the responses to these questions, the questionnaires will be sorted into two groups: one with clinical symptoms or presentations, and the other, the control or "healthy" group.

PROGRESS: No. of Subjects Enrolled - To Date: 0 Reporting Period: 0

New start.

\*Exempt from committee protocol.

Prot No: 47H89\* Status: Ongoing

TITLE: Illicit Drug Use in Active Duty Motor Vehicle Accidents and Severe

Trauma

Principal Investigator: CPT Lawrence A. Labbate, MC

Associate Investigators: CPT Douglas Jarvis, MC; CPT William Lynn, MC;

CPT Andrew Guertler, MC; CPT William Hurley, MC;

CPT Kraig Lerud, MC

Department/Section: Psychiatry

Key Words: drug:

Funding: FY 88: NA FY 89: NA Periodic Review Date: Sep 89

Gifts: None Decision: Continue

OBJECTIVE: To study the prevalence of drug involvement among active duty personnel involved in traumatic accidents.

TECHNICAL APPROACH: Urine sample and blood sample will be used from that normally collected from active duty troops involved in motor vehicle accidents multiple trauma. Urine will be analyzed for the presence of marijuana, cocaine, benzodiazepines, opiates, amphetamines. Blood alcohol level will be measured from the blood sample.

PROGRESS: No. of Subjects Enrolled - To Date: NA Reporting Period: NA

New start.

\*Exempt from committee protocol.

Prot No: 59H89 Status: Ongoing

TITLE: Nutrition Assessment in Chronically Mentally III Patients

Principal Investigator: MAJ Rickie L. Pullen, MC

Associate Investigators:

Department/Section: Psychiatry

Key Words: nutrition assessment;

Funding: FY 88: NA FY 89: NA Periodic Review Date: Sep 89

Gifts: None Decision: Continue

<u>OBJECTIVE</u>: To assess the prevalence of protein malnutiriton among chronically mentally ill inpatients.

TECHNICAL APPROACH: All inpatients with chronic mental illness, excluding those with primary drug or alcohol problems will be asked to participate in a nutrition assessment. This will include interview and body measurements performed by the nutrition service and some chemistry studies. Chemistry studies will include: total lymphorcycte count, serum albumin, serum transferrin. Data will be collected for six months or N=100.

PROGRESS: No. of Subjects Enrolled - To Date: NA Reporting Period: NA

New start.

Prot No: 55H89\*

TITLE: The Relationship Between Heavy Metal Music and Adolescent Turmoll

Principal Investigator: CPT Kevin J. Took, MC

Associate Investigators:

Department/Section: Psychiatry

Key Words: heavy metal music; adolescent functioning;

Funding: FY 88: NA FY 89: NA Periodic Review Date: Sep 89
Gifts: None Decision: Continue

occision. Concinde

OBJECTIVE: To investigate the association between heavy metal music and adolescent turmoil.

TECHNICAL APPROACH: Questionnaires will be given to adolescents, and to their parents. All of the adolescents will be between 12 and 18 years of age, and be patients at TAMC Child and Adolescent Psychiatry Clinic, the TAMC Adolescence Medicine Clinic, or the Adolescent Substance Abuse Counseling Service at Schofield Barracks. By utilizing these three different settings, patients with and without histories of adolescent turmoil will be included. A minimum of 50 subjects will be included in the study (25 HM and 25 NHM listeners). The adolescent questionnaire will focus on demographics, music preferences and listening habits, and current psychosocial functioning. The parental questionnaire will cover the adolescents' past and current psychosocial functioning, as well as questions about family demographics, parental music preferences and parental psychosocial functioning. There will be no identifying data on the questionnaires, only numbers to match the adolescent and parental questionnaires. The adolescents and parents will be separated while filling out the questionnaires and envelopes will be provided to seal the questionnaires after completion. Adolescents will be divided into HM and NHM listeners. To be considered a HM listener, an adolescent will have to list at least two HM bands/performers when asked to name his threee favorite bands/performers. For the pursposes of this study, a band/performer will be considered HM only if it has appeared in "Metal Edge" magazine and has releases with explicit lyrics about sex, violence (to include suicide and homicide), substance abuse, or Satanism.

PROGRESS: No. of Subjects Enrolled - To Date: 20 Reporting Period: 20

New start.

<sup>\*</sup>Exempt from committee protocol.

Prot No: 31H88 Status: Ongoing

TITLE: Stimulant Drug Responsé in Attention Deficit Disordered Preschoolers

Principal Investigator: Dr. David S. Weiss, Fh.D. Associate Investigators: Dr. Thomas E. Gallagher, M.D.

Department/Section: Psychiatry

Key Words: attention deficit disorder; Ritalin;

Funding: FY 88: NA FY 89: NA Periodic Review Date: Sep 89

Gifts: None Decision: Continue

<u>OBJECTIVE</u>: To determine the efficacy and side-effects of Ritalin (methylphenidate) and Dexedrine (dextroamphetamine) with preschool children (3-5 years of age) diagnosed as having an Attention Deficit Disorder.

TECHNICAL APPROACH: Children diagnosed with Attention Deficit Disorder, aged 3-5 years, will be given Ritalin, Dexedrine, and placebo in a counter-balanced, double-blind, crossover design (3 weeks in each condition). Ratings will be obtained form parents as well as direct tests of attention and impulsivity on the children, prior to entry in the study and in the last week of each condition. A side effects questionnaire will also be completed by the parents.

PROGRESS: No. of Subjects Enrolled - To Date: NA Reporting Period: NA

The number of subjects enrolled at this point in time is none, as we have had no children in this age range requiring medication.

Prot No: 35H88 Status: Terminated

TITLE: Midfoot Rotational Osteotomy, A Case Repo

Principal Investigator: CPT Keith S. Albertson, MC

Associate Investigators:

Department/Section: Surgery/Orthopedic Service

Key Words: osteotomy;

Funding: FY 88: NA FY 89: NA Periodic Review Date: Sep 89

Gifts: None Decision: Terminate

OBJECTIVE: Present a case of a patient who had bilateral complete tarsal and metatarsal fusions at age 16 from juvenile rheumatoid arthritis. These spontaneous fusions left both her feet in supination, such that she walked on the lateral aspects of both feet. This resulted in large painful callouses along the entire lateral plantar surface. In an effort to provide the patient with plantargrade feet, osteotomies were performed through the tarsal fusion masses, and then the forefoot rotated about this osteotomy to correct the supination. The method of pre-operative evaluation, surginal approach and technique, and follow-up care will be described.

TECHNICAL APPROACH: Present the case, along with a review of corrective osteotomies of the foot. Collect pertinent information from the patient. Plan routine follow-up with X-Rays as for any other osteotomy patient, including follow-up exams at 6 weeks and six months post procedure. Include actual photographs of patient's feet if consent is given.

PROGRESS: No. of Subjects Enrolled - To Date: 1 Reporting Period: 1

The study has been discontinued per Principal Investigator.

Prot No: 36H88 Status: Completed

TITLE: Volar Carpal-Metacarpal Dislocation in an Athlete. A Case Report and

Review of the Literature

Principal Investigator: CPT Keith S. Albertson, MC

Associate Investigators:

Department/Section: Surgery/Orthopedic Service

Key Words: volar carpal-metacarpal dislocation;

Funding: FY 88: NA FY 89: NA Periodic Review Date: Sep 89

Gifts: None Decision: Completed

OBJECTIVE: Present a case with an unusual mechanism for this rare injury, describe a method of treatment which allowed early resumption of athletic activity, and review the literature concerning volar carpal-metacarpal dislocations.

TECHNICAL APPROACH: Describe the mechanism of injury, appearance of the injured limb, method of reduction and closed treatment. Include description of clinical course. X-Ray and physical examinations to be conducted as per routine fracture follow-up, and again at 6 months to determine status after treatment. No additional procedures are required. Photographs may be taken with patient's consent and release. No invasive procedures are planned.

PROGRESS: No. of Subjects Enrolled - To Date: 1 Reporting Period: 1

The study has been completed and has been presented to the Hawaii Orthopaedic Association, Fourth Annual Combined Spring Symposium, June 10, 1989.

Prot No: 32H83

Status: Ongoing

**Sep 89** 

TITLE: Prospective Study of the Use of Urinary D-Lactate Levels in Evaluation of the Acute Abdomen

Principal Investigator: COL Peter J. Barcia, MC Associate Investigators: CPT Susan D. Lesher, MC

Department/Section: Surgery/General Surgery

Key Words: urinary D-lactate; acute abdomen;

Funding: FY 88: NA FY 89: NA Periodic Review Date:

Gifts: None Decision: Continue

OBJECTIVE: To determine the usefulness of urinary D-lactate levels in the evaluation of the acute abdomen.

TECHNICAL APPROACH: Patients evaluated for acute abdominal pain will have urinary D-lactate and creatinine specimens collected every 12 hours from the initial evaluation until four collections postoperatively or it is determined the patient does not have an acute abdomen. In addition, ten preoperatively to serve as controls.

PROGRESS: No. of Subjects Enrolled - To Date: 65 Reporting Period: 1

We have run into major problems in the clinical lab. They are unable to provide any support. We need a tech part time/full time to fully evaluate this modality.

Prot No: 341189 Status: Ongoing

TITLE: Water Sports Injury in Hawaii (Retrospective Study)

Principal Investigator: CPT Stephen S. Davis, MC

Associate Investigators: G. Harley Hartung, Ph.D.; Gary A. Okamoto, MD;

Raymond M. Taniguchi, MD; Deborah A. Goebert, MS

Department/Section: Surgery/Orthopedic Service

Key Words: water sports injury;

Funding: FY 88: NA FY 89: NA Periodic Review Date: Sep 89

Gifts: None Decision: Continue

OBJECTIVE: In an effort to determine the extent to which major water sports injuries result in serious disability, a retrospective study of cases from 1985-1988 will be conducted. This information is needed in order to help in the development of and to call attention to planned preventive efforts within the state.

TECHNICAL APPROACH: Before attempting to prevent water sports injuries, more information is needed regarding the incidence of such injuries, geographical and activity specific data, and descriptive characteristics of persons likely to sustain serious injury. Medical records will be reviewed for all admitted cases of traumatic brain injury, spinal and injury, drowning, near drowning, broken bones, internal injuries, and hyperparic complications for the last 4 years at major hospitals across the state. Injuries which occurred between 1 January 1985 and 31 December 1988 will be reviewed. For those injuries resulting from water sports, data will be abstracted as to demographic characteristics of the patient, diagnosis, cause and location of the injury, resulting disability, length of hospital stay, therapies used in rehabilitation, and discharge status.

PROGRESS: No. of Subjects Enrolled - To Date: NA Reporting Period: NA

Study is ongoing. This is a State-wide case registry.

<sup>\*</sup>Exempt from committee protocol

Prot No: 31H87

Status: Completed

TITLE: The Physiologic Response of Antidiuretic Hormone (ADH) and Human Atrial Natriretic Factor (hANF) to Hypotonic Volume Expansion Secondary to Sorbitol Bladder Irrigation During Transurethral Prostatectomy (TURF)

Principal Investigator: CPT Paul M. Desmond, MC

Associate Investigators: MAJ L. Harrison Hassell, MC, LTC Gary Wikert, MC

John R. Claybaugh, Ph.D.

Department/Section: Surgery/Urology Service

Key Words: antidiuretic hormone; human atrial natriuretic factor;

Funding: FY 88: \$2,489. FY 89: \$323. Periodic Review Date: Sep 89

Gifts: None Decision: Completed

OBJECTIVE: To assess the effect of hypotonic volume expansion, secondary to absorbed sorbitol, during TURP on ADH, hANF, renin, aldosterone and fluid and electrolytes. Both uncomplicated TURP procedures and those associated with TUR syndrome (Transurethral Resection Syndrome) will be evaluated. To postulate the roles of ADH, hANF, renin and aldosterone in the pathophysiology of the TUR syndrome in order to: 1) predict which patients are susceptible 2) propose methods during TURP for the avoidance of the syndrome in susceptible patients and 3) provide greater understanding of the pathophysiology of the TUR syndrome so it can be appropriately treated when it occurs.

TECHNICAL APPROACH: Venipuncture; multiple blood samples, weights

PROGRESS: No. of Subjects Enrolled - To Date: NA Reporting Period: NA

In process of writing a paper. We found that ADH increases during TUR syndrome and is contributory toward its development.

Prot No: 20H89 Status: Ongoing

TITLE: Screening for Adenocarcinoma of the Prostate: A Prospective.

Randomized Study with Multiple Endpoints

Principal Investigator: COL Martin L. Dresner, MC

Associate Investigators: COL William G. Kennon, MC; LTC Gary A. Wikert, MC

Department/Section: Surgery/Urology

Key Words: 'adenocarcinoma; prostate;

Funding: FY 88: NA FY 89: NA Periodic Review Date: Sep 89

Gifts: None Decision: Continue

<u>OBJECTIVE</u>: To determine if transrectal ultrasound examination of the prostate improves sensitivity of screening evaluations and if early detection of carcinoma of the prostate reduces morbidity and mortality from the disease.

TECHNICAL APPROACH: Volunteers will be randomized to method of exam: rectal alone vs rectal plus transrectal ultrasound. Groups will be compared as to diagnosis of CA of prostate time to metastatic disease, and time to death.

PROGRESS: No. of Subjects Enrolled - To Date: NA Reporting Period: NA

Ongoing, data being collected.

Prot No: 14H89 Status: Ongoing

TITLE: A Randomized Prospective Comparison of Operative Versus Non Operative

Treatment of Third Degree Acromioclavicular Separation

Principal Investigator: CPT Rolf R. Drinhaus, MC Associate Investigators: COL Michael J. Fay, MC

Department/Section: Surgery/Orthopedic Service

Key Words: acromioclavicular separation;

Funding: FY 88: NA FY 89: NA Periodic Review Date: Sep 89

Gifts: None Decision: Continue

OBJECTIVE: To gain further insight into shoulder function after operative versus nonoperative treatment of third degree Acromioclavicular separations; specifically by comparing the strength of the two shoulders in various motions. This should provide data to help the clinician better determine in which patients open repair should be performed.

TECHNICAL APPROACH: Patients with third degree acromical vicular seperations who agree to participate are randomized into operative and nonoperative groups. Operative treatment consists of a Weaver-Dunn acromical sty with the addition of coracoclavicular suturing when possible. Nonoperative treatment currently consists of a sling or shoulder immobilizer until the discomfort subsides. Patients are evaluated subjectively with a questionaire, objectively with shoulder strength testing and radiographically. There have been no operative infections, neurovascular complications, problems with screw breakage or other adverse effects to date.

PROGRESS: No. of Subjects Enrolled - To Date: 16 Reporting Period: 16

The study is still ongoing. There have been sixteen patients enrolled to date. No subjects have been dropped or withdrawn. There have been three modifications to the protocol: 1) Nonsurgical treatment now consists of a shoulder immobilizer rather than an acromioclavicular harness. 2) Since the surgical exposure allows primary suturing of the ruptured coracoclavicular ligament, this is now done when possible. 3) Finally, since adiquate strength and healing of the transposed coracoclavicular ligament occurs by six weeks post-operatively, the coracoclavicular screw will be removed between 6 and 8 weeks, rather than the 10-12 weeks originally planned. One impediment to completion of the study has been the limited resources and personell in the physical therapy department which has made timely shoulder strength testing difficult to arrange. Currently only Major Scoville is able to perform the kin-kom testing.

Prot No: 32H87 Status: Terminated

TITLE: TAMC Protocol No. 32H87: Treatment of Ununited Fractures of Long and Short Bones with Physio-Stim Pulsed Electromagnetic Field Therapy System

Principal Investigator: COL Michael J. Fay, MC Associate Investigators: CPT J. David Pitcher, MC

Department/Section: Orthopedic Service/Surgery

Key Words: Physio-stim; ununited fractures;

Funding: FY 88: NA FY 89: NA Periodic Review Date: Sep 89

Gifts: None Decision: Terminate

OBJECTIVE: To make available this treatment approach to our patients pending FDA approval. To add to existing information on the safety and efficiencacy of the PHYSIO-STIM Pulsed Electromagnetic Field Therapy System.

TECHNICAL APPROACH: Patients are selected as eligible for the study in that they have no evidence of fracture healing within four months and have not had surgical intervention in the previous three months.

PROGRESS: No. of Subjects Enrolled - To Date: NA Reporting Period: NA

We continue to be unable to arrange for a large number of patients to really adequately perform this study. American Medical Electronics, the firm that has been sponsoring this multi-instituion study, has canceled it. Their reasons were lack of patients and poor compliance or tolerance of the patient for this method of treatment. All of our patients quit the study early and, indeed, some sought other treatments elsewhere. Principal investigator (COL Michael J. Fay, MC) request removal of this protocol from any further consideration.

Prot No: 25H88 Status: Ongoing

TITLE: The Quadriceps to Hamstring Ratio

Principal Investigator: COL Michael J. Fay, MC

Associate Investigators: CPT Charles R. Scoville, SP; SFC Richard W. Weeks;

1LT Leanne M. Pentland, SP; CPT Robbin Rowell, SP.

Department/Section: Surgery/Orthopedic Service

Key Words: quadriceps; hamstring ratio;

Funding: FY 88: NA FY 89: NA Periodic Review Date: Sep 89

Gifts: None Decision: Continue

OBJECTIVE: The purpose of this study is to determine the normal values for concentric and eccentric quadriceps to hamstring strength ratios in an athletic population, with normal knees, between the ages of 17 and 35.

TECHNICAL APPROACH: This study will use infantrymen and assorted support troops from the 25th Infantry Division (Light). We expect that approximately 200 subjects will be tested. We will collect measurements including body type, height, weight, and thigh girths. The subjects will undergo a brief orientation on the purpose of the study and the equipment used. They will then be tested on the Kin-Com. The Kin-Com is a computer driven, hydraulic resisted device, allowing dynamic torsional forces to be recorded at set velocities throughout a pre-selected range of motion using both concentric and eccentric muscular contractions.

PROGRESS: No. of Subjects Enrolled - To Date: 8 Reporting Period: 8

- 1. Lack of cooperation from the 25ID(L) in obtaining soldiers. Division wants us to come there, we cannot move the equipment without major expense and recalibration. Negotiations continue.
- 2. Lack of personnel trained in operating the Kin-Com device. This limits the number of patients, and when they can be tested.

Prot No: 46A89 Status: Ongoing

TITLE: Use of Fibrin Glue to Achieve Hemostasis in Solid Organ Injury

Principal Investigator: CPT Scott A. Fengler, MC Associate Investigators: LTC Lawrence C. Runke, MC

Department/Section: Surgery/General Surgery Service

Key Words: fibrin glue; hemostasis;

Funding: FY 88: NA Gifts: None FY 89: NA Periodic Review Date: Sep 89

Decision: Continue

OBJECTIVE: To evaluate the efficacy and safety of the use of Fibrin glue (concentrated human fibrinogen and clotting factors) as a hemostatic agent in solid organ injury.

TECHNICAL APPROACH: An injury will be created of the spleen and fibrin glue will be injected intraparenchymally in an attempt to control bleeding.

PROGRESS: No. of Subjects Enrolled - To Date: NA Reporting Period: NA

New start.

Prot No: 17E78 Status: Terminated

TITLE: Human Implantation of Intraocular Lenses

Principal Investigator: COL James M. Geiger, Jr., MC

Associate Investigators:

Department/Section: Surgery/Ophthalmology

Key Words: intraocular lenses;

Funding: FY 88: NA FY 89: NA Periodic Review Date: Sep 89

Gifts: None Decision: Terminate

OBJECTIVE: To study the effects of implantation of intraocular lenses in humans.

TECHNICAL APPROACH: Utilization of posterior chamber intraocular lenses requires an extracapsular cataract method with preservation of the posterior lens capsule. Anterior chamber intraocular lenses are used after a routine intracapsular cataract extraction, as secondary implants, and when the posterior capsule is broken during an extracapsular cataract procedure.

PROGRESS: No. of Subjects Enrolled - To Date: NA Reporting Period: NA

No IRC related surgeries were performed in FY89. Ophthalmology is using only pre-market approved (PMA) intraocular lenses which are not investigational.

Prot No: 40A87 Status: Ongoing

TITLE: Emergent Initiation of Cardiopulmonary Bypass in a Swine Model

Principal Investigator: CW3 David L. Hahn(formerly: HOLLINGSED, Michael J.)

Associate Investigators: LTC Greg A. Bowman, MC; MAJ Gary P. Jones, MC;

SFC Sam Morgan

Department/Section: Sugery/Thoracic Surgery Svc

Key Words: emergent cardiopulmonary bypass;

Funding: FY 88: \$4,860. FY 89: \$1,441. Periodic Review Date: Sep 89

Gifts: None Decision: Continue

OBJECTIVE: To introduce and familiarize personnel with the initiation of emergent cardiopulmonary bypass (ECPB) procedure using the swine model.

TECHNICAL APPROACH: Identify problems associated cardiopulmonary bypass e.g., aspiration pneumonia, cardiac damage, and implement appropriate actions, i.e., stabilition, cannulation, heparinization and performance of cardiopulmonary bypass.

PROGRESS: No. of Subjects Enrolled - To Date: NA Reporting Period: NA

To date, 10 pigs have been done and we are requesting that the project be continued.

Prot No: 7H89 Status: Terminated

TITLE: Fiberglass Casting Versus Plaster-Of-Paris

Principal Investigator: MAJ Richard A. Hynes, MC

Associate Investigators: COL Kent A. Reinker, MC; CFT Steven S. Davis, MC

Department/Section: Surgery/Orthopedic Service

Key Words: fiberglass; casting;

Funding: FY 88: NA FY 89: NA Periodic Review Date: Sep 89

Gifts: None Decision: Terminat

<u>OBJECTIVE</u>: This is a controlled prospective study comparing the clinical efficacy and durability of fiberglass versus plaster cast in 30 active duty members.

TECHNICAL APPROACH: Randomized comparison of cast materials in the Army.

<u>PROGRESS</u>: No. of Subjects Enrolled - To Date: NA Reporting Period: NA

Dropped per request of Principal Investigator.

Prot No: 9H87 Status: Terminated

TITLE: Gait Efficiency of AK Amputees; The Effects of Prosthetic Components

Principal Investigator: CPT Richard A. Hynes, MC

Associate Investigators: COL Michael Romash, MC; CPT Beau J. Freund, MSC;

Dr. Richard Cirillo, M.D.

Department/Section: Surgery/Orthopedic Service

Key Words: AK amputees; prosthetic feet;

Funding: FY 88: \$50. FY 89: \$1,725. Periodic Review Date: Sep 89

Gifts: Prosthetists' time Decision: Terminate

OBJECTIVE: (1) To determine if socket design and terminal devices, especially kinetically active terminal devices, change the efficiency of gait of above-knee (AK) amputees, and (2) to establish a scientific basis and experimental program upon which foot terminal devices can be compared using the energy expenditure of gait as a modality for comparison.

TECHNICAL APPROACH: Using treadmill to assess energy consumption.

PROGRESS: No. of Subjects Enrolled - To Date: NA Reporting Period: NA

Never performed due to too few patients being identified. Should be dropped as an active protocol.

Prot No: 15185 Status: Ongoing

TITLE: Animal Models for Advanced Trauma-Life Support Provider and Instructor

Courses

Principal Investigator: LTC Eric A. Johnson, MC

Associate Investigators: COL Donald W.S. Yim, MC; MAJ Frank Rogers, MS;

MAJ Albert McCullen, VC

Department/Section: Surgery/General Surgery

Key Words: advanced trauma life support;

Funding: FY 88: \$7,174. FY 89: \$1,630. Periodic Review Date: Sep 89

Gifts: None Decision: Continue

<u>OBJECTIVE</u>: To fulfill the requirement of ATLS Provider and Instructor courses, i.e., to teach physicians a standardized approach to trauma care in the early hours of trauma patient assessment and to teach life-saving skills using animal models.

TECHNICAL APPROACH: Goats or pigs are deeply anesthetized with sodium pento-barbital and prepared for surgery. Participants then perform cricothyroid-otomy, peritoneal lavage, chest tube placement, pericardiocentesis, and venous cutdown procedures under the close supervision of certified instructors. Animals are euthanatized at the end of the surgery laboratory.

PROGRESS: No. of Subjects Enrolled - To Date: NA Reporting Period: NA

Number of subjects enrolled (from time LTC Johnson became investigator) Aug 88 to date-Goats: 4, physician trainees: 16 (one course ALTS provider on Feb 89). Publications: None - purpose is to train physicians - expect no purpose data.

Prot No: 42A89 Status: Ongoing

TITLE: Experimental Techniques of Liver Surgery

Principal Investigator: CPT Thomas Knuth, MC

Associate Investigators: LTC Lawrence C. Runke, MC

Department/Section: Surgery/General Surgery Service

Key Words: liver surgery; re-anastomose;

Funding: FY 88: NA FY 89: \$855. Periodic Review Date: Sep 89

Gifts: None Decision: Continue

OBJECTIVE: (1) To resect a portion of the liver and re-anastomose that portion in its same location or in another location and/or resect and re-implant the entire liver. (2) To maintain systemic and portal venous blood circulation via temporary cathetetization while the liver is removed from the animal's circulation. (3) To re-implant the liver back into the animal resulting in a fully recovered live animal upon completion of the procedure. (4) To assess the liver damage in the post operation period by serial chemical analysis.

TECHNICAL APPROACH: We will develop techniques to rapidly mobilize and remove the entire liver from a pig. We will then establish vena caval and portal blood flow to the heart while the liver is out of the body cavity. Techniques will be developed to rapidly resect and/or repair damaged liver tissue and then reimplant the liver into the animal. Techniques will be used and developed to maintain the viability of the liver while out of the body cavity including but not limited to liver hypothermia and perfusion of the liver with nutrient solutions.

PROGRESS: No. of Subjects Enrolled - To Date: NA Reporting Period: NA As of 14 Sep 89, we have operated on 5 pigs. Our techniques to rapidly mobilize and remove the liver have progessed satisfactorily as have our techniques to re-implant the liver. We have had difficulty maintaining venous flow during our anhepatic period due to clotting in the shunt and in the animal. Because we eventually want to simulate a traumatic injury, we are reluctant to heparinize the animals, therefore, we are re-assessing the feasibility of passive shunts. We may need to try heparinized tubing for shunting or change to a venovenous bypass technique using a pump. So far, we are satisfied with our hypothermic maintenance of the ex-vivo liver but have found that the amount of blood loss encountered with flushing the liver is not well tolerated by the pig. We need transfusion capability or agressive volume support which we have not practiced so far. Since we feel that our overall technique is still incompatible with survival of the pig we have not yet attempted to recover an animal. Then when this is possible we can simulate the retrohepatic caval injury that this research is about and use techniques to repair the injury. Other residents will be added as co-investigators to continue the project. I plan on visiting Dr. Donald Trunkey's laboratory in December to observe his techniques in a similar liver transplantation project.

Prot No: 60H89 Status: Ongoing

TITLE: Study of Unasyn vs. Cefoxitin for Perioperative Treatment in Abdominal

Operations

Principal Investigator: CPI Thomas E. Knuth, MC

Associate Investigators:

Department/Section: Surgery/General Surgery Service

Key Words: unasyn; cefoxitin;

Funding: FY'88: NA FY 89: NA Periodic Review Date: Sep 89

Gifts: None Decision: Continue

OBJECTIVE: This protocol proposes to study Unasyn as a perioperative and/or therapeutic agent in abdominal surgeries as compared to Cefoxitin.

TECHNICAL APPROACH: To use Unasyn or Cefoxitin in a prospective double blinded fashion for the perioperative treatment of a variety of general surgical conditions. Clean contaminated cases will receive preoperative antibiotics only while contaminated and dirty cases will receive a therapeutic course as needed.

PROGRESS: No. of Subjects Enrolled - To Date: NA Reporting Period: NA

No subjects have yet been enrolled. Final approval by the Human Use Committee is pending. Projected starting time is 1 October 1989.

Prot No: 42H88 Status: Ongoing

TITLE: Treatment of Lipomatosis with Non-Steroid Anti-inflammatory (NSAI)

drugs and Tamoxifen

Principal Investigator: COL Y-T. Margaret Lee, MC

Associate Investigators:

Department/Section: Surgery/General Surgery Service

Key Words: tamoxifen; lipomatosis;

Funding: FY 88: NA FY 89: NA Periodic Review Date: Sep 89

Gifts: None Decision: Continue

OBJECTIVE: To determine if multiple lipomatosis will respond to Indomethacin, and/or Sulindac and/or Tamoxifen. (There are reports in the literature that reported that colonic polyposis and desmoid tumors did shrink with the treatment of these 3 drugs, either singularly, or in various combinations).

TECHNICAL APPROACH: Patient will be given Indomethin first for two months. If there is evidence of shrinkage, the drug will be continued. If there is no response, the drug will be stopped for a month. Then Sulindac will be tried. Tamoxifen will be the third drug to be used. All 3 drugs are included in the TAMC Formulary and conventional doses will be used.

PROGRESS: No. of Subjects Enrolled - To Date: 1 Reporting Period: 1

Only one patient has been enrolled in August of 1988. He received Indomethin for two months and decided not to continue. There was no therapeutic effect noted, also no side effect noted. I am looking for another suitable patient to treat.

Prot No: 24H89\* Status: Complete TITLE: Diagnosis and Treatment of Anorectal Malformations Principal Investigator: CPT Susan D.H. Lesher, MC Associate Investigators: Dr. Y.C. Huang, MD Department/Section: Surgery/General Surgery Service Key Words: anorectal malformations; Funding: FY 88: NA Periodic Review Date: FY 89: NA Sep 89 Gifts: None

OBJECTIVE: To examine charts of patients with anorectal malformations seen at TAMC within the last 5 years; to tabulate patient characteristics, methods used in diagnosis, and treatment, and to compare these findings with what is generally known of anorectal malformations.

Decision: Completed

TECHNICAL APPROACH: The charts of 18 patients known to have anorectal malformations seen within the last 5 years will be examined for characteristics delineated in 3. Any available radiological studies will be examined as well.

PROGRESS: No. of Subjects Enrolled - To Date: 18 Reporting Period: 18

Completed - meets objective.

<sup>\*</sup>Exempt from CIC/HUC committee protocol.

Prot No: 25H89\* Status: Ongoing

TITLE: Urinary D-Lactate: A Specific Indicator of Intestinal Ischemia

Principal Investigator: CPT Susan D.H. Lesher, MC Associate Investigators: COL Peter J. Barcia, MC

Department/Section: Surgery/General Surgery Service

Key Words: urinary D-lactate;

Funding: FY 88: NA FY 89: NA Periodic Review Date: Sep 89

Gifts: None Decision: Continue

OBJECTIVE: To demonstrate that elevated urinary D-lactate levels are a useful diagnostic indicator of intestinal ischemia.

TECHNICAL APPROACH: Urinary D-lactate values are available from 73 random patients admitted with abdominal pain, and from 8 contraol patients without abdominal pain. Specimens were obtained prior to any surgical intervention under previous protocols of the above Associate Investigator. (Some serial post-operative specimens were obtained as well, but are not used in this study). Urine was analyzed for D-lactate on a molar basis per unit of creatinine. No statistical analysis of this data has previously been done. Patients will be divided into 2 groups: those found to have ischemic intestinal conditions, and those with other conditions. D-lactate values of the 2 groups will be compared using X<sup>2</sup> analysis. If a significant difference is noted, the critical value of urinary D-lactate (outside of which there is the highest likelihood of disease) will be determine.

PROGRESS: No. of Subjects Enrolled - To Date: 73 Reporting Period: 73

Study is ongoing. New principal investigator will be CPT Martin H. Tieva. Study is hampered by a lack of funds for a laboratory technician to do test in pathology. No tests are being done now.

<sup>\*</sup>Exempt from committee protocol.

Status: Ongoing Prot No: 62H88

TITLE: The Role of Ultrasonography in the Diagnosis of Acute Appendicitis: A

Prospective Study

Principal Investigator: CPT Linda Murray, MC (formerly: Rudolph C. C.) Associate Investigators: COL Peter Barcia, MC; CPT Gregory Logsdon, MC; Principal Investigator:

MAJ Thomas Leutkehans, MC

Department/Section: Surgery/General Surgery Service

Key Words: ultrasonography; acute appendicitis;

Funding: FY 88: NA FY 89: NA Periodic Review Date: Sep 89

Gifts: None Decision: Continue

OBJECTIVE: To demonstrate that abdominal ultrasound is a useful diagnostic adjunct in cases of acute appendicitis.

TECHNICAL APPROACH: Upon admission to the General Surgery service to rule out appendicitis, real-time ultrasonography of the abdomen is performed in the radiology suite by Dr. Logsdon or Dr. Leutkehans. Results are unavailable to the admitting physician for 12 hours after performance of the exam by which time, clinical decisions have been made and therapy initiated.

PROGRESS: No. of Subjects Enrolled - To Date: 72 Reporting Period: 72

Ongoing study-pending data analysis.

Prot No: 56H88 Status: Ongoing

TITLE: The Use of Absorbable (Poly-p-dioxanone) Pins Versus Kirschner Wires

for Internal Fixation of Chevron Osteotomies for Hallus Valgus

Principal Investigator: CPT Craig M. Ono, MC

Associate Investigators: MAJ Barney Yanklowitz, MS

Department/Section: Surgery/Orthopedic Service

Key Words: kirschner wires; chevron osteotomies;

Funding: FY 88: NA FY 89: NA Periodic Review Date: Sep 89

Gifts: None Decision: Continue

OBJECTIVE: Study will describe the utility of the poly-p-dioxanone absorbable pin versus the Kirschner wire in the internal fixation of chevron osteotomies for the correction of the hallux valgus deformity.

TECHNICAL APPROACH: The standard (Austin) Chevron bunionectomy/osteotomy will be completed following standard preoperative, intraoperative, and postoperative criteria. The standard Kirschner wire fixation technique requires further minor surgery for its removal. The orthosorb pin fixation technique does not. No less than 27 cases of Orthosorb fixation Chevron procedures will be compared to Kirschner wire fixated cases by objection and subjective parameters: range of motion, foot x-rays, patient satisfaction, complications, clinical presentation.

PROGRESS: No. of Subjects Enrolled - To Date: 4 Reporting Period: 4

No adverse affects. Two (2) dropped due to P.C.S. orders.

Presently, the Operating Room is out of Orthosorb pins and has ordered enough for 9 more cases. Due to the cost of this item, only 9 Orthosorb pins will be ordered per quarter. It is expected to take 18 to 24 months to complete this study.

Prot No: 50H85 Status: Ongoing

TITLE: Arthroscopic Evaluation of Acute Primary Shoulder Dislocations

Principal Investigator: CPT J. David Pitcher, Jr., MC

Associate Investigator: COL Michael J. Fay, MC

Department/Section: Surgery/Orthopedics

Key Words: shoulder dislocation; arthroscopy;

Funding: FY 88: NA FY 89: NA Periodic Review Date: Sep 39

Gifts: None Decision: Continue

<u>OBJECTIVE</u>: To evaluate arthroscopically the lesions associated with shoulder dislocations and correlate these lesions with prognostic indicators relative to recurrent dislocations.

TECHNICAL APPROACH: Patient referral requests will be sent to all outlying clinics requesting referral of all patients with initial shoulder dislocations documented by radiographs. Patients entered into the study will be admitted to TAMC Orthopedic Service and placed on the surgery schedule. Arthroscopy will be performed as soon as possible after the injury. Intra-articular pathology will be documented on operative findings data sheets and photographs of pathology will also be maintained in the data file for each patient. Postoperatively, patients will be placed in shoulder immobilizers for three weeks, followed by physical therapy with range of motion and shoulder bridle strengthening program for four weeks. Patients will then be progressed to full duty over a four-week period, and will be followed monthly in Sports Medicine Clinic for six months to one year, documenting clinical progress. Subsequent clinical progress and recurrent dislocation will be correlated with initial pathology documented by arthroscopy.

PROGRESS: No. of Subjects Enrolled - To Date: 50 Reporting Period: 50

50 patients have been prospectively identified and randomly placed into two groups. Data collection is currently being accomplished. No additional patients are being enrolled.

Prot No: 31H89 Status: Completed

TITLE: Comparison of Anterior Cruciate Ligament Repair: Arthroscopy and

Arthrotomy Perioperative Comparison

Principal Investigator: MAJ J. David Pitcher, Jr., MC

Associate Investigators: COL Michael J. Fay, MC

Department/Section: Surgery/Orthopedic Service

Key Words: anterior cruciate ligament;

Funding: FY 88: NA FY 89: NA Periodic Review Date: Sep 89

Gifts: None Decision: Completed

OBJECTIVE: The specific objective of "The Perioperative Comparison" is to focus on short term benefits of the new procedure such as perioperative narcotic requirements as an index of pain, length of hospitalization as an index of early mobilization, estimated blood loss, total tourniquet time, and total operative time as an index of increased perioperative morbidity likelihood.

TECHNICAL APPROACH: The last arthroscopically assisted and open ACL reconstructions were reviewed in a chart review.

PROGRESS: No. of Subjects Enrolled - To Date: 120 Reporting Period: 120

The patients have been retrospectively reveiwed, the data analyzed and the results presented at the 1989 AOA Resident's Conference and the 1989 HOA meeting.

Finalization of the manuscript is pending and the research is complete.

Prot No. 14785 Status: Ongoing

TITLE: Microsurgery Training for Orthopaedic Residents Using Rat Vessels

Principal Investigator: LTC Elizabeth C. Quinlan, MC

(Formerly: MAJ Thomas G. Fry, MC)

Associate Investigators: CPT Steven S. Davis, MC; CPT Rolf R. Drinhaus, MC;

CPT Richard M. Cirillo, MC.

Department/Section: Surgery/Orthopedic Service

Key Words: training; psychemotor skills;

Funding: FY 88: NA FY 89: \$1,088. Periodic Review Date: Sep 89

Gifts: None Decision: Continue

<u>OBJECTIVE</u>: To train residents in the repair of arteries and veins approximately 1 mm in diameter.

TECHNICAL APPROACH: Rats are anesthetized with sodium pentobarbital and one femoral artery and/or vein is transected and then reanastomosed. The wound is observed daily for any complications.

PROGRESS: No. of Subjects Enrolled - To Date: NA Reporting Period: NA

October 11, 1989 - One orthopaedic resident and two oral surgery staff were trained (resident to repair arteries, veins, nerves; oral surgery staff to repair arteries and nerves). One neurosurgery intern now starting training, and plan is to train at least two more orthopaedic residents this year. One problem has been lack of suture material; lab did not order non-sterile suture, and once we ran out of out-dated sterile sutures, we pilfered suture at \$30 per suture from OR, which needless to say annoyed the OR. SPC Anderson should now have catalog number of non-sterile suture.

Prot No: 19H87

Status Ongoing

TITLE: Peritonsillar Abscess: Treatment with Needle Aspiration and Oral Antibiotics vs. Incision and Drainage and IV Antibiotics

Principal Investigator: MAJ Mark H. Rate ink, MC

Associate Investigators: CPT Chip Kava, mi; CPT Richard D. Kopke, MC

Department/Section: Surgery/Otolaryngology Service

Key Words: peritonsillar abscess;

Funding: FY 88: NA FY 89: NA Periodic Review Date: Sep 89

Gifts: None Decision: Continue

<u>OBJECTIVE</u>: To establish an effective treatment regimen for peritonsillar abscess which can be utilized by non-otolaryngologists and paraprofessional personnel in a military field setting.

TECHNICAL APPROACH: The peritonsillar area is aspirated three times with a syringe and 18 gauge needle, if pus is found they are enrolled (offered enrollment) in the study.

PROGRESS: No. of Subjects Enrolled - To Date: 18 Reporting Period: 18

The project has been explained to the new residents and staff. New patients will begin to be enrolled. The new Principal Investigator will be CPT Kevin C. Lunde, M.C.

Prot No: 7H87 Status: Terminated

TITLE: Post-therapy Hypocalcemia in the Treatment of Patients with

Hyperthyroidism

Principal Investigator: MAJ Mark H. Raterink, MC

Associate Investigators: MAJ Craig Holland, MC; MAJ Kris Raines. MC:

MAJ Harrison Hassell, MC; CPT Donald Moe, MC;

CPT Joel Link, MC

Department/Section: Surgery/Otolaryngology

Key Words: hypocalcemia, hyperthyroidism;

Funding: FY 88: NA FY 89: NA Periodic Review Date: Sep 89

Gifts: None Decision: Terminate

OBJECTIVE: To sort out the clinical importance of the first four following mechanisms: (1) post-treatment parathyroid deficiency, (2) thyrotoxic renal magnesium wasting, (3) thyrotoxic osteodystrophy, (4) renal hypercalciuria, and (5) other mechanisms.

TECHNICAL APPROACH: Measurement of blood Free T4,  $T_3$  RIA, TSH thyroid antibodies, Mg, Ca, PTH, Calcitonin and urinary routine chemistry plus Ca, PO<sub>4</sub>, hydrodroxyproline and cyclic-AMP will be compared with medication dosages.

PROGRESS: No. of Subjects Enrolled - To Date: 4 Reporting Period: 4

Very few patients have been entered into the protocol thus far. Though there have been adequate numbers of Graves patients, most of these have not met criteria for entrance into the study (i.e. patient lives off island; one has other systemic disease). Therefore, the study is terminated.

Prot No: 15A87 Status: Ongoing

TITLE: Menisci Energy-Absorbing Characteristics of Pig Hind Knee with Both

Static and Dynamic Loads

Principal Investigator: CPT Kenneth Reesor, KC

Associate Investigators: COL Kent Reinker, MC; MAJ John Uribe, MC;

Mr. W. Ichimura, Biomedical Engineering Technician

Department/Section: Surgery/Orthopedic Service

Key Words: meniscal injuries;

Funding: FY 88: \$800. FY 89: \$4,212. Periodic Review Date: Sep 89

Gifts: None Decision: Continue

<u>OBJECTIVE</u>: To establish the energy-absorbing characteristics of the pig knee and to determine if these characteristics are dependent on the percentage of meniscal intact.

TECHNICAL APPROACH: Instrumentation to apply impact loading to isolated pig knees (slaughterhouse donations) will be developed and measurements made of 1) transmitted pressures 2) compression displacements and 3) circumferential elongation or expansion of exercise.

PROGRESS: No. of Subjects Enrolled - To Date: NA Reporting Period: NA

Awaiting equipment fabrication.

Prot No: 40A86 Status: Terminated

TITLE: The Effect of Infusing Embolic Material into the Liver as an Adjunct

to Liver Resection in the Pig

Principal Investigator: CPT Councill C. Rudolph, MC

Associate Investigators: CPT Robert Thomas, MC; MAJ Jean Laberge, MC;

COL Y-1 Lee, MC; CPT Everett Gayle, MC

Department/Section: Surgery/General

Key Words: liver resection, embolic material;

Funding: FY 88: NA FY 89: NA Periodic Review Date: Sep 89

Gifts: None Decision; Terminate

OBJECTIVE: To determine the efficacy of intraoperatively infusing embolic agents into the hepatic circulation prior to liver resection.

TECHNICAL APPROACH: Under general anesthesia, the left hepatic branch of the portal vein is isolated and ligated. 2-3 units of Angiostat particles are isolateral vein into the liver. The hepatic artery on the ligated. The left lobe of the liver is resected via finger fracture to gues. Intraop and postop parameters are measured to gauge blood loss and perative ease.

<u>PROGRESS</u>: No. of Subjects Enrolled - To Date: NA Reporting Period: NA Study terminated due to departure of investigators.

Prot No: 28H89 Status: Ongoing

TITLE: Clinical Evaluation of a Percutaneous Pneumothorax Catheter Vs.

Standard Tube Thoracostomy for the Treatment of Pneumothorax

Principal Investigator: CPT Bradley J. Roth, MC Associate Investigators: LTC Greg A. Bowman, MC

Department/Section: Surgery/Cardiothoracic Surgery Service

Key Words: pneumothorax catheter

Funding: FY 88: NA FY 89: NA Periodic Review Date: Sep 89

Gifts: None Decision: Continue

OBJECTIVE: Pneumothorax is a common disease that has routinely been treated with a tube thoracostomy. Recently many studies have shown that this disease may be treated with a much smaller pneumothorax catheter. This study will compare the two types of treatment for non-complicated pneumothorax in an attempt to support the hypothesis that the use of the pneumothorax catheter is less effective than tube thoracostomy.

TECHNICAL APPROACH: A chest tube on pneumothorax catheter is placed into the chest for the treatment of pneumothorax. The patient remains in the Protocol for 3 days. If the pneumothoras has not resolved than other treatment modalities are used.

PROGRESS: No. of Subjects Enrolled - To Date: 11 Reporting Period: 11

11 patients enrolled to date. Study progressing well.

Prot No: 49H88

Status: Ongoing

TITLE: The Changing Spacial Relationship of the Patella and Tibia in Normal Knee Motion

Principal Investigator: CPT James L. Rungee, MC

Associate Investigators: 2LT Thomas M. DeBerardino, MS; COL Michael J. Fay, MC

Department/Section: Surgery/Orthopedic Service

Key Words: normal knee motion;

Funding: FY 88: NA FY 89: NA Periodic Review Date: Sep 89

Gifts: None Decision: Continue

OBJECTIVE: To radiographically determine and document the motion of the patella in space relative to the tibia during normal knee motion.

TECHNICAL APPROACH: Ten (10) volunteers will be picked at random for radiographic evaluation of both knees. To qualify for the study, the participants must have asymptomatic knees, free of instability or other pathologic process as documented by clinical and routine radiographic examination. Lateral radiographs of each knee will be obtained at predetermined degrees of flexion (0, 30, 60, and 90 degrees) as confirmed by gniometric measurement. Using the tibial profile as reference, the spacial motion of the patella will be plotted, measuring specifically:

a) the antero-posterior excursion of the patella, and

b) the changing longitudinal tilt of the patella. Diagramatic tracings as well as graphical plottings will be utilized to establish the basic characteristic and mean spacial changes of the patello-tibial relationship.

PROGRESS: No. of Subjects Enrolled - To Date: 10 Reporting Period: 10

All x-rays have been taken. No ill effects have been reported. Measurements have been performed and the data is currently being analyzed. A large portion of the paper has already been written. Planned completion date is February 1990.

Prot No: 52H88 Status: Ongoing

TITLE: Biomechanical Aspects of Olecranization of the Patella

Principal Investigator: CPI James L. Rungee, MC Associate Investigators: COL Michael J. Fay, MC;

Wayne Ichimura, Biomedical Engineer

Department/Section: Surgery/Orthopedic Service

Key Words: patella; olecranization;

Funding: FY 88: NA FY 89: \$1,468. Periodic Review Date: Sep 89

Gifts: None Decision: Continue

OBJECTIVE: a) To study and determine whether olecranization of the patella actually functions to relieve tension across repairs and reconstructions of the Posterior Cruciate Ligament of the knee, and b) If tension is indeed lessened, to determine the ideal position and method of pin placement that affords limited post-operative knee motion while still protecting the Posterior Cruciate Ligament repair.

TECHNICAL APPROACH: Biomechanical measurements of surgical procedure.

PROGRESS: No. of Subjects Enrolled - To Date: NA Reporting Period: NA

There have been three trial runs on fresh cavader specimens. This project was held up, and is now in some danger of never being finished, because of multiple delays getting equipment.

Prot No: 38A89 Status: Ongoing

TITLE: Use of Auto Suture Co. (U.S. Surgical Corp.) Surgical Stapling Instruments in the Training of Residents on Pigs

Principal Investigator: LTC Lawrence C. Runke, MC

Associate Investigators:

Department/Section: Surgery/General Surgery Service

Key Words: stapling:

Funding: FY 88: NA FY 89: NA Periodic Review Date: Sep 89

Gifts: None Decision: Continue

OBJECTIVE: To teach proper stapling techniques and precautions to residents using the Auto Suture Co. TA, GIA, EEA instrumentation on the intestines and stomach. End to end, side to side colon and small intestinal anastomoses will be performed using all instruments. Anastomoses between portions of the small intestine and from small intestine to stomach and colon will be done. Anastomoses between the colon and rectum will be done. Transection of the stomach, colon and small intestine will be performed.

TECHNICAL APPROACH: Using an abdominal approach, portions of small bowel, large bowel, and stomach will be mobilized enabling the surgeon to perform bowel to bowel and bowel to stomach anastomoses. Closure of the animal will include fascia staples and skin staples.

<u>PROGRESS</u>: No. of Subjects Enrolled - To Date: NA Reporting Period: NA This project has not been started due to administrative delays by HSC.

Prot No: 6A89 Status: Completed

TITLE: Mode of Ventilation of Effects on Renal Function

Principal Investigator: CPT David V. Shatz, MC

Associate Investigators:

Department/Section: Surgery/General Surgery

Key Words: renal function;

Funding: FY 88: NA FY 89: \$16,276. Periodic Review Date: Sep 89

Gifts: None Decision: Completed

<u>OBJECTIVE</u>: To study the effects on renal function during the currently two most commonly used modes of mechanical ventilation.

TECHNICAL APPROACH: 10 pigs to be studied; placed on ventilator at variable rates of IMV and AC. Renal function on each made will be measured via urine output and chemical analysis, as will cardiac function.

PROGRESS: No. of Subjects Enrolled - To Date: NA Reporting Period: NA

Data collected under the current protocol not consistent subject-to-subject. I will collect remaining outstanding data (hormone assays) and analyze with the hopes to 1) find some publishable consistencies, and 2) re-vamp the protocol to make the data on future trials more consistent (e.g. anesthesia).

Prot No: 45A89 Status: Ongoing

TITLE: Nonanatomic vs Anatomic Liver Resection in Pigs

Principal Investigator: CPT Martin Tieva, MC Associate Investigators: COL Peter Barcia, MC

Department/Section: Surgery/General Surgery Service

Key Words: non-anatomic liver resection;

Funding: FY 88: NA FY 89: NA Periodic Review Date: Sep 89

Gifts: None Decision: Continue

OBJECTIVE: To demonstrate the speed, efficacy and safety of non-anatomic liver resection.

TECHNICAL APPROACH: Four pigs will have an anatomic resection and 4 pigs will have a non-anatomic resection. The outsome of the two groups will be compared as well as operative time and blood loss. At the end of the experiment, the animals will be euthanized and a cast made of their vasculature.

PROGRESS: No. of Subjects Enrolled - To Date: NA Reporting Period: NA

New start; to begin in September 1989.

Prot No: 24H88 Status: Ongoing

TITLE: Water Sports Injuries in Hawaii

Principal Investigator: CPT Gregory G. West, MC

Associate Investigators: COL Michael J. Fay, MC; G. Harley Hartung, Ph.D.;

MAJ Frederick Thaler, MC.

Department/Section: Surgery/Orthopedics Service

Key Words: water sports injuries;

Funding: FY 88: NA FY 89: NA Periodic Review Date: Sep 89

Gifts: None Decision: Continue

OBJECTIVE: To establish a registry of information on water sports injuries in Hawaii.

TECHNICAL APPROACH: Data registry (cooperative state-wide program).

PROGRESS: No. of Subjects Enrolled - To Date: 0 Reporting Period: 0

The new Principal Investigator is CPT Steven S. Davis, MC. Study is ongoing.

Prot No: 28H88 Status: Ongoing

TITLE: Treatment Assessment of Multiple Plantar Warts with Acyclovir

Principal Investigator: MAJ Barney A. Yanklowitz, MS;
Associate Investigators:

'artment/Section: Surgery/Orthopedic Service

Key Words: plantar warts; acyclovir;

Funding: FY 88: NA FY 89: NA Periodic Review Date: Sep 89

OBJECTIVE: To discover whether or not an occlusive foot dressing improves the reported results (25%, 38%, 39%) of topical 5% Acyclovir for the treatment of multiple plantar warts after 8 and then 12 weeks.

Decision: Continue

Gifts: None

TECHNICAL APPROACH: A clinical investigation including 68 patients ages 2 to 70 (unless pregnant or nursing mother) with a clinical diagnosis of multiple plantar warts (6 or more) or a large surface area (greater than 2.54 cm. diameter) mosaic plantar warts will be treated.

PROGRESS: No. of Subjects Enrolled - To Date: 8 Reporting Period: 8

Project began on 6 September 1988 due to review of statistical analysis and patient selection protocol. Patient selection/participation will be low and completion of this project will take 24 months because I only treat one or two patients/month with this severe of wart infection. No patients withdrawn/dropped.

Prot No: 37H88 Status: Ongoing

TITLE: Sonography of Morton's Neuromas

Principal Investigator: MAJ Barney A. Yanklowitz. MS

Associate Investigators:

Department/Section: Surgery/Orthopedic Service

Key Words: Morton's neuromas;

Funding: FY 88: NA FY 89: NA Periodic Review Date: Sep 89

Gifts: None Decision: Continue

OBJECTIVE: To evaluate the size of the third webspace plantar nerve on sonography as a positive predictive indicator of biopsy confirmed Morton's neuromas.

TECHNICAL APPROACH: Aggressive conservative therapy for Morton's neuroma includes: examination of duty and recreational footgear; limitation or cessation of hyperextension (of MTPJ) causing activities for six weeks; the use of pedal orthoses (insoles, metatarsal pads) for six weeks; NSAID for 12 weeks; plantar intermetatarsal nerve blocks (local anesthetic and corticosteroid). After failure of aggressive conservative therapy or in the presence of a palpable mass, elective sonography of the affected webspace will be requested by a member of the Orthopedic Service. This routine sonography will be scheduled by appointment and completed by personnel assigned to the Ultrasound Section, Department of Radiology. The resultant hard copy images will be used by the attending Orthopedic staff for operative planning and patient education. Photographs of sonographs and neuromas (in situ or biopsied specimens) will be completed for no more than 48 patients. Neuromas will be confirmed by standard biopsy techniques.

PROGRESS: No. of Subjects Enrolled - To Date: 8 Reporting Period: 8

Study approved on 6 September 1988. This study will take at least 18 months. No adverse effects. No patients dropped/withdrawn.

Prot No: \*22A89 (formerly: 46A85) Status: Ongoing

TITLE: Altered Consciousivess Induced by Overdrainage of Cerebrospinal Fluid

Principal Investigator: CO: Donald W. S. Yim, MC

Associate Investigators: COL Bernard Robinson, MC, USAR;

John R. Claybaugh, Ph.D.; MAJ Jon Graham, MC; MAJ Kevin Foley, MC; MAJ James R. Doty, MC Dr. Robert Jones, MD (Kaiser Medical Center)

Department/Section: Surgery/Neurogurgery Service

Key Words: cerebrospinal fluid;

Funding: FY 88: \$99. FY 89: \$303. Periodic Review Date: Sep 89

Gifts: None Decision: Continue

OBJECTIVE: To characterize altered consciousness induced by overdrainage of cerebrospinal fluid.

TECHNICAL APPROACH: To create an animal model in which coma can be induced by overdrainage of cerebrospinal fluid. Additionally, we hope to be able to demonstrate complete reversal of coma by replacing the volume of CSF removed. Various parameters of vital functions are to be monitored during the investigation. These include evoked responses (auditory, somatosensory, brainstem), blood pressure, electrocardiogram, and pulse rate. Intracranial pressure will also be measured. Cerebral blood flow monitoring is ultimately desired but will not be pursued until a suitable experimental model is confirmed. We hope to characterize any changes in these parameters induced by the test manuever (CSF Drainage). The test animal will require a craniectomy and insertion of a reservoir to be used for the actual access to the intrathecal compartment chosen form removal of CSF.

PROGRESS: No. of Subjects Enrolled - To Date: NA Reporting Period: NA

\*NOTE: This protocol supersedes TAMC Protocol No. 46A85

Required equipment has been funded and the equipment is in route.

Prot No: 7H88

Status: Ongoing

TITLE: Urine Detectability in Patients and Physicians of Intranasal 4%
Topical Cocaine During Clinical Utilization

Principal Investigator:

MAJ Larry A. Zieske, MC

Associate Investigators: MAJ Charles A. Moore, MS: MAJ Richard D. Kopke, MC;

CPT Charles F. Kava, MC; CPT Eileen M. Mahoney, MC; CPT Mark F. Sheridan, MC; CPT Kevin C. Lunde, MC;

CPT Christopher K. Sinha, MC CPT Sharon M. Tomaski, MC.

Department/Section: Surgery/Otolaryngology Service

Key Words: topical cocaine;

Funding: FY 88: NA FY 89: NA

Periodic Review Date: Sep 89

Gifts: None Decision: Continue

OBJECTIVE: To determine the detectability of intranasally applied 4% topical cocaine in patients and physicians, applying this in their routine clinical practice. A dose versus time post-exposure graph is to be sought. To determine the protectability of surgical gloves to the applying physician. to determine cutaneous absorption of cocaine by urine drug screening.

TECHNICAL APPROACH: To obtain base lines on each physician and patient. To sample patients urine post controlled and documented exposure to cocaine by ENT physicians. The sampling will be: First 6-8 hours post-op and then on a daily basis for 3 days (beyond the normally expected point of negative detection) after any cocaine exposure. Quantification of urine metabolite level will be done as much as possible. Physician samples will also be obtained after use of cocaine with and without latex glove use to check for glove protection and cutaneous absorption. Approximately 24 exposures will be monitored (24 patient and 24 surgeons). The analysis will be by IRA and mass spectrometry. Documenting of all medications will be done (over the counter and prescribed). Chain of custody will be maintained.

<u>PROGRESS</u>: No. of Subjects Enrolled - To Date: NA Reporting Period: NA

Project to start when time available, possibly late 1989 or 1990.

Prot No: NSABP B13(84) Status: Terminated

TITLE: A Protocol to Assess Sequential Methotrexate-5FU in Patients with Primary Breast Cancer and Negative Axillary Nodes Whose Tumors Are Negative for Estrogen Receptor

Principal Investigator: COL Jeffrey Berenberg, MC Associate Investigators: LTC William Uphouse, MC

Department/Section: Nedicine/Hematology-Oncology Service

Key Words: breast cancer;

Funding: FY 88: NA FY 89: NA Periodic Review Date: Sep 89

Gifts: Fluorouracil and Leucovorin Decision: Terminate

OBJECTIVE: To determine if giving a relatively nontoxic chemotherapy program to women after surgery will decrease the chances of relapse and improve survival.

TECHNICAL APPROACH: All eligible patients are randomized to receive (1) chemotherapy with 5-FU and methotrexate twice a month for 1 year or (2) no treatment.

PROGRESS: No. of Subjects Enrolled - To Date: 6 Reporting Period: 6

The patients entered have tolerated the chemotherapy very well. National results shows improved disease-free survival (which was significant) in that treated vs. the untreated group. So far there has been no improvement in overall survival. The protocol was recently terminated as it accrued its target number of patients. The results of longer followup are awaited (in terms of survival differences). There was little toxicity with this program.

Prot No: NSAGP B14(84) Status: Terminated

TITLE: A Protocol to Assess Tamoxifen in Patients with Primary Breast Cancer and Negative Axillary Nodes Whose Tumors Are Positive for Estrogen Receptors

Principal Investigator: COL Jeffrey Berenberg, MC Associate Investigators: LTC William Uphouse, MC

Department/Section: Medicine/Hematology-Oncology Service

Key Words: breast cancer;

Funding: FY 88: NA FY 89: NA

Gifts: Tamoxifen Decision: Terminate

OBJECTIVE: To determine if Tamoxifen given to women after surgery for breast cancer will prolong survival and prevent recurrences.

Periodic Review Date: Sep 89

TECHNICAL APPROACH: All patients who are eligible are randomized to tamoxifen p.o. for 4 years or placebo p.o. for 4 years.

PROGRESS: No. of Subjects Enrolled - To Date: 11 Reporting Period: 11

Nationally the tamoxifen arm of the study have just demonstrated a significantly improved disease-free survival over the placebo arm. So far there has been no difference in overall survival between the 2 arms. The protocol was recently terminated as it accrued its target number of patients. The results of longer followup is awaited (in terms of possible survival differences). There were very few side effects reported (none serious).

Prot No: NSABP B15(84)

Status: Ongoing

TITLE: A Three-Arm Clinical Trial Comparing Short Intensive Chemotherapy With or Without Reinduction Chemotherapy to Conventional CMF in Receptor-Negative Positive-Node Breast Cancer Patients

Principal Investigator: C

COL Jeffrey Berenberg, MC

Associate Investigators: LTC William Uphouse, MC; LTC Joseph Woods, MC

Department/Section: Medicine/Hematology-Oncology Service

Key Words: breast cancer;

Funding: FY 88: NA

Gifts: None

FY 89: NA

Periodic Review Date: Sep 89

Decision: Continue

OBJECTIVE: To determine if a short course of chemotherapy in the adjuvant setting is as effective as the "standard" six months of CMF. Also, to determine if a later "reinduction" will improve survival.

TECHNICAL APPRUACH: Patients agreeing to participate will be randomized to one of three treatment groups: (1) Adriamycin and Cytoxan for four cycles, (2) Adriamycin and Cytoxan as above, then, after six months of rest, three cycles of CMF, or (3) six cycles of CMF ("standard" therapy).

PROGRESS: No. of Subjects Enrolled - To Date: 4 Report

Reporting Period: 4

Patients entered to date at TAMC are doing well. No national data available yet.

Prot No: NSABP B16(84) Status: Terminated

TITLE: A Three-Arm Clinical Trial Comparing Tamoxifen Alone Versus L-PAM, 5-FU, and Tamoxifen Versus Short Intensive Adriamycin-Cyclophosphamide Plus

Tamoxifen in Receptor-Positive Node-Positive Breast Cancer Patients

Principal Investigator: COL Jeffrey Berenberg, MC

Associate Investigators: LTC William Uphouse, MC; LTC Joseph Woods, MC

Department/Section: Medicine/Hematology-Oncology Service

Key Words: breast cancer;

Funding: FY 88: NA FY 89: NA Periodic Review Date: Sep 89

Gifts: None Decision: Terminate

OBJECTIVE: To determine if chemotherapy added to tamoxifen is superior to tamoxifen alone in the adjuvant therapy of receptor-positive breast cancer. Also, to determine which of two chemotherapy regimens, when added to tamoxifen, results in the best survival.

TECHNICAL APPROACH: Fatients agreeing to participate in this study will be randomized to one of three treatments: (1) tamoxifen alone for four years, (2) tamoxifen for four years, plus four cycles of Adriamycin and Cytoxan, or (3) tamoxifen for four years, plus L-PAM and 5-FU every six weeks for 17 courses.

PROGRESS: No. of Subjects Enrolled - To Date: 4 Reporting Period: 4

Four Tripler patients have been entered to date. It is too early for any analyses. No national data are available.

Prot No: NSABP B17(86) Status: Ongoing

TITLE: A Clinical Trial to Evaluate Natural History and Treatment of Patients

with Noninvasive Intraductal Adenocarcinoma

Principal Investigator: COL Jeffrey Berenberg, MC

Associate Investigators: LTC William J. Uphouse, MC; LTC Lawrence Sakas

Department/Section: Medicine/Hematology-Oncology Service

Key Words: adenocarcinoma, noninvasive intraductal;

Funding: FY 88: NA FY 89: NA Periodic Review Date: Sep 89

Gifts: None Decision: Continue

<u>OBJECTIVE</u>: To determine whether lumpectomy is an effective operation for the treatment of noninvasive breast cancer and if radiation treatments add to that effectiveness.

TECHNICAL APPROACH: Patients agreeing to participate in the study will be randomized after lumpectomy to receive or not receive radiation therapy to the involved breast.

PROGRESS: No. of Subjects Enrolled - To Date: 0 Reporting Period: 0

This protocol is still relatively new. We do expect to accrue patients per Dr. Lee in General Surgery Service, Department of Surgery.

Prot No: NSABP B18(89) Status: Ongoing

TITLE: A Unified Trial to Compare Short Intensive Preoperative Systemic Adriamycin Cyclophosphamide Therapy with Similar Therapy Administered in Conventional Postoperative Fashion

Principal Investigator: COL Jeffrey L. Berenberg, MC Associate Investigators: LTC William J. Uphouse, MC

Department/Section: Medicine/Hematology-Oncology Service

Key Words: adriamycin;cyclophosphamide;

Funding: FY 88: NA FY 89: NA Periodic Review Date: Sep 89

Gifts: None Decision: Continue

OBJECTIVE: To determine whether 4 courses of preoperative chemotherapy will more effectively prolong disease-free survival and survival than the same 4 courses of chemotherapy given postoperatively in patients with operable breast cancer.

TECHNICAL APPROACH: Patients agreeing to participate will be randomized to receive 4 cycles of adriamycin and cytoxan (day 1 IV every 3 weeks) preoperatively or to receive the same 4 cycles of chemotherapy postoperatively. Tamoxifen will be given twice a day after surgery to all patients age 50 years or more (regardless of which chemotherapy group they are assigned).

PROGRESS: No. of Subjects Enrolled - To Date: O Reporting Period: O

This protocol just opened. No data are available yet.

Prot No: NSABP 819(89) Status: Ongoing

TITLE: A Clinical Trial to Compare Sequential Methotrexate 5-Fluorouracil (M-F) with Conventional CMF in Primary Breast Cancer Patients with Negative Nodes and Estrogen Receptor Negative Tumors

Principal Investigator: COL Jeffrey Berenberg, MC Associate Investigators: LTC William J. Uphouse, MC

Department/Section: Medicine/Hematology-Oncology Service

Key Words: methotrexate; 5-fluorouracil;

Funding: FY 88: NA FY 89: NA Periodic Review Date: Sep 89

Gifts: None Decision: Continue

OBJECTIVE: To determine if 6 cycles of Cyclophosphamide, Methotrexate and 5-fluorouracil is as effective or more effective than 6 cycles of sequential Methotrexate, 5-fluorouracil followed by Leucovorin in the prolongation of disease-free survival and survival in resected, node negative breast cancer.

TECHNICAL APPROACH: Patients agreeing to participate will be randomized post-op to receive either 1) 6 cycles of Cyclophosphamide, Methotrexate and 5-fluorouracil or 2) 6 cycles of sequential Methotrexate 5-fluorouracil (with Leucovorin).

PROGRESS: No. of Subjects Enrolled - To Date: 1 Reporting Period: 1

This study opened very recently and no data are available yet.

Prot No: NSABP B20(89) Status: Ongoing

TITLE: A Clinical Trial to Determine the Worth of Chemotherapy and Tamoxifen over Tamoxifen Alone in the Management of Patients with Primary Invasive Breast Cancer, Negative Axillary Nodes and Estrogen Receptor Positive Tumors

Principal Investigator: COL Jeffrey Berenberg, MC Associate Investigators: LTC William J. Uphouse, MC

Department/Section: Medicine/Hematology-Oncology Service

Key Words: tamoxifen;

Funding: FY 88: NA FY 89: NA Periodic Review Date: Sep 89

Gifts: None Decision: Continue

OBJECTIVE: To determine if Methotrexate plus 5-fluorouracil plus Leucovorin plus Tamoxifen is more effective in terms of disease-free survival and survival than Tamoxifen alone in node negative estrogen receptor positive restated breast cancer. Also to determine if Cyclophosphamide plus Methotrexate plus 5-fluorouracil (CMF) plus Tamoxifen is more effective than Tamoxifen alone. Finally, to compare the 2 chemo programs to each other.

TECHNICAL APPROACH: Patients agreeing to participate will be randomized to receive 1) Tamoxifen alone for 5 years, 2) Methotrexate, 5-fluorouracil and Leucovorin every 4 weeks for 6 cycles + Tamoxifen as above, or 3) CMF every 4 weeks for 6 cycles + Tamoxifen as above.

PROGRESS: No. of Subjects Enrolled - To Date: O Reporting Period: O

This protocol just opened and no data are available yet.

Status: Ongoing Prot No: NSABP B-22(89)

TITLE: A Clinical Trial to Evaluate the Effect of Dose Intensification and Increased Cumulative Dose of Postoperative Adriamycin-Cyclophosphamide (AC) Therapy on the Disease-Free Survival and Survival of Patients with Primary Breast Cancer and Positive Axillary Nodes

Principal Investigator:

COL Jeffrey Berenberg, MC

Associate Investigators: LTC William J. Uphouse, MC; LTC Lawrence Sakas, MC;

MAJ Luke M. Stapleton, MC; CPT Scott Martin, MS;

LTC Yeu-Tsu Margaret Lee, MC; MAJ Marianne M. Young, MC

Department/Section: Medicine/Medical Hematology-Oncology Service

Key Words: adriamycin-cyclophosphamide (AC);

Funding: FY 88: NA

FY 89: NA

Periodic Review Date: Sep 89

Gifts: None Decision: Continue

OBJECTIVE: To determine whether giving larger doses of CTX is the first 2 or 4 cycles of adjuvant CTX and ADRIA chemotherapy will improve the survival of breast cancer patients over patients given standard doses of those 2 drugs for 4 cycles. To determine if larger doses of CTX in all 4 cycles is superior to 4 cycles at standard doses.

TECHNICAL APPROACH: Patients agreeing to participate will be randomized to receive 1 of 3 dose schedules of CTX and ADRIA IV day one every 3 weeks for 4 cycles (i.e., 12 weeks). Patients age 50 and over will also receive Tamoxifen 10 mg p.o. twice daily for 5 years.

Reporting Period: 0 PROGRESS: No. of Subjects Enrolled - To Date: 0

This protocol just opened and no data are available yet.

Prot No: POG 8104(83) Status: Ongoing

TITLE: Comprehensive Care of the Child with Neuroblastoma: A Stage and Age Oriented Study, Phase III

Principal Investigator: LTC Bruce A. Cook, MC

Associate Investigators:

Department/Section: Pediatrics/Hematology-Oncology Service

Key Words: neuroblastoma:

Funding: FY 88: NA FY 89: NA Periodic Review Date: Sep 89

Gifts: VM-26 Decision: Continue

OBJECTIVE: Attempts to reduce later complications by separating by age and stage those patients that require surgery only, surgery and chemotherapy, surgery, chemotherapy, and radiation therapy, etc.

TECHNICAL APPROACH: Pediatric patients and adolescent patients under the age of 18 with neuroblastoma are eligible for enrollment in this study. Treatment will be as outlined in the study protocol.

PROGRESS: No. of Subjects Enrolled - To Date: 5 Reporting Period: 5

With the opening of new POG protocols, this study has now been limited to:

1) Newly diagnosed Stage A.

2) Newly diagnosed Stage C. (Age >365 days).

3) Newly diagnosed Stage Ds (Surgery only option).

\*4) Stage A Recurrence (if >365 days).
\*5) Stage A Recurrence (if <365 days, Stage C or D at recurrence).

\*6) Stage B, C, D failure.

\*All recurrences must have been previously registered on POG 8104.

No new patients have been registered on this study during the last year. At this time the only arms remaining open to patient registration are Stage A and DS surgery only. The remaining arms have been terminated because of sufficient patient accrual to answer the study question. A manuscript on Stage A patients was published in the Aug 88 Journal of Clinical Oncology. Manuscripts for Stage B and D are in progress. Included is data from Stage C patients only.

Prot No: POG 8158(83) Status: Ongoing

TITLE: NWTS Long Term Follow-up Study

Principal Investigator: LTC Bruce A. Cook, MC

Associate Investigators:

Department/Section: Pediatrics/Hematology-Oncology Service

Key Words: Wilm's tumor:

Funding: FY 88: NA FY 89: NA Periodic Review Date: Sep 89

Gifts: None Decision: Continue

OBJECTIVE: To examine the late consequences of successful treatment given for Wilms' tumor.

TECHNICAL APPROACH: Pediatric patients and adolescent patients under 18 years of age with Wilms' tumor will be eligible. Treatment will be as outlined in the study protocol.

PROGRESS: No. of Subjects Enrolled - To Date: O Reporting Period: O

No TAMC patients have been entered into this protocol as yet. This is a non therapeutic study designed to gather epidemiologic and late effects data on long term (>5yrs) survivors of Wilm's tumor. No Tripler patients have been registered to date. Nationally 154 patient registrants have been accrued. No detailed results are available yet and the study remains open.

An abstract has been published AACR 27:204 1986.

Prot No: POG 8346(85) Status: Terminated

TITLE: Comprehensive Therapy for Ewing's Sarcoma: Tailored Versus Standard

Radiation Therapy, Phase III

Principal Investigator: LTC Bruce A. Cook, MC;

Associate Investigators: LTC Joseph Woods, MC; COL Peter Barcia, MC

Department/Section: Pediatrics/Hematology-Oncology Service

Key Words: Ewing's sarcoma;

Funding: FY 88: NA FY 89: NA Periodic Review Date: Sep 89

Gifts: None Decision: Terminated

OBJECTIVE: This study is directed toward comprehensive care of the child with Ewing's Sarcoma. Several questions are being asked in this study, but there are essentially two major points to the investigation: (1) Do sequential cyclophosphamide and Adriamycin produce complete or partial responses as well as group and historical controls? (2) Is local tumor control achieved as well with radiation therapy to a small field (tumor plus margin) as compared to the standard whole bone field?

TECHNICAL APPROACH: After initial induction chemotherapy, patients are evaluated to assess completeness of response. Patients are then randomized to small field or whole bone radiation.

PROGRESS: No. of Subjects Enrolled - To Date: 1 Reporting Period: 1

One TAMC patient have been registered on this protocol, it remains open to patient entry. One abstract has been accepted utilizing data from this study - SIOP - 1985. At 48 months follow-up survival in all patients is 60%.

This study was terminated 7 November 1988 because patient accrual was adequate to answer the study questions. One hundred eighty four patients have been entered on study and 162 are fully eligible. Grade IV toxicity is noted. Outcome by primary site and size of primary is included (table 6&7). Figure 1 represents event free survival and survival for eligible patients managed primarily by chemotherapy and XRT. Figure 3 includes all eligible patients analyzed for survival

Prot No: POG 8451(86) Status: Ongoing

TITLE: Intergroup Rhabdomyosarcoma - Study III

Principal Investigator: LTC' Bruce A. Cook, MC

Associate Investigators:

Department/Section: Pediatric/Hematology-Oncology Service

Key Words: rhabdomyosarcoma;

Funding: FY 88: NA FY 89: NA Periodic Review Date: Sep 89

Gifts: Drugs Decision: Continue

<u>OBJECTIVE</u>: This protocol is the new Intergroup Rhabdomyosarcoma III study designed to provide definitive care to all new cases of rhabdomyosarcoma less than 21 years of age.

TECHNICAL APPROACH: Multiagent chemotherapy and radiotherapy tailored to: site of disease, histologic subtype and stage of disease. Results will be compared to IRS I & II (historical controls).

PROGRESS: No. of Subjects Enrolled - To Date: 1 Reporting Period: 1

One Tripler patient has been enrolled in this study. The patient is 20 months into therapy and has done very well with minimal toxicity. Nationally 256 patients have been entered in the study. No abstracts or publications have been published at this time.

Nine hundred twenty two patients have been registered nationally with 835 being eligible for evaluation. The results for randomized treatments are still blinded. There is an ASCO 1989 abstract.

Prot No: POG 8493(85) Status: Terminated

TITLE: Infant Leukemia Protocol, Group-Wide Pilot

Principal Investigator: LTC Bruce A. Cook, MC Associate Investigators: LTC Joseph C. Woods, MC

Department/Section: Pediatrics/Hematology-Oncology Service

Key Words: infant leukemia;

Funding: FY 88: NA FY 89: NA Periodic Review Date: Sep 89

Gifts: VM-26 Decision: Terminate

<u>OBJECTIVE</u>: To study biologic differences of acute lymphocytic leukemia (ALL) in infants and improve the very poor disease-free survival in this group. A major objective is to identify toxicities and determine criteria for dose modification in infants.

TECHNICAL APPROACH: All patients will be treated with the same regimen and response rates will be compared to 75 controls from POG's previous ALL studies.

PROGRESS: No. of Subjects Enrolled - To Date: 1 Reporting Period: 1

No TAMC patients have been enrolled in this study, which remains open at this time.

Abstracts: Blood 6S(S): 252A, 1986.

Proc. ASCO Vol. 6:161, 1987.

Study terminated 18 February 1989 because enough patients had been entered to answer the study question. Statistical analysis is ongoing, however, the following points can be made: (1) Induction of remission was 96% which was significantly better than historical controls (p=.005). (2) Disease free survival (DFS) is superior to historical controls; two year DFS is 27%. (3), Among the prognostic factors studied significant adverse factors include age <9 mo, pre-B phenotype and WBC count >50,000. (4) Toxicity. Considerable hematologic toxicity was observed with frequent serious infections. The recognition of infants with low serum IqG levels prompted the addition of the use of IV immune globulin. This appears to have reduced the incidence of infection.

Prot No: FOG 8552(85) Status: Ongoing

TITLE: A Case Control Study of Childhood Rhabdomyosarcoma

Principal Investigator: LTC Bruce A. Cook, MC

Associate Investigators:

Department/Section: Pediatrics/Hematology-Oncology Service

Key Words: rhabdomyosarcoma;

Funding: FY 88: NA FY 89: NA Periodic Review Date: Sep 89

Gifts: None Decision: Continue

OBJECTIVE: To evaluate the relationships between environmental exposures. gestational factors, and genetic factors in childhood rhabdomyosarcoma.

TECHNICAL APPROACH: Data will be collected by telephone interview conducted by the Intergroup Rhabdomyosarcoma Group and by a questionnaire. These data will be correlated with biologic data collected from treatment protocol forms.

PROGRESS: No. of Subjects Enrolled - To Date: 0 Reporting Period: 0

No TAMC patients have been enrolled on this study to date. It remains open.

56 patients registered nationally.

Publication: J Clin Oncology 2:670-675, 1984.

Med Hypotheses 12:17-20, 1983. J Natl Cancer Inst 68(1):107-113, 1982

Seventy nine patients have been enrolled nationally. No specific data except preliminary reports and methods as noted in publications above.

Prot No: POG 8561(87) Status: Terminated

TITLE: Phase II Study of 6-Mercaptopurine Administered as an Intravenous

Infusion for Malignant Solid tumors and Acute Leukemia

Principal Investigator: LTC Bruce A. Cook, MC

Associate Investigators:

Department/Section: Pediatrics/Hematology/Oncology Service

Key Words: acute leukemia; 6-Mercaptopurine;

Funding: FY 88: NA FY 89: NA Periodic Review Date:

Gifts: None Decision: Terminate

a. To determine response rate of children with advanced malignant disease for whom no effective anti-cancer therapy is known to treatment with 6-mercaptopurine (6-MP) administered as a 48-hour IV infusion. b. to further assess the toxicity in a larger group of children.

a. Patients will be given 6-MP, 1.2  $gm/M^2/day \times 48$ TECHNICAL APPROACH: hours by continuous infusion. Dilution = 1 mg/ml as a 48-hr infusion at the dose rate of  $50 \text{mg/M}^2/\text{hr}$ . b. Treatment frequency: Cycles will be repeated every 21 days if counts are adequate: ANC must be ≥1500 µl and platelets >100,000/µl unless BM compromised.

Reporting Period: 0 PROGRESS: No. of Subjects Enrolled - To Date: 0

Nationally 108 patients have been entered in this study. Toxicity has been as expected, pancytopenia, alopecia, stomatitis and nausea/vomiting. Some hepatic and renal toxicity of grade 2-3 have been reported but the majority have not experienced toxicity in this area.

This study has been terminated because patient accrual has been adequate to answer the study question. Statistical analysis of results are in progress.

Prot No: POG 8600/01/02 (86) Status: Ongoing

TITLE: Evaluation of Treatment Regimens in Acute Lymphoid Leukemia of

Childhood (ALinC 14C)

Principal Investigator: LTC Bruce A. Cook, MC

Associate Investigators:

Department/Section: Pediatrics/Hematology-Oncology Service

Key Words: Teukemia;

Funding: FY 88: NA FY 89: NA Periodic Review Date: Sep 89

Gifts: None Decision: Continue

OBJECTIVE: To thoroughly classify by laboratory methods the type of leukemia in children newly diagnosed with ALL, to see if better characterization of newly diagnosed leukemia can better define different prognostic groups. To provide comprehensive care of children newly diagnosed with ALL.

TECHNICAL APPROACH: Multiagent chemotherapy of ALL. Results of therapy will be compared to previous POG protocols for therapy of ALL which serve as historical controls. Data will be used to construct new treatment regimens based on prognostic groups and previous therapeutic studies.

PROGRESS: No. of Subjects Enrolled - To Date: 5 Reporting Period: 2

Three Pediatric patients enrolled at this time. 886 pateints have been entered into this study nationally. It appears that chromosone Ploidy, is an important prognostic factor. Event free survival for all patients at 18 months follow-up is about 80%.

Publication: Blood 70(6): 1962-1965, 1987

Blood 72(1): 229-307, 1988

POG 8600 has enrolled 1,511 patients nationally the following factors have been found to be prognostic: (1) Within non-T, non-B: White count, age, ploidy, MYIO. (2) Within T: No significant factors. (3) Pre-B is not a significant factor at this time. 8602 Summary: (1) Overall remission induction rate is 97%. (2) Pre-B has not been a significant adverse prognostic factor, no significant difference in event free survival between Arm D and the other arms. (3) CNS relapses are rare; no isolated testicular relapses have yet occurred and marrow relapses are low. (4) Two year event free survival is 84%. (5) Duke MYIO and St. Jude Ploidy are significant prognostic factors for early event free survival. (6) Toxicity concerns have been infections, allergic reactions, transaminase elevations and hematologic suppression.

Prot No: POG 8617/18(87) Status: Ongoing

TITLE: Therapy for B-Cell Acute Lymphoblastic Leukemia and Advanced Diffuse

Undifferentiated Lymphomas

Principal Investigator: LTC Bruce A. Cook, MC

Associate Investigators:

Department/Section: Pediatrics/Hematology Oncology Service

Key Words: acute lymphocytic leukemia;

Funding: FY 88: NA FY 89: NA Periodic Review Date: Sep 89

Gifts: None Decision: Continue

OBJECTIVE: a. To estimate the complete remission (CR) rate in patients with Stage IV diffuse undifferentiated non-Hodgkin's lymphoma (DU NHL) and B-cell acute lymphocytic leukemia (B-ALL) with a new schedule of administration of three active agents: "split-dose" cyclophosphamide (cyclo) + Adriamycin (Adria) + vincristine (VCR). b. To estimate chemotherapeutic cure rate in State IV DU NHL and B-ALL with a brief (6 months) intensive rotational chemotherapy program designed to confer greater protection against central nervous system (CNS) disease and marrow relapse. c. To estimate the reinduction rate and disease-free survival rate for patients in relapse with non-lymphoblastic lymphoma.

TECHNICAL APPROACH: All patients are treated with four cycles of high dose cytoxan, vincristine, daunomycin plus IT therapy with MTX and ARA-C alternated with 4 cycles of high dose MTX, high dose ARA-C and IT MTX and ARA-C.

PROGRESS: No. of Subjects Enrolled - To Date: 1 Reporting Period: 0

Fourty-two patients have been entered on this study nationally with 38 being considered fully evaluable. Of 23 evaluable B-cell ALL 13 remain in continuous complete remission. Of the 15 evaluable stage IV lymphoma 11 remain in continuous complete remission. Toxicity has been encountered including 4 deaths from fungal infectious and one death off therapy from pneumocystis corinii. Reversible myelopathy has also been encountered.

Prot No: POG 8631(87) Status: Ongoing

TITLE: Medulloblastoma Favorable Prognosis: Randomized Study of Reduced Dose Irradiation to Brain and Spinal Contents vs. Standard Dose Irradiation

Principal Investigator: LTC Bruce A. Cook, MC

Associate Investigators:

Department/Section: Pediatrics/Hematology/Oncology Service

Key Words: medulloblastoma; radiation;

Funding: FY 88: NA FY 89: NA Periodic Review Date: Sep 89

Gifts: None Decision: Continue

OBJECTIVE: To see if reduced irradiation to the spinal contents and supratentorial area of the brain can achieve an equal rate of disease-free survival and a lesser degree of psychomotor retardation as compared to standard dose irradiation.

TECHNICAL APPROACH: All registered children will be randomized into one of two treatment arms (a) Arm 1--3600 rads to whole brain and spinal contents plus an additional 1800 rads to posterior fossa, and (b) Arm 2--2340 rads to whole brain and spinal contents plus an additional 3060 rads to posterior fossa.

PROGRESS: No. of Subjects Enrolled - To Date: 0 Reporting Period: 0

No Tripler patients have been enrolled in this study. Nationally a total of 44 patients have been registered. Toxicity has been mild. To early in the study to determine statistical differences.

Prot No: POG 8633/34(89) Status: Ongoing

TITLE: The Treatment of Children Less Than Three Years of Age with Malignant Brain Tumors Using Postoperative Chemotherapy and Delayed Irradiation

prain (unions osing rostoperacive chemotherapy and belayed irradiacion

Principal Investigator: LTC Bruce A. Cook, MC

Associate Investigators:

Department/Section: Pediatrics/Hematology-Oncology Service

Key Words: postoperative chemotherapy;

Funding: FY 88: NA FY 89: NA Periodic Review Date: Sep 89

Gifts: None Decision: Continue

OBJECTIVE: To determine if the use of postoperative chemotherapy in children less than 36 months of age with malignant brain tumors will allow for the delay of cranial irradiation for 12 months in children 2-3 years at diagnosis and 24 months for those less than two years old. To estimate the response (CR or PR) to two cycles of cyclophosphamide and vincristine in children with measurable tumor at the initiation of chemotherapy. To estimate the objective reponse rate (CR, PR, SD) and disease control interval with this multi-agent chemotherapy regimens. To estimate the disease control interval, recurrent-free survival, and survival for children following chemotherapy and radiation therapy in each disease category. To establish the acute and chronic toxicities of this approach, including neurological, neuropsychological, endocrine, and somatic effects.

TECHNICAL APPROACH: Children will be randomized to one of two treatment programs based on age at diagnosis. Chemotherapy will consist of vincristine (.065 mg/kg) and cytoxan (65 mg/kg) alternated with cisplatinum (4 mg/kg) and VP-16 (6.5 mg/kg) as per the attached treatment schema. Upon completion of chemotherapy, children with a complete response will receive radiotherapy. Children with stable disease or a partial response may have a second surgical procedure followed by radiotherapy.

PROGRESS: No. of Subjects Enrolled - To Date: 1 Reporting Period: 1

One TAMC patient enrolled during this evaluation period demonstrated persistent disease following treatment on 8633. He has just completed radiation therapy per POG 8634.

POG April 89 report indicates 120 patients enrolled as of Nov 1988: 78 in 0-23 month age group, 37 in 24-36 month age group. Thirty five patients went off study for progressive disease but only 17 were registered on 8634. Overall survival at 2 years are essentially the same for each age group. See attached survival figures to include evaluation by histologic types. It is too early for analysis of response on 8634.

Prot No: POG 8650(89) Status: Ongoing

TITLE: National Wilms' Tumor Study 4

Principal Investigator: LTC Bruce A. Cook, MC

Associate Investigators:

Department/Section: Pediatrics/Pediatric Hematology/Oncology Section

Key Words: Wilms' tumor;

Funding: FY 88: NA FY 89: NA Periodic Review Date: Sep 89

Gifts: None Decision: Continue

OBJECTIVE: To compare the relapse-free and overall survival rates of 1) stages I and II FH patients and stage I anaplastic patients treated with conventional CT vs pulse-intensive CT with vincristine and actinomycin D; 2) patients with stage III and IV FH Wilms' and stage I-IV CCSK who are treated with conventional CT vs pulse-intensive CT with vincristine, actinomycin D, and Adriamycin + XRT; 3) patients with stage II-IV anaplastic Wilms' who are treated with vincristine, actinomycin D, and Adriamycin vs those three drugs in combination with cyclophosphamide and XRT; 4) patients with stage II-IV FH and stage I-IV CCSK who are treated for 6 mos vs approximately 15 mos post-nephrectomy.

TECHNICAL APPROACH: Patients with stage I-IV favorable histology (FH) or stage I-IV anaplastic Wilms' tumor, or stage I-IV clear cell sarcoma of the kidney (CCSK). Must have undergone nephrectomy, but no prior CT or XRT. Must be ≺16 yrs of age. Followed: Must have stage I-IV anaplastic Wilms' tumor, stage I-IV CCSK, or stage I-IV malignant rhabdoid tumor of the kidney. Must have a medical or social reason precluding randomization (see Sec. 4.122), including age >16 yrs. Registered: 1) Patients with histologically confirmed mesoblastic nephroma or diagnosis other than Wilms', anaplastic, clear cell, or rhabdoid tumor (to include those patients who have been previously treated or who have died post-op); OR 2) patients who have received prior therapy

PROGRESS: No. of Subjects Enrolled - To Date: 2 Reporting Period: 2

Nationally 310 patients have been registered. No statistical analysis available at this time.

Prot No: POG 8651(86) Status: Ongoing

TITLE: Osteosarcoma Study #2: A Randomized Trial of Pre-Surgical Chemotherapy vs Immediate Surgery and Adjuvant Chemotherapy in the Treatment of Nonmetastatic Osteosarcoma, Phase III

Principal Investigator: LTC Bruce A. Cook, MC

Associate Investigators:

Department/Section: Pediatric/Hematology-Oncology Service

Key Words: osteosarcoma, chemotherapy;

Funding: FY 88: NA FY 89: NA Periodic Review Date: Sep 89

Gifts: Methotrexate Decision: Continue

OBJECTIVE: To compare delayed surgery group to their immediate surgery controls to see if (1) those patients considered ineligible for limb salvage can be converted to candidates for limb salvage, and (2) preoperative chemotherapy improves disease-free survival.

TECHNICAL APPROACH: Multiagent chemotherapy utilizing methotrexate, adriamycin, cis-platinum, Bleomycin, Actinomycin-D and Cytoxan over 42 weeks. One hald of patients are randomized to immediate therapy. The remainder receive 10 weeks of adjuvant chemotherapy prior to definitive surgery.

PROGRESS: No. of Subjects Enrolled - To Date: 3 Reporting Period: 0

3 TAMC patients have been enrolled in this study. Toxicity has been primarily hematopoietic. Bleomycin induced (transient) pulmonary toxicity was noted in one patient. Two patients are alive and well with no evidence of active disease. One TAMC patient has died of recurrent disease.

As of POG April 89 report, 43 patients have been registered: 21 to presurgery chemotherapy, 22 to post-operative chemotherapy. Most common toxicities are neutropenia, thrombocytopenia, stomatitis/mucositis and elevated transaminases. Treatment specific response remains masked but overall disease-free survival curve and life table analysis has been provided.

Prot No: POG 8696/97(87) Status: Ongoing

TITLE: Treatment of Hepatoblastoma (HB) with Surgery, Chemotherapy, and Radiation Therapy

Radiacion inerapy

Principal Investigator: LTC Bruce A. Cook, MC

Associate Investigators:

Department/Section: Pediatrics/Hematology-Oncology Service

Key Words: hepatoblastoma (HB);

Funding: FY 88: NA FY 89: NA Periodic Review Date: Sep 89

Gifts: None Decision: Continue

OBJECTIVE: This is a study directed toward comprehensive care of the child with hepatoblastoma. There is only scattered data on therapy or survival in this relatively rare tumor of childhood. This study will involve single arm studies of each stage of the disease using the anticipated best available therapy for each stage. This study will establish a benchmark for future therapies and explore the importance of several factors including: 1) Histology 2) Modern studying and surgical therapy, 3) Alpha-fetoprotein levels, 4) chemotherapy (cis-platinum, vincristine, 5-FU for 80 days), and 5) Radiotherapy to localized unresectable disease.

TECHNICAL APPROACH: These are single armed studies stratified by stage. There is no randomination.

/ROGRESS: No. of Subjects Enrolled - To Date: 1 Reporting Period: 1

Nationally 59 fully evaluable patients are available. All patients with measurable disease have had at least a partial response to chemotherapy. 8696: Stage I, One patient has relapsed with AFP negative tumor. Three others remain free of disease post surgery. 8697: Stage IIA, 9 patients remain in remission after surgery (27-30 mo). Stage II C, 3 patients are in remission 27 to 30 months from surgery. One death from unrelated causes. Stage III, 10 of 12 patients achieved complete remission with surgery following chemotherapy. They remain disease free 3-30 months post surgery. Two patients achieved only partial remission and went on to liver transplant. One remains alive. Stage IV: 12 evaluable patients. Eight achieved complete remission with chemotherapy and surgery. Two of these children have relapsed. Four patients achieved only a partial remission and 3 of these have died.

Most patients have experienced grade IV hematologic toxicity. One patient had severe electrolyte problems requiring reduction of cis-platinum.

Prot No: POG 8704(89) Status: Engoing

TITLE: 1-Cell 13 Protocol

Principal Investigator: LTC Bruce A. Cook, MC

Associate Investigators:

Department/Section: Padjatrics/Pediatric Hematology/Oncology Section

Key Words: lymphoblastic lymphoma;

Funding: FY 88: NA FY 89: NA Periodic Review Date: Sep 89

Gifts: None Decision: Continue

OBJECTIVE: 1) To determine efficacy of multiagent chemotherapy targeted for patients with T-cell malignancies (leukemia and advanced T-cell lymphoblastic lymphoma). 2) To determine value of high dose L-asparaginase in the first phase of maintenance chemotherapy. 3) To study the biology of malignant T-cell disease.

TECHNICAL APPROACH: Common 14 week induction therapy of Vincristine, Prednisone, Cytoxan, Adriamycin, VM-26, Ara-C, Asparaginase and CNS Prophylaxis or treatment followed by randomization to one of two treatment arms: Trt I - 10 nine-week cycles of alternating Cytoxin/Ara-C, Vincristine/Pred/Adriamycin/6-MP, and VM-26/Ara-C Trt II along with L-asparaginase weekly x 20 weeks starting at beginning of maintenance.

PROGRESS: No. of Subjects Enrolled - To Date: 1 Reporting Period: 1

One TAMC patient enrolled to date, subsequently transferred to another POG institution (WRAMC) for continued therapy on protocol.

POG April 1989 report reveals 182 patients registered as of Nov88. Post induction CR is 99% for T-ALL, 95% for T-NHL. Disease free survival at two years (8691/8704 combined) appears superior to LSA $_2$ L $_2$  + XRT.

Comparison between arms remains masked. Two year disease free survival figure is provided.

Prot No: POG 8725(88) Status: Ongoing

TITLE: Randomized Study of Intensive Chemotherapy (MOPP/ABVD) + Low-Dose Tutal Nodal Radiation Therapy in the Treatment of Stages IIB, ITIA, IIIB, IV Hodgkin's Disease in Pediatric Patients

Principal Investigator: LTC Bruce A. Cook, MC

Associate Investigators:

Department/Section: Pediatrics/Hematology-Oncology Service

Key Words: total nodal radiation therapy (TNRT);

Funding: FY 88: NA FY 89: NA Periodic Review Date: Sep 89

Gifts: None Decision: Continue

OBJECTIVE: a. To determine, in a randomized study, whether the addition of Tow-dose total nodal radiation therapy (TNRT) in pediatric patients with Hodgkin's disease who have achieved a complete remission after receiving 4 courses of MOPP alternating with 4 courses of ABVD will improve the duration of complete remission and survival when compared to patients who have received chemotherapy alone. b. To determine whether TNRT will significantly (i.e., grade 3 or 4) increase either acute toxicity or long-term morbidity when compared to MOPP/ABVD alone. c. To determine the effect of chemotherapy as compared to chemotherapy plus TNRT on splenic function as determined by the pitted erythrocyte count using Nomarski optics.

TECHNICAL APPROACH: Randomized treatment study (National protocol). Following chemotherapy of MOPP/ABVD, those patients assessed to be disease free will be equally randomized to TNRT or no further therapy.

PROGRESS: No. of Subjects Enrolled - To Date: 1 Reporting Period: 1

POG April 89 report indicates 38 patients enrolled through Nov 1988. Limited response data available. Too early for toxicity or survival assessment.

Prot No: POG 8741/42(87) Status: Ongoing

TITLE: Treatment of Stage D Neuroblastoma in Children Greater Than or Equal to 365 Days at Diagnosis

Principal Investigator: LTC Bruce A. Cook, MC

Associate Investigators:

Department/Section: Pediatrics/Hematology-Oncology Service

Key Words: neuroblastoma;

Funding: FY 88: NA FY 89: NA Periodic Review Date: Sep 89

Gifts: None Decision: Continue

OBJECTIVE: This study is designed to look specifically at children in the worst prognostic groups of neuroblastoma. This study will employ four phase two agents in addition to standard chemotherapy.

TECHNICAL APPROACH: Children will be randomized to receive one of 4 phase two agents as initial drug therapy. After two courses they will then be randomized to one of two standard treatment arms for completion of therapy. Results will be compared to historical group controls.

PROGRESS: No. of Subjects Enrolled - To Date: 1 Reporting Period: 1

POG April 89 report indicates 96 patients enrolled on POG 8741 and 87 on POG 8742 as of Nov 1988. Treatment specific induction response rates are marked but across all arms for the 86 evaluable patients PR is 37%, MR is 14%, No response is 34%. Most severe toxicity remains neutropenia and thrombocytopenia. The POG 8742 survival curve and life cable for all patients is provided.

Prot No: POG 8764(88) Status: Ongoing

TITLE: Chemotherapy Regimen for Early and Initial Induction Failures in Childhood Acute Lymphoblastic Leukemia - A Pediatric Oncology Group Phase li Study

Principal Investigator: LTC Bruce A. Cook, MC

Associate Investigators:

Department/Section: Pediatrics/Hematology-Uncology Service

Key Words: lymphoblastic leukemia

Funding: FY 88: NA FY 89: NA Periodic Review Date: Sep 89

Gifts: None Decision: Continue

OBJECTIVE: To estimate the complete remission rate for early and initial induction failures in childhood ALL based on an induction regimen of VM-26 and continuous infusion cytosine arabinoside (Ara-C); to estimate the one-year disease-free survival for early and initial induction failures in childhood ALL, based on a new regimen; to try and better characterize this unique subpopulation of patients with primary drug resistance using cDNA probes for the multidrug-resistant phenotype and obtain an oncogene profile.

TECHNICAL APPROACH: Remission induction with standard dose continuous ARA-C, high dose VM-26 and TIT. Continuation therapy with MTX, ARA-C, VM-26, Daunomycin adn 6-MP.

PROGRESS: No. of Subjects Enrolled - To Date: 1 Reporting Period: 1

POG April 89 report reveals slower than expected patient accrual with only 7 patients enrolled to date (G natients/years vs projected 9/yr). Data available on 6 patients reveal 1 CR, 3 PR, 2 nonresponders.

Status: 'Ongoing Prot No: POG 8821(88)

TITLE: AML#3: Intensive Multiagent Therapy vs. Autologous Bone Marrow Transplant Early in First CR for Children with Acute Myelocytic Leukemia

Principal Investigator: LTC Bruce A. Cook, MC

Associate Investigators:

Department/Section: Pediatrics/Hematology-Oncology Service

Key Words: acute myelocytic leukemia;

FY 89: NA Funding: FY 88: NA Periodic Review Date: Sep 89

Gifts: None Decision: Continue

OBJECTIVE: a) To determine the disease-free survival (DFS) and event-free survival (EPS) in childhood acute myelocytic Leukemia (AML) offered by intensive chemotherapy with alternating non-cross resistant drug combinations for nine courses. b) To determine if short (three course) intensive chemotherapy (identical to the first three courses of the above regimen) followed by autologous bone marrow transplant (BMT) using the Busulfan/Cytoxan preparative regimen and 4-Hydroperoxycyclophosphamide (4-HC) purged marrow is effective therapy. c) To compare, in a randomized study, the results of the above two regimens. d) To correlate the treatment outcome with clinical and laboratory features.

TECHNICAL APPROACH: Patients to be equally randomized (after remission induction with 6-IG, ARA-C and Daunomycin to standard chemotherapy for maintenance or autologous bone marrow with 4-HC purging and no further therapy.

PROGRESS: No. of Subjects Enrolled - To Date: 1 Reporting Period: 1

POG April 1989 report reveals 59 patients enrolled through Dec 1988. CR achieved in 39 of 46 (84.8%) patients with data sufficient for evaluation.

Prot No: POG 8850(89) Status: Ongoing

TITLE: Evaluation of Vincristine, Adriamycin, Cyclophosphamide, and Dactinomycin with or without the Addition of Ifosfamide and Etoposide in the Treatment of Patients with Newly-Diagnosed Ewing's Sarcoma or Primitive Neuroectodermal Tumor of Bone: A Phase III Intergroup Study

Principal Investigator: LTC Bruce A. Cook, MC

Associate Investigators:

Department/Section: Pediatrics/Pediatric Hematology/Oncology Section

Key Words: Ewing's sarcoma;

Funding: FY 88: NA FY 89: NA Periodic Review Date: Sep 89

Gifts: None Decision: Continue

OBJECTIVE: Primarily: To determine and compare the EFS of patients treated with VP-16 and Ifosfamide in addition to standard therapy vs treatment with standard therapy alone. Secondarily: a) Evaluate toxicities and adverse orthopedic outcomes associated with disease and therapies; b) Assess significance of tumor site, size, histology and EM pattern in determining outcome; c) Currelate imaging characteristics with response, prognosis, RT adequacy, and survival; d) Assess prognostic value of cellular DNA content and chromosome changes.

TECHNICAL APPROACH: Patients with newly diagnosed Ewing's sarcoma or PNET of bone will be evenly randomized to one of two treatment arms: Reg A-52 week course of chemo including Vincristine, Adriamycin, Cytoxan, Actinomycin D with surgery and/or XRT as needed (standard therapy). Reg B-52 week including Ifosfamide and Etoposide as well as therapy employed in Regimen A.

PROGRESS: No. of Subjects Enrolled - To Date: 0 Reporting Period: 0

POG April 1989 report reveals 12 patients accured. No results reported to date.

Prot No: SWOG 7804(84) Status: Ongoing

TITLE: Adjuvant Chemotherapy with 5-FU, Adriamycin and Mitomycin C (FAM) versus Surgery Alone for Patients with Locally Advanced Gastric Adenocarcinoma. Phase III

Principal Investigator: COL Jeffrey Berenberg, MC

Associate Investigators: LTC William J. Uphouse, MC; COL Peter J. Barcia, MC

Department/Section: Medicine/Hematology-Oncology Service

Key Words: gastric adenocarcinoma

Funding: FY 88: NA FY 89: NA Periodic Review Date: Sep 89

Gifts: None Decision: Continue

<u>OBJECTIVE</u>: To determine whether or not chemotherapy (FAM) given to patients with advanced but resected gastric carcinoma will prevent relapses and prolong life.

TECHNICAL APPROACH: Patients will be randomized to either (1) receive chemotherapy with FAM twice a month for 1 year or (2) receive no treatment.

PROGRESS: No. of Subjects Enrolled - To Date: 0 Reporting Period: 0

National accrual continues and completion of this study will hopefully be in the near future. Toxicity has been mild.

Prot No: SWOG 8312(85) Status: Ongoing

TITLE: Megestrol Acetate and Aminoglutethimide/Hydrocortisone in Sequence or in Combination as Second-Line Endocrine Therapy of Metastatic Breast Cancer, Phase III

Principal Investigator: COL Jeffrey Berenberg, MC

Associate Investigators: LTC William J. Uphouse, MC; LTC Joseph Woods, MC

Department/Section: Medicine/Hematology-Oncology Service

Key Words: breast cancer, metastatic

Funding: FY 88: NA FY 89: NA Periodic Review Date: Sep 89

Gifts: None Decision: Continue

OBJECTIVE: To determine if combined hormone therapies are superior to single hormone therapy in sequence for metastatic breast cancer.

TECHNICAL APPROACH: All patients agreeing to this study will be randomized to one of three treatments: (1) megestrol acetate, (2) aminoglutethimide plus hydrocortisone, or (3) megestrol acetate plus aminoglutethimide plus hydrocortisone.

PROGRESS: No. of Subjects Enrolled - To Date: 0 Reporting Period: 0

There are no TAMC patients on this study. Study remains open with no unanticipated toxicity. Accrual is adequate.

Prot No: SWOG 8324(87) Status: Completed

TITLE: Evaluation of Fludarabine Phosphate in Malignant Melanoma

Principal Investigator: COL Jeffrey Berenberg, MC

Associate Investigators: LTC William J. Uphouse, MC; LTC Lawrence Sakas, MC;

KAJ Luke M. Stapleton, MC;

Department/Section: Medicine/Hematology-Oncology Service

Key Words: fludarabine phosphate; metastatic melanoma

Funding: FY 88: NA FY 89: NA Periodic Review Date: Sep 89

Gifts: None Decision: Completed

OBJECTIVE: To determine the response rate and response duration in patients with malignant melanoma treated with fludarabine phosphate.

TECHNICAL APPROACH: Patients agreeing to participate will receive fludarabine IV push daily for 5 days every 4 weeks until relapse.

PROGRESS: No. of Subjects Enrolled - To Date: O Reporting Period: O

This study is completed. There were no partial or complete remissions. There also was no serious toxicity.

Prot No: SWOG 8326/27(85) Status: Ongoing

TITLE: Evaluation of Combination Chemotherapy Using High Dose Ara-C in Adult Acute Leukemia and Chronic Granulocytic Leukemia in Blast Crisis, Phase III

Principal Investigator: COL Jeffrey Berenberg, MC

Associate Investigators: LTC William J. Uphouse, MC; MAJ Luke M. Stapleton,

MC: MAJ Lawrence Sakas, MC

Department/Section: Medicine/Hematology-Oncology Service

Key Words: leukemia, adult acute; leukemia, chronic granulocytic

Funding: FY 88: NA FY 89: NA Periodic Review Date: Sep 89

Gifts: None Decision: Continue

OBJECTIVE: To determine the response and response duration of a high-dose program of Ara-C in patients with relapsed acute leukemia.

TECHNICAL APPROACH: Patients agreeing to the study will be randomized to receive (1) six days of high dose Ara-C, (2) the same Ara-C plus three days of m-AMSA, or (3) the same Ara-C plus three days of Mitoxantrone.

PROGRESS: No. of Subjects Enrolled - To Date: 1 Reporting Period: 0

Accrual has been slow nationally to date but continues. High dose Ara-C continues to be the most promising drug in relapsed leukemia. The one TAMC patient registered on this study achieved a complete remission of her leukemia and did well for 9 months but then relapsed and died. Nationally the arm of the study with m-AMSA had 9 deaths among 39 patients so it is being terminated. Toxicity in the other 2 arms has been very tolerable.

Prot No: SWOG 8393(84) Status: Ongoing

TITLE: National Intergroup Protocol for Intermediate Thickness Melanoma

Principal Investigator: COL Jeffrey Berenberg, MC

Associate Investigators: LTC William Uphouse, MC; COL Peter J. Barcia, MC

Department/Section: Medicine/Hematology-Oncology Service

Key Words: melanoma

Funding: FY 88: NA FY 89: NA Periodic Review Date: Sep 89

Gifts: None Decision: Continue

OBJECTIVE: (1) To determine the optimal surgical margins (2 versus 4 cm) around the intermediate thickness melanomas (1-4 mm) that are being resected for cure. (2) To evaluate the value of elective regional lymph node dissection in these same melanomas.

TECHNICAL APPROACH: Patients with primary melanomas of the head or neck or distal extremities will be randomized to receive or not receive elective node dissection, but all patients in this group will have 2 cm surgical margins. Patients with melanomas of the trunk or proximal extremities will undergo two randomizations, (1) to receive or not to receive elective node dissection, and (2) to have either a 2 or 4 cm surgical margin.

PROGRESS: No. of Subjects Enrolled - To Date: 2 Reporting Period: 0

Two Tripler patients have been registered on this protocol. It is too early to assess efficacy of this protocol approach.

Prot No: SWOG 8417/19(85) Status: Ongoing

TITLE: Evaluation of the Consolidation Regimens in the Treatment of Adult

Acute Lymphoblastic Leukemia, Phase III

Principal Investigator: COL Jeffrey L. Berenberg, MC

Associate Investigators: LTC William J. Uphouse, MC; MAJ Lawrence Sakas, MC

Department/Section: Medicine/Hematology-Oncology Service

Key Words: Teukemia, Tymphoblastic

Funding: FY 88: NA FY 89: NA Periodic Review Date: Sep 89

Gifts: None Decision: Continue

OBJECTIVE: To compare two consolidation chemotherapy programs in terms of remission, duration, and survival.

TECHNICAL APPROACH: All patients agreeing to participate will be randomized to receive either the L-10M consolidation or the new (shorter) consolidation program.

PROGRESS: No. of Subjects Enrolled - To Date: 4 Reporting Period: 3

This study is the frontline study for patients with newly diagnosed acute lymphoblastic lymphoma and remains open. Of the 4 TAMC patients entered on this study, all 4 entered complete remission but one has relapsed. Nationally there is no data yet available except for a few deaths which are expected in treating acute leukemia.

Prot No: SWOG 8507(86) Status: Completed

TITLE: Maintenance vs No Maintenance BCG Immunotherapy of Superficial Bladder

Cancer, Phase III

Principal Investigator: COL Martin L. Uresner, MC

(formerly: COL Douglas Soderdahl, MC)

Associate Investigators: LTC W. Kennon, MC; MAJ F. Sateri, MC;

CPT Karl Kreder, MC; CPT M. Pliskin, MC;

LTC Lawrence Sakas, MC

Department/Section: Surgery/Urology Svc

Key Words: bladder cancer

Funding: FY 88: NA FY 89: NA Periodic Review Date: Sep 89

Gifts: BCG NSC B116341 Decision: Complete

OBJECTIVE: To compare effectiveness of maintenance vs no maintenance BCG and to assess relative toxicities of these two approaches and to assess the association of intermediate strength PPD skin test reactivity with disease-free status in patients so treated.

TECHNICAL APPROACH: Patients who meet criteria and who consent to participate will be registered for induction treatment, then randomized at a second registration. BCG Connaughtis is diluted in 50.5 cc sterile saline and 50 cc is placed intravesically for two hours, 0.5 cc is administered subcutaneously to the upper thigh. Maintenance patients receive similar therapy weekly every six weeks.

PROGRESS: No. of Subjects Enrolled - To Date: 7 Reporting Period: 2

Study completed by departed investigator. Data being collected at SWOG.

Prot No: SWOG 8509(86) Status: Completed

TITLE: Evaluation of Menogaril in Adenocarcinoma of the Prostate, Phase II

Principal Investigator: COL Jeffrey Berenberg, MC

Associate Investigators: LTC William J. Uphouse, MC; LTC Lawrence Sakas

Department/Section: Medicine/Hematology-Oncology Service

Key Words: prostate adenocarcinoma

Funding: FY 88: NA FY 89: NA Periodic Review Date: Mar 89

Gifts: Menogaril Decision: Completed

<u>OBJECTIVE</u>: To determine the response rate of metastatic prostate cancer to a new Adriamycin-like drug, Menogaril, in patients who have failed hormone therapy.

TECHNICAL APPROACH: Patients agreeing to the study will receive the drug once every 28 days IV over one hour.

PROGRESS: No. of Subjects Enrolled - To Date: 1 Reporting Period: 0

One TAMC patient was entered on this study. Only 4 patients out of 79 patients entered nationally had a partial remission. Nationally there were 2 treatment-related deaths due to leukopenia, but toxicity was otherwise mild.

Prot No: SWOG 8514(86) Status: Terminated

TITLE: Randomized Comparison of Cisplatinum + 5-Fluorouracil vs. CBDCA + 5-Fluorouracil vs. Methotrexate in Advanced Squamous Cell Carcinoma of the Head and Neck. Phase III

Principal Investigator: COL Jeffrey Berenberg, MC

Associate Investigators: LTC William J. Uphouse, MC; LTC Lawrence Sakas

Department/Section: Medicine/Hematology-Oncology Service

Key Words: carcinoma, squamous cell

Funding: FY 88: NA FY 89: NA Periodic Review Date: Sep 89

Gifts: CBDCA Decision: Terminate

OBJECTIVE: To compare the response rate of two relatively new chemotherapy combinations (5-FU + Cisplatinum vs. CBDCA + 5-FU) with standard therapy, i.e., methotrexate, in advanced head and neck cancer.

TECHNICAL APPROACH: Patients agreeing to the study will be randomized to receive one of three regimens: (1) methotrexate IV weekly, (2) Cisplatinum + 5-FU IV every 4 weeks, or (3) CBDCA + 5-FU IV every 4 weeks.

PROGRESS: No. of Subjects Enrolled - To Date: 2 Reporting Period: 2

Two patients were entered from TAMC. Une patient did well on the carboplatin arm for 1 year but relapsed and eventually died. The 2nd one received cisplatin and 5FU and also responded (partial remission) but he, too, relapsed. Nationally the study just terminated after adequate patient accrual but there are no results yet. Toxicity has been relatively mild.

Prot No: SWOG 8516(86) Status: Ongoing

TITLE: A Phase III Comparison of CHOP vs m-BACOD vs ProMACE-CytaBOM vs MACOP-B in Patients with Intermediate and High-Grade Non-Hodgkin's Lymphoma

Principal Investigator: COL Jeffrey Berenberg, MC

Associate Investigators: MAJ William J. Uphouse, MC; LTC Lawrence Sakas, MC

Department/Section: Medicine/Hematology-Oncology Service

Key Words: lymphoma, non-Hodgkin's

Funding: FY 88: NA FY 89: NA Periodic Review Date: Sep 89

Gifts: None Decision: Continue

<u>OBJECTIVE</u>: To determine which of the four leading chemotherapy programs for aggressive lymphomas is best in terms of response, survival, and toxicity.

TECHNICAL APPROACH: Patients agreeing to participate in this study will be randomized to receive one of the four treatment programs listed above.

PROGRESS: No. of Subjects Enrolled - To Date: 2 Reporting Period: 1

We have been slow to accrue non-Hodgkin's cases because these cases have been relatively uncommon hospital-wide this year. Of the 2 patients entered on this study both went into complete remission but 1 has relapsed. Nationally there are no data yet.

Prot No: SWOG 8530(86) Status: Ongoing

TITLE: Efficacy of Prednisone in Refractory and Relapsing Multiple Myeloma

and Measurement of Glucocorticoid Receptors, Phase II

Principal Investigator: COL Jeffrey Berenberg, MC

Associate Investigators: LTC William Uphouse, MC, MAJ Luke Stapleton, MC;

Ms. Mary MacMillan, RPH; LTC Lawrence Sakas, MC

Department/Section: Medicine/Hematology-Oncology Service

Key Words: myeloma; glucocorticoid receptors

Funding: FY 88: NA FY 89: NA Periodic Review Date: Se) 89

Gifts: None Decision: Continue

OBJECTIVE: To estimate the response rate and duration of response with high dose prednisone in patients with refractory myeloma.

TECHNICAL APPROACH: Patients agreeing to participate will receive 100 mg of prednisone every other day for two weeks, then 50 mg every other day for ten weeks.

PROGRESS: No. of Subjects Enrolled - To Date: 1 Reporting Period: 0

This protocol was approved in September 1986. The one patient entered at Tripler has had an excellent response to this therapy, and remains in an excellent partial remission for almost 2 years. Nationally, other patients have responded well to this therapy but exact statistics have not been released. Toxicity has been very mild.

Prot No: SWOG 8590(85) (previously 8591) Status: Ongoing

TITLE: Phase III Study to Determine the Effect of Combining Chemotherapy with Surgery and Radiotherapy for Resectable Squamous Cell Carcinoma of the Head and Neck

Principal Investigator: COL Jeffrey Berenberg, MC Associate Investigators: LTC William Uphouse, MC;

Department/Section: Medicine/Hematology-Oncology Service

Key Words: carcinoma, squamous cell

Funding: FY 88: NA FY 89: NA Periodic Review Date: Sep 89

Gifts: None Decision: Continue

<u>OBJECTIVE</u>: To determine if adding chemotherapy will improve results of surgery and radiation for advanced (Stage III and IV) but resectable head and neck cancer.

TECHNICAL APPROACH: All patients agreeing to participate in the study will be randomized to receive (1) surgery, then radiation therapy, or (2) surgery, then three cycles of chemotherapy (cisplatinum plus 5-FU), then radiation.

PROGRESS: No. of Subjects Enrolled - To Date: 3 Reporting Period: 3

Of the 3 patients entered on this study to date, one received chemotherapy and is doing well. A second patient didn't receive treatment and relapsed, and a third patient left the island unexpectedly and has been lost to followup.

Prot No: SWOG 8594(86) Status: Terminated

TITLE: A Phase III Trial of Cis-platinum Alone or in Combination with Doxo-rubicin, Vinblastine and Methotrexate in Advanced Bladder Cancer

Principal Investigator: COL Jeffrey Berenberg, MC

Associate Investigators: LTC William J. Uphouse, MC; LTC Lawrence Sakas, MC

Department/Section: Medicine/Hematology-Oncology Service

Key Words: cancer, bladder

Funding: FY 88: NA FY 89: NA Periodic Review Date: Sep 89

Gifts: None Decision: Terminate

OBJECTIVE: To determine if cis-platinum in combination with doxorubicin, vinblastine, and methotrexate is more effective than cis-platinum alone in the treatment of patients with advanced bladder cancer in terms of objective response rate, response duration, and survival.

TECHNICAL APPROACH: Patients agreeing to the study will be randomized to receive either (1) cis-platinum IV every 28 days until disease progression or (2) cis-platinum, doxorubicin, vinblastine, and methotrexate IV every four weeks until disease progression.

PROGRESS: No. of Subjects Enrolled - To Date: 0 Reporting Period: 0

This study was just terminated recently as it achieved it's targeted number of patients. Of 180 patients 1 died of toxicity and 21 had life-threatening toxicity. No results are available yet.

Prot No: SWOG 8598 (87) Status: Ongoing

TITLE: A Prospective Trial for Localized Cancer of the Esophagus: Comparing Radiation as a Single Modality to the Combination of Radiation and

Chemotherapy, Phase III

Principal Investigator: COL Jeffrey Berenberg, MC

Associate Investigators: LTC William J. Uphouse, MC; MAJ Luke M. Stapleton, MC;

CPT Scott Martin, MS: LTC Lawrence Sakas, MC;

Department/Section: Medicine/Hematology-Oncology Service

Key Words: esophagus, cancer, radiation, chemotherapy

Funding: FY 88: NA FY 89: NA Periodic Review Date: Sep 89

Gifts: None Decision: Continue

OBJECTIVE: To determine the role of chemotherapy for a potentially curable subset of patients with squamous cell cancer of the esophagus. Specifically, to determine if the combination of chemotherapy and radiation will add to the overall survival and cure of patients treated with the combination when compared to patients treated by radiation alone.

TECHNICAL APPROACH: Patients agreeing to the study will be randomized to receive (1) radiation alone (6400 rads in 6½ weeks) or (2) radiation (5,000 rads in 5 weeks) beginning simultaneously with four cycles of chemotherapy (cisplatinum plus 5-FU).

PROGRESS: No. of Subjects Enrolled - To Date: 1 Reporting Period: 0

One patient from Tripler entered. He was randomized to radiation alone, has completed treatment, but died about 8 months later due to recurrent disease. Nationally, no results are available, except that there have been no life-threatening toxicities among the 65 patients entered to date.

Prot No: SWOG 8600(87) Status: Ongoing

TITLE: A Randomized Investigation of High Dose Versus Standard Dose Cytosine Arabinoside With Daunorubicin In Patients With Acute Non-Lymphocytic Leukemia

Principal Investigator: COL Jeffrey Berenberg, MC

Associate Investigators: LTC William J. Uphouse, MC; MAJ Luke M. Stapleton, MC;

CPT Scott Martin, MS: LTC Lawrence Sakas, MC;

Department/Section: Medicine/Hematology-Oncology Service

Key Words: cytosine arabinoside and daunorubicin

Funding: FY 88: NA FY 89: NA Periodic Review Date: Sep 89

Gifts: None Decision: Continue

OBJECTIVE: To compare, among patients with acute non-lymphocytic leukemia, the rate of complete remission produced by induction regimens of either standard dose cytosine arabinoside and daunorubicin or high dose cytosine arabinoside and daunorubicin. Also to compare these 2 programs when used in the consolidation phase.

TECHNICAL APPROACH: Patients are randomized to receive standard or high dose cytosine arabinoside initially. If remission is achieved then patients are randomized again to receive standard or high dose cytosine arabinoside for consolidation.

PROGRESS: No. of Subjects Enrolled - To Date: 4 Reporting Period: 2

Of the 3 TAMC patients enrolled on this study in 1988-89, 2 achieved a complete remission but one relapsed after 1 year. Nationally there are no data yet on response but of 305 patients evaluable for induction toxicity, 11 died as a result of therapy. Due to the toxic nature of leukemia treatment in general, this figure is probably not high.

Prot No: SWOG 8605 (86) Status: Terminated

TITLE: Cyclophosphamide, Ara-C Infusion and Vincristine for Relapsed or

Refractory Extensive Small Cell Lung Cancer, Phase II

Principal Investigator: COL Jeffrey Berenberg, MC Associate Investigators: LTC William J. Uphouse, MC; MAJ L. M. Stapleton, MC;

CPT Scott Martin, MS; LTC Lawrence Sakas, MC;

MAJ Marianne M. Young, MC

Department/Section: Medicine/Hematology-Oncology Service

Key Words: lung cancer; small cell

Funding: FY 88: NA FY 89: NA Periodic Review Date: Sep 89

Gifts: None Decision: Terminate

OBJECTIVE: To determine the efficacy of a new chemotherapy combination in relapsing or refractory small cell lung cancer.

TECHNICAL APPROACH: Patients agreeing to participate will receive cytoxan and Ara-C every 3 weeks for four cycles, then prophylactic cranial irradiation, then two more cycles of the chemotherapy. Vincristine will also be given with the other two drugs.

PROGRESS: No. of Subjects Enrolled - To Date: 2 Reporting Period: 0

The study was recently terminated. One of the two TAMC patients achieved a near complete remission of his relapsed extensive small cell lung cancer and did well for 9 months but then relapsed and died. Nationally, there were only 4% partial responses. However, toxicity was fairly mild. 65 patients total were assessed nationally.

Prot No: SWOG 8611(87) Status: Terminated

TITLE: A Randomized Trial of Two Schedules of Trimetrexate versus

5-Fluorouracil in Colorectal Carcinoma, Phase II-III

Principal Investigator: COL Jeffrey Berenberg, MC

Associate Investigators: LTC William Uphouse, MC; LTC Lawrence Sakas, MC;

MAJ Luke H. Stapleton; CPT Scott Martin, MS

Department/Section: Medicine/Hematology-Oncology Service

Key Words: Trimetrexate vs. 5-Fluorouracil in Colorectal Carcinoma

Funding: FY 88: NA FY 89: NA Periodic Review Date: Sep 89

Gifts: None Decision: Terminate

<u>OBJECTIVE</u>: To determine and compare the response rates, response durations and toxicities of trimetrexate given on two different schedules to patients with advanced colorectal cancer. Also to compare patient survival on trimetrexate versus that on 5FU.

TECHNICAL APPROACH: Patient agreeing to participate in the study are randomized to receive trimetrexate by either of 2 IV schedules on to receive 5FU IV.

PROGRESS: No. of Subjects Enrolled - To Date: 1 Reporting Period: 0

The one TAMC patient entered was randomized to receive trimetrexate and has had stable disease with this on follow-up CT scans but after 6 months had progressive disease and died. Nationally, there are no data on response but toxicity was reported to be very mild. The study was terminated as it reached its targeted patient accrual.

Prot No: SWOG 8616(87) Status: Ongoing

TITLE: Intergroup Phase III Randomized Study of Doxorubicin and Dacarbazine With or Without Ifosfamide and Mesna in Advanced Soft Tissue and Bone Sarcoma

Principal Investigator: COL Jeffrey Berenberg, MC

Associate Investigators: LTC William J. Uphouse, MC; LTC Lawrence Sakas, MC;

MAJ Luke M. Stapleton, MC: CPT Scott Martin, MS

Department/Section: Medicine/Hematology-Oncology Service

Key Words: ifosfamide, mesna

Funding: 'FY 88: NA FY 89: NA Periodic Review Date: Sep 89

Gifts: None Decision: Continue

OBJECTIVE: To determine if adding ifosfamide and mesna to the usually employed drugs of doxorubicin and dacarbazine will improve the response rate, response duration and survival in metastatic soft tissue and bone sarcoma.

TECHNICAL APPROACH: Patients agreeing to participate will have a central line (port-a-cath) placed and receive 4 days of doxorubicin and dacarbazine continously through this line. These patients will also be randomized to receive or not receive 4 days of therapy with ifosfamide and mesna. These latter drugs are given together through a peripheral IV (in patients randomized to receive them). This whole chemotherapy regimen is repeated every 3 weeks until disease progression is noted.

PROGRESS: No. of Subjects Enrolled - To Date: 1 Reporting Period: 0

The one TAMC patient entered had stabilization of his disease with the 4 drug arm for 8 months but now shows signs of progression. Clinically, he is doing well, though. Nationally there were 6 deaths among 116 evaluated patients on the 4 drug arm so the ifosfamide dose is reduced. No data are available on response, but long term survivors have been reported in other studies.

Prot No: SWOG 8617(87) Status: Completed

TITLE: Evaluation of Interleukin 2 in Metastatic Renal Cell Carcinoma, Phase

III

Principal Investigator: COL Jeffrey Berenberg, MC

Associate Investigators: LTC William J. Uphouse, MC; LTC Lawrence Sakas, MC;

MAJ Luke M. Stapleton, MC; CPT Scott Martin, MS

Department/Section: Medicine/Hematology-Oncology Service

Key Words: Metastatic Renal Cell Carcinoma

Funding: FY 88: NA FY 89: NA Periodic Review Date: Sep 89

Gifts: Interleukin 2 Decision: Completed

OBJECTIVE: To determine the response rate and the remission duration in metastatic renal cell carcinoma treated with Interleukin 2.

TECHNICAL APPROACH: Patients agreeing to participate in this study will receive Interleukin 2 by IV bolus three times a week until disease progression is noted.

PROGRESS: No. of Subjects Enrolled - To Date: 2 Reporting Period: 0

Of the 2 TAMC patients entered on the study, one had no toxicity from the drug but also had no response to it. A second patient had dramatic reduction in pulmonary metastases but experienced flu-like symptoms (as expected). Her tumor progressed after 4 months, and she died. Nationally 10% of patients had partial remissions and no serious toxicity was reported.

Prot No: SWOG 8624(87) Status: Ongoing

TITLE: A Phase III Randomized Trial of Combination Therapy for Multiple Myeloma (1) Comparison of VMCP/VBAP to VAD or VMCPP/VBAPP for Induction; (2) Alpha-2b Interferon or No Therapy for Maintenance; and (3) Alpha-2b Interferon + Dexamethasone for Incomplete or Non-Responders

Principal Investigator: COL Jeffrey Berenberg, MC

Associate Investigators: LTC William J. Uphouse, MC; LTC Lawrence Sakas, MC;

MAJ Luke M. Stapleton, MC;

Department/Section: Medicine/Hematology-Oncology Service

Key Words: multiple myeloma; Alpha-2b interferon

Funding: FY 88: NA FY 89: NA Periodic Review Date: Sep 89

Gifts: None Decision: Continue

OBJECTIVE: (1) To compare SWOG's best induction chemotherapy program for myeloma with two other very promising programs; (2) to determine if interferon is a better maintenance program than no treatment; and (3) to determine if interferon plus decadron can salvage patients who do not respond satisfactorily to the above induction programs.

TECHNICAL APPROACH: Patients agreeing to the study will be randomized to receive one of the three induction programs. Those who achieve a response (75% M-protein reduction) will be randomized to receive or not receive interferon. Those not achieving response will be offered the above salvage program.

PROGRESS: No. of Subjects Enrolled - To Date: 2 Reporting Period: 2

Two TAMC patients have been entered on this study and one is responding well to therapy (at least a partial remission). The other patient did not respond and is on other treatment. Nationally there are no response data yet. As expected, toxicity has been very mild.

Prot No: SWOG 8632(87) Status: Terminated

TITLE: Evaluation of Echinomycin in Central Nervous Systems Tumors, Phase II

Principal Investigator: COL Jeffrey Berenberg, MC

Associate Investigators: LTC William J. Uphouse, MC; LTC Lawrence Sakas, MC;

MAJ Luke M. Stapleton, MC;

Department/Section: Medicine/Hematology-Oncology Service

Key Words: Echinomycin

Funding: FY 88: NA FY 89: NA Periodic Review Date: Sep 89

Gifts: Echinomycin Decision: Terminate

OBJECTIVE: To assess the efficacy of echinomycin in recurrent or residual central nervous system tumors by evaluation of response rate, response duration, and survival.

TECHNICAL APPROACH: Patients agreeing to participate in the study will receive courses of treatment (once a week IV for 4 weeks then 2 weeks rest) until disease progression is noted.

PROGRESS: No. of Subjects Enrolled - To Date: O Reporting Period: O

This has accrued its targeted patient numbers and has been terminated. No response information is available yet. There was no serious toxicity.

Prot No: SWOG 8642(87) Status: Onguing

TITLE: Recombinant Human Interferon-Gamma for the Adjuvant Treatment of High Risk Malignant Melanoma after Surgical Excision of the Primary Lesion, Phase III

Principal Investigator: COL Jeffrey Berenberg, MC

Associate Investigators: LTC William J. Uphouse, MC; LTC Lawrence Sakas, MC;

MAJ Luke M. Stapleton, MC: CPT Scott Martin, MS

Department/Section: Medicine/Hematology-Oncology Service

Key Words: Recombinant Human Interferon-Gamma

Funding: FY 88: NA FY 89: NA Periodic Review Date: Sep 89

Gifts: Recombinant Human Interferon-Gamma Decision: Continue

OBJECTIVE: To compare the survival and disease-free survival among patients who are at high risk for recurrence of melanoma following resection of all know disease, and who are randomized to receive recombinant human interferon-gamma adjuvant therapy or no adjuvant therapy.

TECHNICAL APPROACH: Patients agreeing to participate in the study will be randomized to receive or not receive interferon-gamma subcutaneously once a day for 12 months.

PROGRESS: No. of Subjects Enrolled - To Date: 0 Reporting Period: 0

This study is still accruing patients nationally. No serious toxicity has been noted in the 158 patients registered to date.

Prot No: SWOG 8691(89) Status: Ongoing

TITLE: A Randomized Comparison of Deoxycoformycin vs. Alpha Interferon in

Previously Untreated Patients with Hairy Cell Leukemia

Principal Investigator: COL Jeffrey Berenberg, MC

Associate Investigators: LTC William J. Uphouse, MC; LTC Lawrence Sakas, MC;

MAJ Luke M. Stapleton, MC; CPT Scott Martin, MS

Department/Section: Medine/Medical Hematology-Oncology Service

Key Words: deoxycoformycin; alpha interferon

Funding: FY 88: NA FY 89: NA Periodic Review Date: Sep 89

Gifts: None Decision: Continue

OBJECTIVE: To compare the rates of partial and complete remission and the durations of survival in patients treated with the alpha interferon or deoxycoformycin.

TECHNICAL APPROACH: Patients agreeing to participate will be randomized to receive 1) alpha interferon subcutaneously three times a week for 6 months and then be reassessed for a second 6 months of treatment or 2) deoxycoformycin IV every 2 weeks until the leukemia is gone.

PROGRESS: No. of Subjects Enrolled - To Date: 0 Reporting Period: 0

Nationally, there are no response data available (although we know from other studies the responses will be very high). Among the 231 patients registered to date there were a number (about 30 in each arm) of cases of very low white blood cell counts but not associated with fever.

Prot No: SWOG 8703(88) Status: Terminated

TITLE: Evaluation of Vinblastine and High-Dose Cis-platinum in the Treatment of Advanced Non-small Cell Lung Carcinoma, Phase II

Principal Investigator: COL Jeffrey Berenberg, MC

Associate Investigators: LTC William Uphouse, MC; LTC Lawrence Sakas, MC;

MAJ Luke M. Stapleton, MC; CPT Scott Martin, MS;

Department/Section: Medicine/Hematology-Oncology Service

Key Words: vinblastine;

Funding: FY 80: NA FY 89: NA Periodic Review Date: Sep 89

Gifts: None Decision: Terminate

OBJECTIVE: To determine the activity of a new program of combination chemotherapy in the treatment of advanced non-small cell lung cancer.

TECHNICAL APPROACH: Patient agreeing to participate will receive Cis-platinum 100 mg/M<sup>2</sup> and Vinblastine on day 1 and 8 each month for 3 months and then no further treatment.

PROGRESS: No. of Subjects Enrolled - To Date: 2 Reporting Period: 0

This study has opened recently and one of the two TAMC patients has had a 80% tumor reduction with this program. His tumor filled almost his entire left lung initially. The second patient had no response. The first patient did well for about 11 months and then relapsed and died. Nationally the study has been terminated as it has reached its patient accrual goal. There are no results yet except that there was no serious toxicity.

Prot No: SWOG 8710(89) Status: Ongoing

TITLE: Irial of Cystectomy Alone Versus Neoadjuvant M-VAC plus Cystectomy in Patients with Locally Advanced Bladder Cancer

Patients with Locally Advanced Bladder Cancer

Principal Investigator: COL Jeffrey Berenberg, MC Associate Investigators: LTC William J. Uphouse, MC; LTC Lawrence Sakas, MC;

MAJ Luke M. Stapleton, MC; COL Martin Dresner, MC;

CPT Scott Martin, MS

Department/Section: Medicine/Medical/Hematology-Oncology Service

Key Words: cystectomy;

Funding: FY 88: NA FY 89: NA Periodic Review Date: Sep 89

Gifts: None Decision: Continue

OBJECTIVE: To compare the survival of patients with locally advanced bladder cancer treated with either cystectomy alone or cystectomy plus chemotherapy with M-VAC (Methotrexate, Vinblastine, Adriamycin and Cisplatin).

TECHNICAL APPROACH: Patients agreeing to participate in this study will be randomized to receive 1) cystectomy alone or 2) 3 cycles of M-VAC chemotherapy and then cystectomy.

PROGRESS: No. of Subjects Enrolled - To Date: 1 Reporting Period: 1

The one TAMC patient enrolled was randomized to the chemotherapy arm and had a good response to chemotherapy. He has had his surgery and is doing well on a recent followup visit. Nationally the only data available are the lack of any serious toxicity in the patients treated to date.

Prot No: SWOG 8711(89) Status: Ongoing

TITLE: A Study of Reproductive Function in Patients with Testicular Cancer

Principal Investigator: COL Jeffrey L. Berenberg, MC
Associate Investigators: LTC William J. Uphouse, MC; LTC Lawrence Sakas, MC:

MAJ Luke M. Stapleton, MC; COL Martin L. Dresner, MC;

'MAJ Marianne Young, MC

Department/Section: Medicine/Hematology-Oncology Service

Key Words: testicular cancer:

Funding: FY 88: NA FY 89: NA Periodic Review Date: Sep 89

Decision: Continue Gifts: None

OBJECTIVE: To evaluate the natural history of seminal fluid and hormone parameters in patients with testicular cancer after orchiotomy and after other treatments such as retroperitoneal node dissection, chemotherapy, and radiation therapy.

TECHNICAL APPROACH: Patients agreeing to participate will have semen analysis beginning after orchiotomy and these will occur every 3 months for 3 years then every 6 months out to 5 years. Testosterone and FSH blood levels will also be done but only half as often as the semen analysis.

PROGRESS: No. of Subjects Enrolled - To Date: 2 Reporting Period: 2

There are no data available yet on this natural history study.

Prot No: SWOG 8712(88) Status: Completed

TITLE: A Phase II Trial of Trimetrexate in the Treatment of Hepatoma

Principal Investigator: COL Jeffrey Berenberg, MC

Associate Investigators: LTC William J. Uphouse, MC; LTC Lawrence Sakas, MC:

MAJ Luke M. Stapleton, MC, CPT Scott Martin, MS

Department/Section: Medicine/Hematology-Oncology Service

Key Words: trimetrexate; hepatoma

Funding: FY 88: NA FY 89: NA Periodic Review Date: Sep 89

Gifts: None Decision: Complete

OBJECTIVE: To determine the efficacy of Trimetrexate, a new drug, in unresectable hepatoma.

TECHNICAL APPROACH: Patients agreeing to participate will receive Trimetrexate daily for 5 days IV every 3 weeks until disease progresses.

PROGRESS: No. of Subjects Enrolled - To Date: 1 Reporting Period: 1

This study has been completed nationally as it has reached its patient accrual goal. There were no responses seen.

Prot No: SWOG 8722(89) Status: Terminated

TITLE: Evaluation of Amonafide in Adenocarcinoma of the Prostate, Phase II

Principal Investigator: COL Jeffrey Berenberg, MC

Associate Investigators: LTC William J. Uphouse, MC; LTC Lawrence Sakas, MC:

MAJ Luke M. Stapleton, MC; CPT Scott Martin, MS

Department/Section: Medicine/Hematology-Oncology Service

Key Words: amonafide; adenocarcinoma;

Funding: FY 88: NA FY 89: NA Periodic Review Date: Sep 89

Gifts: None Decision: Terminate

OBJECTIVE: To determine the response rate and response duration of hormonally refractory adenocarcinoma of the prostrate to Amonafide.

TECHNICAL APPROACH: Patients agreeing to participate will receive Amonafide IV over 1 hour Day 1-5 every 21 days until tumor progression is documented.

PROGRESS: No. of Subjects Enrolled - To Date: 1 Reporting Period: 1

One TAMC patient entered on this study had no response to treatment but also had little toxicity. Nationally the study has been terminated as it has accrued its target number of patients. No data are available yet.

Prot No: SWOG 8736(88) Status: Ongoing

TITLE: Treatment of Localized Non-Hodgkin's Lymphoma: Comparison of

Chemotherapy (CHOP) to Chemotherapy Plus Radiation Therapy

Principal Investigator: COL Jeffrey Berenberg, MC Associate Investigators: LTC William J. Uphouse, MC; LTC Lawrence Sakas, MC; MAJ Luke M. Stapleton, MC; CPT Scott Martin, MS

Department/Section: Medicine/Hematology-Oncology Service

Key Words: Non-Hodgkin's Lymphoma;

Funding: FY 88: NA FY 89: NA Periodic Review Date: Sep 89

Gifts: None Decision: Continue

OBJECTIVE: To compare the survival rates and toxicity of two curative approaches in patients with localized (stage I & II), intermediate or high grade non-Hodgkin's lymphoma.

TECHNICAL APPROACH: Patients agreeing to participate in the study will be randomized to receive either 1) 8 cycles of chemotherapy (CHOP) or 2) 3 cycles of CHOP and then 4000 rads of radiation to the involved area.

PROGRESS: No. of Subjects Enrolled - To Date: 0 Reporting Period: 0

This study opened recently after some administrative delays. There are no data available yet.

Prot No: SWOG 8738(88) Status: Ongoing

TITLE: Treatment of Extensive Non-Small Cell Lung Cancer: Standard Dose Cisplatin vs High-Dose Cisplatin in Hypertonic Saline Alone vs High-Dose Cisplatin/Mitomycin-C

Principal Investigator: COL Jeffrey Berenberg, MC

Associate Investigators: LTC William J. Uphouse, MC; LTC Lawrence Sakas, MC;

MAJ Luke M. Stapleton, MC; CPT Scott Martin, MS

Department/Section: Medicine/Hematology-Oncology Service

Key Words: cisplatin;

Funding: FY 88: NA FY 89: NA Periodic Review Date: Sep 89

Gifts: None Decision: Continue

OBJECTIVE: To compare standard dose Cisplatin chemotherapy to high-dose Cisplatin alone and to high-dose Cisplatin plus Mitoymycin-C in a randomized study with attention to respnse rate, response duration and survival in metastatic non-small cell lung cancer.

TECHNICAL APPROACH: Patients agreeing to participate will be randomized to 1) 8 cycles of standard dose Cisplatin (50mg/M<sup>2</sup> Day 1 and 8) or 2) 4 cycles of high-dose Cisplatin (100mg/M<sup>2</sup> Day 1 and 8) or 3) 4 cycles of high-dose Cisplatin (as above) plus Mitomycin-C.

PROGRESS: No. of Subjects Enrolled - To Date: 3 Reporting Period: 3

Of the 3 TAMC patients treated to date 2 have had partial remissions and one had no response. Of 61 patients entered nationally there has been no serious toxicity, but no response data are available yet.

Prot No: SWOG 8788(88) Status: Terminated

TITLE: Evaluation of "High-Dose" versus "Standard-Dose" cisplatin Combined

with Bleomycin and VP-16 for Advanced Testicular Cancer

Principal Investigator: COL Jeffrey Berenberg, MC

LTC William J. Uphouse, MC; LTC Lawrence Sakas, MC: MAJ Luke M. Stapleton, MC: CPT Scott Martin, MS Associate Investigators:

Department/Section: Medicine/Medical Hematology-Oncology Service

Key Words: Bleomycin;

FY 89: NA Periodic Review Date: Funding: FY 88: NA

Gifts: None Decision: Terminate

OBJECTIVE: To compare the efficacy of the standard Cisplatin regimen for advanced (greater than 10 cm) testicular cancer with a new high dose Cisplatin regime.

TECHNICAL APPROACH: Patients agreeing to participate will be randomized to receive the standard regimen of Cisplatin, VP-16, and Bleomycin every 3 weeks x 4 cycles or to receive the same regimen except with a higher Cisplatin dose.

PROGRESS: No. of Subjects Enrolled - To Date: 0 Reporting Period: 0

This study has just been terminated but no regults are available.

Prot No: SWOG 8789(89) Status: Ongoing

TITLE: A Randomized Study of Etoposide + Cisplatin and Etoposide + Carboplatin (CBDCA) in the Management of Good Risk Patients with Advanced Germ Cell Tumors

COL Jeffrey Berenberg, MC Principal Investigator:

LTC William J. Uphouse, MC; LTC Lawrence Sakas, MC: MAJ Luke M. Stapleton, MC: CPT Scott Martin, MS Associate Investigators:

Department/Section: 'Medicine/Hematology-Oncology Service

Key Words: etoposide; cisplatin; carboplatin (CBDCA);

Periodic Review Date: Sep 89 Funding: FY 88: NA FY 89: NA

Gifts: None Decision: Continue

OBJECTIVE: To determine the differences in response rate, time to relapse and survival between two active chemotherapy regimens, VP-16 plus Cisplatin and VP-16 plus Carboplatin for good risk patients with germ cell tumors.

TECHNICAL APPROACH: Patients agreeing to participate will be randomized to receive either 1) VP-16 plus Cisplatin IV every 3 weeks for 4 cycles or 2) VP-16 plus Carboplatin IV every 4 weeks for 4 cycles.

PROGRESS: No. of Subjects Enrolled - To Date: 0 Reporting Period: 0

This study opened recently and there are no data available yet.

Prot No: SWOG 8791(89) Status: Ongoing

TITLE: Adjuvant Trial of Soft Tissue Sarcoma, Phase III

Principal Investigator:

COL Jeffrey Berenberg, NC

Associate Investigators: LTC William J. Uphouse, MC; LTC Lawrence Sakas, MC;

LTC Y-T Margaret Lee, MC: MAJ Luke M. Stapleton, MC;

MAJ Marianne M. Young, MC; CPT Scott Martin, MS

Department/Section: Medicine/Medical Hematology-Oncology Service

Key Words: adriamycin; ifosfamide; mesna

Funding: FY 88: NA FY 89: NA Periodic Review Date: Sep 89

Gifts: None Decision: Continue

OBJECTIVE: Patients who have a high grade (Grade III) soft tissue sarcoma completely removed surgically have about a 25% 5-year survival. this study seeks to improve this statistic.

TECHNICAL APPROACH: Patients agreeing to participate will be randomized to receive either 1)chemotherapy with Adriamycin, DTIC, Ifosfamide and Mesna given continuously IV over 4 days in the hospital every 3 weeks for 6 cycles or 2) no treatment.

PROGRESS: No. of Subjects Enrolled - To Date: O Reporting Period: O

This study opened recently and there are no data available yet.

Prot No: SWOG 8792(87)

Status: Ongoing

TITLE: Phase III Study of Alfa-nl (Wellferon) as Adjuvant Treatment for

Resectable Renal Cell Carcinoma

Principal Investigator:

COL Jeffrey Berenberg, MC

Associate Investigators: LTC William J. Uphouse, MC; LTC Lawrence Sakas, MC;

MAJ Luke M. Stapleton, MC; CPT Scott Martin, MS

Department/Section: Medicine/Medical Hematology-Oncology Service

Key Words: interferon alfa-nl;

Funding: FY 88: NA

Gifts: None

FY 89: NA

Periodic Review Date: Sep 89

Decision: Continue

OBJECTIVE: To determine the effectiveness of interferon alfa-nl in prolonging time to recurrence and patient survival after resection of renal cell carcinoma.

TECHNICAL APPROACH: Patients agreeing to participate will be randomized to receive iterferon alfa-nl IM daily for 5 days every 3 weeks for 12 cycles (36 weeks total) or be randomized to observation alone.

PROGRESS: No. of Subjects Enrolled - To Date: 1

Reporting Period: 1

The one TAMC patient entered on this trial had a lot of flu-like symptoms and elected to stop treatment after the first cycle. His symptoms were short-lived but unacceptable to him. Nationally there are no data yet.

Prot No: SWOG 8793(88) Status: Ongoing

TITLE: Randomized Phase III Evaluation of Hormonal Therapy vs. Observation in Patients with Stage D1 Adenocarcinoma of the Prostate Following Pelvic Lymphadenectomy and Radical Prostatectomy

Principal Investigator: COL Jeffrey L. Berenberg, MC

Associate Investigators: LTC William J. Uphouse, MC; LTC Lawrence Sakas, MC:

MAJ Luke M. Stapleton, MC: CPT Scott Martin, MS

Department/Section: Medicine/Hematology-Oncology Service

Key Words: hormonal therapy; pelvic lymphadenectomy; radical prostatectomy

Funding: FY 88: NA FY 89: NA Periodic Review Date: Sep 89

Gifts: None Decision: Continue

OBJECTIVE: To compare the time to progression and the survival time for patients with resected stage D1 (positive lymph nodes) prostate cancer when they receive immediate hormone therapy vs. hormone therapy when the disease progresses.

TECHNICAL APPROACH: Patients agreeing to participate in the study will be assigned to receive hormone therapy or observation. If they are assigned to the hormone therapy arm, the patient may choose either orchiectomy or zoladex (a hormone which given qmon SQ produces castrate testosterone levels and has no serious side effects).

PROGRESS: No. of Subjects Enrolled - To Date: 0 Reporting Period: 0

This study has just opened recently. No data are available yet.

Prot No: SWOG 8794(89) Status: Ongoing

TITLE: Treatment of Pathologic Stage C Carcinoma of the Prostate with

Adjuvant Radiotherapy

Principal Investigator: COL Jeffrey Berenberg, MC

Associate Investigators: LTC William J. Uphouse, MC; LTC Lawrence Sakas, MC;

COL Martin L. Dresner, MC: MAJ Luke M. Stapleton, MS;

MAJ Marianne M. Young, MC

Department/Section: Medicine/Hematology-Oncology Service

Key Words: prostate carcinoma;

Funding: FY 88: NA FY 89: NA Periodic Review Date: Sep 89

Gifts: None Decision: Continue

OBJECTIVE: To compare in a randomized study the disease-free survival and overall survival of patients with completely resected Stage C prostate carcinoma (tumor through capsule or into seminal vesicles) given or not given adjuvant radiation therapy.

TECHNICAL APPROACH: Patients agreeing to participate in this study will be assigned to receive or not receive 6400 rads of radiation to the prostate bed.

PROGRESS: No. of Subjects Enrolled - To Date: 0 Reporting Period: 0

This study opened recently and there are no data available yet.

Prot No: SWOG 8795(89) Status: Ongoing

TITLE: Randomized Prospective Comparison of Bacillus Calmette-Guerin (RCG) and Mitomycin-C Therapy and Prophylaxis in Superficial Transitional Cell Carcinoma of the Bladder with DNA Flow Cytometric Analysis, Phase III

Principal Investigator: COL Jeffrey L. Berenberg, MC

Associate Investigators: LTC William J. Uphouse, MC; LTC Lawrence Sakas, MC:

MAJ Luke M. Stapleton, MC: COL Martin L. Dresner, MC:

CPT Scott Martin, MS

Department/Section: Medicine/Hematology-Oncology Service

Key Words: bacillus calmette-guerin (BCG); mitomycin-C;

Funding: FY 88: NA FY 89: NA Periodic Review Date: Sep 89

Gifts: None Decision: Continue

<u>OBJECTIVE</u>: To compare the efficacy of Bacillus Calmette-Guerin (BCG) in preventing recurrence of superficial transitional cell carcinoma of the bladder with that of mitomycin-C.

TECHNICAL APPROACH: Patients agreeing to participate will be randomized to receive BCG intravesically weekly for 6 weeks then, beginning on week 8, monthly for 11 more treatments, or to receive mitomycin-C intravesically on the same schedule.

PROGRESS: No. of Subjects Enrolled - To Date: 0 Reporting Period: 0

This study opened recently and there are no data available yet.

Prot No: SWOG 8796(88) Status: Terminated

TITLE: Combination Chemotherapy for Advanced Hodgkin's Disease, Phase III

Intergroup

Principal Investigator: COL Jeffrey Berenberg, MC

Associate Investigators: LTC William J. Uphouse, MC; LTC Lawrence Sakas, MC;

MAJ Luke M. Stapleton, MC: CPT Scott Martin, MS

Department/Section: Medicine/Medical Hematology-Oncology Service

Key Words: Hodgkin's Disease

Funding: FY 88: NA FY 89: NA Periodic Review Date: Sep 89

Gifts: None Decision: Terminate

OBJECTIVE: To compare the efficacy of the two leading chemotherapy programs for advanced Hodgkin's disease.

TECHNICAL APPROACH: Patients agreeing to participate will be randomized to either the sequential MOPP-ABVD or hybrid MOPP/ABV program.

PROGRESS: No. of Subjects Enrolled - To Date: 4 Reporting Period: 4

Of the 4 TAMC patients on this study, 2 have achieved a complete remission and the other 2 have a partial remission but are still on therapy and a complete remission is expected. Nationally, there are no data yet but toxicity has been mild.

Prot No: SWOG 8804(88) Status: Ongoing

TITLE: Evaluation of Cis-platinum and DTIC in Inoperable Stage III and Stage

IV Melanoma

Principal Investigator:

COL Jeffrey L. Berenberg, MC LTC William J. Uphouse, MC; LTC Lawrence Sakas, MC: Associate Investigators:

MAJ Luke M. Stapleton, MC; CPT Scott Martin, MS

Department/Section: Medicine/Hematology-Oncology Service

Key Words: cis-platinum; DTIC; advanced melanoma;

Periodic Review Date: Funding: FY 88: NA FY 89: NA Sep 89

Gifts: None Decision: Continue

OBJECTIVE: To determine the response rate and efficacy of DTIC plus Cis-platinum in inoperable advanced melanoma.

TECHNICAL APPROACH: Patients agreeing to participate will receive DTIC and Cis-platinum IV day 1 every 3 weeks until progressive disease is noted.

PROGRESS: No. of Subjects Enrolled - To Date: 0 Reporting Period: 0

There are no data available yet on this study at the national level.

Prot No: SWOG 8805(88)

Status: Ongoing

TITLE: Neoadjuvant Cisplatin and VP-16 Plus Concurrent Chest and Brain Irradiation for Patients with Stage III Non-Small Cell Lung Carcinoma

Principal Investigator:

COL Jeffrey Berenberg, MC

Associate Investigators:

LTC William J. Uphouse, MC; LTC Lawrence Sakas, MC;

MAJ Luke M. Stapleton, MC; CPT 3cott Martin, MS:

MAJ Marianne M. Young, MC

Department/Section: Medicine/Hematology-Oncology Service

Key Words: Cisplatin: VF-16:

Funding: FY 88: NA FY 89: NA

Gifts: None

Periodic Review Date:

Sep 89

Decision: Continue

OBJECTIVE: To assess the response rate, resectability rate and, ultimately, survival in patients with locally advanced non-small cell lung cancer treated with simultaneous chemotherapy and radiation prior to assessment for possible surgery. The benefit of prophylactic cranial radiation will also be examined.

TECHNICAL APPROACH: Patients agreeing to participate will all receive 2 cysles of Cisplatin and VP 16 plus simultaneous chest and cranial radiation therapy. If they are then considered resectable, they will then have a thoracotomy with resection.

Reporting Period: 1 PROGRESS: No. of Subjects Enrolled - To Date: 1

The one TAMC patient entered on this study so far has done extremely well with all of his tumor (except one microscopic focus) disappearing after chemotherapy and radiation. He is doing well off all treatment. Nationally, there are no data available yet.

Prot No: SWOG 8809(89)

Status: Ongoing

TITLE: A Phase III Study of Alpha Interferon Consolidation Following

Intensive Chemotherapy with ProMACE-MOPP (Day 1-8) in Patients with Low Grade Malignant Lymphomas

Principal Investigator:

COL Jeffrey L. Berenberg, MC

Associate Investigators: LT

LTC William J. Uphouse, MC; LTC Lawrence Sakas, MC; MAJ Luke M. Stapleton, MC; MAJ Marianne M. Young, MC;

CPT Scott Martin, MS

Department/Section: Medicine/Hematology-Oncology Service

Key Words: ProMACE-MOPP;

Funding: FY 88: NA

Gifts: None

FY 89: NA

Periodic Review Date: Sep 89

Decision: Continue

OBJECTIVE: To determine the response rate and survival of low grade lymphoma patients treated with ProMACE-MOPP. Also to compare the disease-free survival in these patients who receive alpha interferon after chemotherapy compared to those who receive only the chemotherapy.

TECHNICAL APPROACH: Patients agreeing to participate will receive 6 cycles of ProMACE-MOPP (followed by limited field radiation if complete remission is not achieved with the ProMACE-MOPP) and then be randomized to receive or not receive low dose alpha interferon 3 times a week subcutaneously for 2 years.

PROGRESS: No. of Subjects Enrolled - To Date: 0 Reporting Period: 0

This study opened recently and there are no data available yet.

Prot No: SWOG 8810(88)

Status: Ongoing

TITLE: Six Courses of 5-FU and Cis-platinum with Correlation of Clinical and Cellular DNA Parameters in Patients with Advanced, Untreated and Unresectable Squamous Cell Carcinomas of the Head and Neck, Phase II

Principal Investigator:

COL Jeffrey Berenberg, MC

Associate Investigators: LTC William J. Uphouse, MC; LTC Lawrence Sakas, MC;

MAJ Luke M. Stapleton, MC: CPT Scott Martin, MS

Department/Section: Medicine/Hematology-Oncology Service

Key Words: squamous cell carcinomas;

Funding: FY 88: NA

FY 89: NA

Periodic Review Date: Sep 89

Gifts: None Decision: Continue

OBJECTIVE: To determine if 6 cycles of Cis-platinum plus 5-FU will result in more complete remissions of locally advanced head and neck cancer than 3 cycles.

TECHNICAL APPROACH: Patients agreeing to participate will all recieve 3 cycles of Cis-platinum plus 5-FU. Patient who then achieve at least a partial remission (50% or more tumor shrinkage) will get 3 additional cycles. With less than partial, come off study.

PROGRESS: No. of Subjects Enrolled - To Date: 0 Reporting Period: 0

This study has just opened. There are no data available yet.

Prot No: SWOG 8812(89) Status: Ongoing

TITLE: SWOG 8812(89): Treatment of Limited Small Cell Lung Cancer with Concurrent Chemotherapy, Radiotherapy, with or without GM-CSF and Subsequent Randomization to Maintenance Interferon or No Maintenance

Principal Investigator: COL Jeffrey Berenberg, MC Associate Investigators: LCT William J. Uphouse, MC

MAJ Luke M. Stapleton, MC: CPT Scott Martin, MS: LTC Lawrence Sakas, MC; MAJ Marianne M. Young, MC

Department/Section: Medicine/Medical Hematology-Oncology Service

Key Words: GM-CSF

Funding: FY 88: NA FY 89: NA Periodic Review Date: Sep 89

Gifts: None Decision: Continue

OBJECTIVE: To determine if alpha interferon given after induction chemotherapy and radiation prolongs survival in patients with limited small cell lung cancer. Also this study seeks to determine if GM-CSF will ameliorate the myelosuppression that occurs during induction therapy.

TECHNICAL APPROACH: Patients agreeing to participate will be randomized to either receive or not receive maintenance interferon 3 times a week SQ for 2 years after 6 cycles of chemotherapy with radiation with or without GM-CSF.

PROGRESS: No. of Subjects Enrolled - To Date: 0 Reporting Period: 0

This study opened recently and there are no data available yet.

Prot No: SWOG 8892(89)

Status: Ongoing

TITLE: A Study of Radiotherpy with and without Concurrent Cisplatin in Patients with Nasopharyngeal Cancer, Phase III

Principal Investigator: COL Jeffrey Berenberg, MC Associate Investigators: LTC William J. Uphouse, MC

Department/Section: Medicine/Hematology-Oncology Service

Key Words: nasopharyngeal cancer;

Funding: FY 88: NA FY 89: NA Periodic Review Date: Sep 89

Gifts: None Decision: Continue

OBJECTIVE: To compare the complete response rate and survival of patients with Stage III of IV Nasopharyngeal cancer treated with definitive radiation versus those treated with definitive radiation plus Cisplatin.

TECHNICAL APPROACH: Patients agreeing to participate will be randomized to receive either 1) radiation (7,000 rads over 7 weeks) or 2) the same radiation plus 3 doses of concurrent Cisplatin (at 3 week intervals).

PROGRESS: No. of Subjects Enrolled - To Date: O Reporting Period: O

This study opened recently and there are no data available yet.

Prot No: SWOG 8899(88) Status: Ongoing

TITLE: A Prospectively Randomized Trial of Low-Dose Leucovorin Plus 5-FU, High-Dose Leucovorin Plus 5-FU, or Observation Following Curative Resection in Selected Patients with Duke's B2 or C Colon Cancer

Principal Investigator: COL Jeffrey Berenberg, MC

Associate Investigators: LTC William J. Uphouse, MC; LTC Lawrence Sakas, MC;

MAJ Luke M. Stapleton, MC; CPT Scott Martin, MS

Department/Section: Medicine/Hematology-Oncology Service

Key Words: Teucovorin;

Funding: FY 88: NA FY 89: NA Periodic Review Date: Sep 89

Gifts: None Decision: Continue

OBJECTIVE: To determine if surgery plus either 5-FU and low dose Leucovorin or 5-FU and high dose Leucovorin will result in improved survival over surgery alone in resected Dukes's B2 and C colon cancer.

TECHNICAL APPROACH: Patients agreeing to participate will be randomized post-operatively to receive 1) 5-FU plus low dose Leucovorin IV push Day 1-5 q4-5 weeks x 6 cycles, or 2) 5-FU plus high dose Leucovorin IV over 2 hours weekly for 6 of each 8 weeks for 24 doses, or 3) no chemotherapy.

PROGRESS: No. of Subjects Enrolled - To Date: 1 Reporting Period: 1

The one TAMC entered on this study was randomized to no chemotherapy and is presently doing well. Nationally, there are no data available yet as the study just opened.

Prot No: SWOG 8900(89) Status: Ongoing

TITLE: Randomization Trial fo VAD and VAD/Verapamil for Refractory Multiple Myeloma

Principal Investigator: COL Jeffrey Berenberg, MC

Associate Investigators: LTC William J. Uphouse, MC; MAJ Luke M. Stapleton, MC;

CPT Scott Martin, MS. LTC Lawrence Sakas, MC

Sep 89

Department/Section: Medicine/Medical Hematology-Oncology Service

Key Words: vincristine, adriamycin, dexamethasone, verapamil;

Funding: FY 88: NA FY 89: NA Periodic Review Date:

Gifts: None Decision: Continue

OBJECTIVE: To determien the response rate adn response duration to chemotherapy flone (VAD) and to chemotherapy (VAD) plus Verapamil in multiple myeloma patients who have failed previous chemotherapy.

TECHNICAL APPROACH: Patients agreeing to participate will be randomized to receive VAD given as a 4 day IV infusion or to receive the same VAD plus p.o. Verapamil.

PROGRESS: No. of Subjects Enrolled - To Date: 0 Reporting Period: 0

This study just opened and there are no data available yet.

Prot No: CRCH 8901(89) Status: Ongoing

TITLE: Cancer Research Consortium of Hawaii - Phase II Evaluation of Hepatic

Chemoembolization with Angiostat Collagen and Cisplatin, Mitomycin and

Doxorubicin

Principal Investigator: COL Jeffrey Berenberg, MC Associate Investigators: LTC William J. Uphouse, MC

Department/Section: Medicine/Medical Hematology-Oncology Service

Key Words: hepatic chemoembolization; doxorubicin;

Funding: FY 88: NA FY 89: NA Periodic Review Date: Sep 89

Gifts: None Decision: Continue

OBJECTIVE: To determine the efficacy of chemoembolization in unresectable metastatic tumors to the liver and primary hepatoma.

TECHNICAL APPROACH: Patients agreeing to participate will undergo hepatic artery catheterization for chemoembolization of the part of the liver. A second and subsequent chemoembolization will be done at intervals of 2 to 4 weeks to treat the rest of the liver.

PROGRESS: No. of Subjects Enrolled - To Date: O Reporting Period: O

This study just opened and there are no available data yet.

Prot No: CRCH 8903(89) Status: Ongoing

TITLE: A Multicenter Phase II Trial of Intravenous PEG-Interleukin-2 (Modified Recombinant Human) (PEG IL-2) in Patients with Advanced Renal Cell

Carcinoma

Principal Investigator: COL Jeffrey Berenberg, MC Associate Investigators: LTC William J. Uphouse, MC

Department/Section: Medicine/Medical Hematology-Oncology Service

Key Words: Interleukin-2;

Funding: FY 88: NA FY 89: NA Periodic Review Date: Sep 89

Gifts: None Decision: Continue

OBJECTIVE: To determine the response rate to PEG IL-2 in patients with advanced renal cell carcinoma.

TECHNICAL APPROACH: Patient agreeing to participate will receive PEG IL-2 over 15 minutes IV weekly for 8 weeks and then be reassessed for further treatment depending on their response. The patients will be hospitalized for 24 hours after the first dose to monitor for toxicity.

PROGRESS: No. of Subjects Enrolled - To Date: 0 Reporting Period: 0

This study just opened and there are no available data yet.

## **AUTHOR INDEX**

```
Albee DT, 44
Andrews SJ, 8
Antoine GA, 4, 5, 6, 9, 14, 71
Antoine JA, 5
Askew EW, 1, 7
Banks RA, 50, 51, 52
Barcia PJ, 5, 9, 10, 11, 13, 62, 64, 85, 93, 96, 97, 113, 125
Barnett M, 5
Bass JW, 3, 9, 53, 57, 58, 59
Bemis J, 1
Bendowski TF, 10
Berenberg JL, 2, 7, 87-93, 113-119, 131, 133-153
Beresky R, 5, 10
Berman S, 24, 35
Blumberg AI, 4, 9
Bornemann M, 2, 7
Bowen RE, 34, 70
Brady AV, 2
Braxton MJ, 5, 11
Brooks DP, 1
Brooks VP, 5, 6
Brown JD, 8, 24, 35, 36
Browning WC, 87
Bryant GH, 1, 7
Buono MJ, 20
Burch RA, 10
Burgess LPA, 5
Burke JW, 4
Burns JA, 8
Bryon JW, 45
Cammarata FA, 4
Carpenter GB, 2
Carroll CC, 10, 11
Carroll CP, 5, 10, 63, 64
Carter P, 10
Carungi RC, 5
Cassell PI, 7
Charles G, 5
Ching C, 86
Ching N, 86
Chung R, 60
Clark S, 6
Claybaugh JR, 1-4, 7, 15-17, 19, 21, 25-28, 37, 46, 65, 80
Colavita MA, 46
Collins JL, 9
Cook BA, 8, 87, 94-112
Cooper GL, 5, 10, 77
Crudo DF, 3
Cruz C, 8
```

Cucinell SA, 1, 7, 18 Curb JD, 40 Curran-Evertt, 7 Cymerman A, 1 Daniels AM, 4 Daniels JR, 4 Davis GL, 2, 8 Davis JL, 2 Demers DM, 59 Desmond PM, 10, 12, 65, 73, 76 Dice MS, 1, 19 Dillon MB, 3 Ditzler TF, 60 Dodge ST, 8 Dodds L, 4 Dootson J, 29 Dresner ML, 11-13, 73, 74, 76, 77 Enzenauer RJ, 6, 7, 8 Erickson ST, 4 Evans WS, 7 Fajardo EJ, 3 Fasolak W, 8 Feldman A, 6 Fengler SA, 10 Frankel SF, 6 Freund BJ, 1, 7, 16, 17, 19-21, 25, 68 Fry TG, 67 Fugate DS, 12 Fujiyoshi C, 8 Fuller R, 61 Gale E, 82 Gates RH, 2, 36, 39 Geer DA, 5 Gill AW, 4 Golden BJ, 3 Goldberg HI, 4 Goldstein A, 42 Gomez ER, 6 Graham JF, 5, 80 Grobe JL, 5 Gusz JR, 10 Hadick CL, 1 Hajduczok G, 2 Hall J, 60 Hamill R, 85 Hansen MF, 4 Harrington D, 4 Hashiro GM, 1, 7

Hassell LH, 37, 65, 78 Henningsen HJ, 81

Henningsen JR, 12, 81 Henrickson M, 57 Henry JD, 44 Hernandez E, 2, 3, 8, 9, 47, 48 Hill SC, 2 Hillnerg OE, 4 Hiner WO, 4 Holland JC, 38, 78 Holmes SM, 4 Hong SK, 1, 2, 7 Huang BS, 2, 4 Huang YC, 10, 66 Hynes RA, 10, 68, 69 Ichimura W, 79 Jarrett RV, 51, 54, 55 Jilka SM, 1 Johnson AC, 39 Johnson T, 4 Jones GP, 13 Joyner MJ, 1 Juhar KJ, 31 Kalbach LR, 43 Kaufmann CR, 5, 10 Kaya CF, 70, 71 Kayatta AJ, 4 Kellum CD, 4 Kennon WG, 11, 12, 13, 73, 74, 76, 77, 132 Kerlan RK, 4 Kessler H, 29 Kidd GS II, 2 Kilfoyle RG, 6, 11, 63 Kincaid SB, 72 Kopke RD, 11, 71 Kowalski TJ, 61 Krasney JA, 2, 7 Kraut RA, 29-32 Kreder KJ, 11-13, 73, 74, 76, 77, 132 Kullama L, 28 Ku WP, 2 Kueser TJ, 54-56 Laberge JM, 4, 11, 73, 82 Landes T, 6 Lee BJ, 4 Lee JG, 4 Lee Y-TM, 5, 6, 11, 13, 64, 82, 93 Lepore ML, 5 Letterie GS, 28, 49 Lieberman MM, 2, 22-24, 35 Lin YC, 16

Link J, 78 Lisehora GR, 5

Loh K, 86 Lohman TG, 1 Long WF, 34 Lou T, 86 Lugo EJ, 3 Lum BKB, 18 MacMillan M, 131, 134, 137-140 Mahan VL, 11 Major JE, 5 Malvin RL, 4 Markoff RA, 61 Martin MP, 11, 71 Martin RR, 5, 11 Martin SC, 4, 146, 147 Martyak AP, 11, 12, 75 Massey DG, 2 Matsui N, 1 Mayer M, 6 McAnallen K, 44 McAuley RJ, 4 McCullen A, 63, 74, 77, 85 McLaughlin P, 4 Melish ME, 53 Merigan T, 86 Michael S, 6 Miki K, 2 Miyazawa K, 2, 3, 8, 9, 47, 48 Moe D, 78 Moliver C, 12 Moore SV, 10, 67 Mudafort E, 3 Murray WC, 1 Nakayama H, 1 O'Brien JC, 1 01son DW, 64 Okazaki JR, 4 Ordonez MP, 114, 116, 129 Orecchia PM, 6 Osterholzer H, 1 Pang M, 86 Park A0,6, 12, 71 Parker WR, 4 Parkinson DW, 12 Perkner JJ, 5 Perone TP, 5 Pitts CM, 6, 74 Pitcher JD, 12 Pliskin MJ, 12, 73, 76, 77, 132 Pogany AC, 4 Povar GJ, 2 Pratt SR, 15

Presley JJ, 3 Pumphrey RS, 46 Quilligan JJ, 5 Raines KB, 78 Rains V, 40, 41 Ramirez EJ, 8, 45 Randolph 6J, 6 Raterink MH, 6, 12, 71, 78 Rawlings JS, 3 Reesor K, 79 Reeves B, 46 Reinker KA, 10, 12, 79 Ridgley R, 8 Rich NM, 6 Ring EJ, 4 Robinson B, 80 Rogers F, 63 Romash MM, 10, 12, 13, 06, 81 Ronquillo AP, 92, 97, 99, 114, 116, 140, 146, 147 Rudolph CC, 82 Saikevych IA, 6 Sakas EL, 5, 9, 92, 122, 123, 127, 130-140, 143, 146, 147 Salander JM, 6 Salk RA, 8 Samlaska C, 8 Saracino D, 13, 62 Sateri F, 132 Sato AK, 3, 19, 25, 27, 28, 46 Schuchmann GD, 13 Schultz T, 60, Seal LA, 58, 59 Severson RW, 4 Sheff CD, 4 Sherman KE, 2, 42 Sherman SN, 2 Shernoff AF, 31 Shiraki K, 1 Siemson A, 37 Silverstein J, 52 Skirvin DR, 31 Slage DC, 2 Smith FR, 3, 51, 54 Smith MB, 8 Soderdahl DW, 5, 12, 74, 76, 83, 132 Solimando DA, 87 Sondeen JL, 2, 7 Souliere CR, 6, 12, 13 Stapleton LM, 87, 122, 131, 134, 137-140, 146, 147 Stephenson SR, 3, 94-112 Stever M, 9 Stewart B, 2

Stokes WS, 1, 2, 7

Stotler RE, 4 Strand J, 10 Strafford EM, 3 Streltzer J, 37 Sutley SH, 33 Sweet B, 1 Tamamoto W, 6 Taylor RL, 6 Tegtmeyer CJ, 4 Tell DT, 118, 119, 123, 127, 129, 130, 133, 135, 136, 142, 143 Thomas RS, 6, 13, 62, 82, 85 Tippets DD, 13 Tobin HE, 12 Took KJ, 60 Underwood GH, 6-8 Uphouse WJ, 87-93, 113-119, 121-131, 133-153 Uribe JW, 6, 10, 13, 79, 84 Uyehara CFT, 2, 7, 26-28, 46 Vandermark LL, 4 Vansant TE, 5 Villagicencio JL, 6 Wade CE, 7 Watson EJ, 9 Watson RR, 4 Watts DM, 85 Weiser H, 5 Whisenant AD, 4 White CB, 3 Whitman CS, 13, 69 Whittington LK, 51 Wikert GA, 13, 65, 77 Wilkinson GR, 13, 64 Williams BD, 5 Williamson BRJ, 4 Wilmore JH, 1 Wilson JL, 4 Wittler RR, 58, 59 Woods J, 8, 90, 91, 96, 97, 99, 102, 105, 119, 120 Woods PH, 6 Yamada SM, 3 Yim DWS, 4-6, 9, 13, 63, 86 Yoshida GY, 14 Yungbluth J, 44

Zieske LA, 4, 6, 9, 14, 70

## SUBJECT INDEX

acetazolamide, 25 acetazolamide therapy, 16 acute abdomen, 62 acute non-lymphocytic leukemia (ANLL), 106 adenocarcinoma, noninvasive intraductal, 92 advanced trauma life support, 63 age, 20 AIDS, 36, 39 AK amputees, 68 aldosterone, 46 allopurinol, 87 Alpha-2b interferon, 151 amniotic fluid, 26, 46 angiotensin, 17 antibiotics, 47 antidiuretic hormone, 15, 65 arginine vasopressin, 28 arthroscopy, 84 asphyxiated neonate, 15 atopic disease, 70 5-azacytidine, 106 azidothymidine, 39 bladder cancer, 83, 132, 143 body fluids, 20 bone loss, 41 brain tumor, 104 brain tumors, pediatric, 96 breast cancer, 88, 89, 90, 91, 118 breast cancer, metastatic, 120 calcium entry blockers, 18 cancer, 141 carcinoma, colorectal, 139 carcinoma, head and neck, 129 carcinoma, pancreatic, 134 carcinoma, renal cell, 130 carcinoma, squamous cell, 135, 142 cellular immunity, 23 cerebrospinal fluid, 15, 80 chemotherapy, 110, 141 cisplatin metastatic soft tissue sarcoma, 128 clinical trial, 24, 35 cocaine anethesia, 76 cold diuresis, 19 colon adenocarcinoma, 93 conscious sedation, 30 cortisol, 46 cystoscopy, 76 cytosine arabinoside, 144

D-lactate ischemic, 85,

daunorubicin, 144 diabetes mellitus, 50, 52 diarrhea, infantile, 57

echinomycin, 152
edentulous mandibles, 31
embolic material, 82
enteral tube feeding, 43
enterocolitis, 51
esophagus, 141
esorubicin, 126
Ewing's sarcoma, 97
exercise, 16, 20

Flow cytometry, 83 fludarabine phosphate, 121 5-Fluorouracil in Colorectal Carcinoma, 148 fractures, 69

gastric adenocarcinoma, 113 gastric cancer, 124 glucocorticoid receptors, 137 Graves' ophthalmopathy, 38

ifosfamide, 149 implants, 31 infant leukemia, 105 infants, low birth rate, 54 infarcted bowel, 85 infection, 36, 42, 46 infertility, 45 insomniac alcoholics, 60 intraocular lenses, 75 Interferon- $\alpha$ , 86 intra-articular trauma, 81 intralesional steroids, 69

#### ketoacidosis, 52

leukemia, 108
leukemia, acute, 103
leukemia, adult acute, 122
leukemia, acute lymphocytic, 102
leukemia, chronic granulocytic, 122
leukemia, lymphoblistic, 127
leukemia, nonlymphocytic, 98, 138
liver resection, 82
lung cancer, 146, 147
lung cancer, non-small cell, 119
lung water, 16
lymphoma, 123
lymphoma, non-Hodgkin's, 136

male fertility, 73 malignant lymphoma, 126 medulloblastoma, 109 melanoma, 125 melanoma, disseminated, 117 melanoma, malignant, 115 meniscal injuries, 79 mesna, 149 metastic melanoma, 121 metastatic renal cell carcinoma, 150 microsurgery, 72 mineralocorticoid, 17 mineralocorticoid supplementation, 16 mold spores, 34 monoclonal antibody, 22 multiple myeloma, 151 myeloma, 137

nasopharyngeal carcinoma, 86 necrotizing, 51 neonatal infection, 55 neonates, 51, 56 neuroblastoma, 94, 112

oligospermia, 45 ophthalmology, 16 oral surgery, 30 orthognathic surgery, 32 osmolality, 26, 46 osteoporosis, 41 osteosarcoma, 110 otic pruritis, 70

pediatric, 52
peritonsillar abscess, 71
prolactin, 46
prostate adenocarcinoma, 133
Pseudomonas aeruginosa, 22, 23, 24, 35
psychomotor skills, 67

pulmonary function, 56 plasma vasopressin, 21 plasma osmolality, 21 prosthetic, 29 prosthetic feet, 68

radiation, 109, 141
refactory or relapsing myeloma, 145
recombinant human interferon-gamma, 153
respiratory depression, 33
respiratory distress, 18
reversal agents, 44
rhabdomyosarcoma, 101, 107
ribosomal vaccine, 23, 24, 35

sarcoma, soft tissue, 131 seminoma, 116, 140 sepsis, 56 shoulder dislocation, 84 small cell, 146 solid tumors, 103 streptococcal infection, 59 streptococcal pharyngitis, 58 surgical training, 64

tardive dyskinesia, 61 6-Thioguanine (6-TG), 145 titanium implants, 29 training, 48, 67, 72 Trimetrexate, 148 tryptophan, 60 tubal patency, 49

urinary D-lactate, 62 urine, 15 umbilical vein graft, 77

varicocele, 73
vasopressin, 17, 26, 46
vasotocin, 26, 46
vasotocin-specific antiserum, 27
verapamil, 61
Vercuronium, 44

water and electrolyte balance, 16 Wilms' tumor, 95, 100

# DISTRIBUTION LIST

Agency	Quantity of	Copies
Commander US Army Medical Research Command Fort Detrick, ATTN: SGRD-AJ Frederick, MD 21701	2	
Commander US Army Medical Research Command Fort Detrick, ATTN: SGRD-HR Frederick, MD 21701	2	
Commander US Army Medical Research & Development Command ATTN: SGRD-PLB Fort Detrick Frederick, MD 21701-5012	1	
Defense Documentation Center ATTN: DDC-TCA, Cameron Station Alexandria, VA 22314	12	
Commander US Army Health Care Studies and Clinical Investigation Activity ATTN: HSHN-I	2	
Fort Sam Houston, TX 78234-6060 Superintendent Academy of Health Sciences, US Army ATTN: AHS-COM Fort Sam Houston, TX 78234	1	
Fach US Army Medical Center	1	